THE KENYA GAZETTE

Published by Authority of the Republic of Kenya

(Registered as a Newspaper at the G.P.O.)

Vol. CXIX—No. 179 **NAIROBI, 1st December, 2017** **Price Sh. 60**

CONTENTS

GAZETTE NOTICES

	PAGE
The Accountants—Appointment	6110
The Competition Act—Exemption	6110
The Public Finance Management Act—National Government Affirmative Action Fund—Appointment	6110–6115
The Elections Act—Corrigenda	6115–6116
The Land Registration Act—Issue of Provisional Certificates, etc	6115–6123
County Governments Notices—Appointment	6123
The State Corporations Act—Directory of Accredited Conformity Assement Bodies, 2017	6124–6175
The Labour Relations Act—Application for Registration of Trade Union, etc	6175
Loss of Share Certificate	6176
Disposal of Uncollected Goods	6176
The Civil Aviation Act—Decisions of the Kenya Civil Aviation Authority on Applications for Air Service Licences	6176–6178
The Physical Planning Act—Completion of Part Development Plans	6178–6179
The Environmental Management and Co-ordination Act—Environmental Impact Assessment Study Reports	6179–6181
Loss of Policies	6182–6187
Change of Names	6187–6188

GAZETTE NOTICES—(*Contd.*)

CORRIGENDA

In Gazette Notice No. 7212 of 2017, "Cause No. 5 of 2017" *amend* the date of death printed as "11th January, 2012" to *read* "11th November, 2012".

In Gazette Notice No. 2531 of 2017, Cause No. 13 of 2015, *amend* the second petitioner's name printed as "Namase Loree" to *read* Namase Lobee" and the place of death printed as "District Hospital, Lodwar in Kenya" to *read* "Enzai Sub-location, Makueni".

GAZETTE NOTICE NO. 11796

THE ACCOUNTANTS ACT

(*No.* 15 *of* 2008)

APPOINTMENT

IN EXERCISE of the powers conferred by section 15 (1) of the Accountant Act, the Cabinet Secretary for the National Treasury appoints—

Under paragraph (*a*)—

Bernard M. Ndung'u

Under paragraph (*b*)—

Christopher Yegon—

Under paragraph (*c*)—

Nyambura Koigi (Dr.)

Under paragraph (*d*)—

Margaret K. Muia

Under paragraph (*e*)—

Mary Njuya

Under paragraph (*f*)—

Benson Okundi
Patrick Ngumi (Dr.)—

Under paragraph (*g*)—

Catherine Musakali
Joel M. Mbuthia

to be members of the Kenya Accountants and Secretaries National Examinations Board, for a period of three (3) years, with effect from the 7th August, 2017.

Dated the 20th November, 2017.

HENRY ROTICH,
Cabinet Secretary, the National Treasury.

GAZETTE NOTICE NO. 11797

THE COMPETITION ACT

(*No.* 12 *of* 2010)

APPLICATION FOR EXEMPTION OF PROPOSED LEASE AGREEMENT BETWEEN MAJID AL FUTTAIM HYPERMARKETS LIMITED (TRADING AS "CARREFOUR") AND AZALEA HOLDINGS LIMITED

EXEMPTION

PURSUANT to the provisions of section 25 (3) of the Competition Act, 2010 (the Act), it is notified for the information of the general public that Majid Al Futtaim Hypermarkets Limited (trading as "Carrefour") (the Lessee) and Azalea Holdings Limited (the Lessor) have made an application under section 25 (1) of the Act, for exemption of clauses 7.4, 9.3 (9.3.1 and 9.3.2) of their proposed Twenty year Lease Agreement from the provisions of section A of Part III of the Act.

In clause 7.4 of the Lease Agreement, the parties propose that the Lessor and Lessee shall mutually agree in writing on any other food retail operations in the Centre up to 14th May, 2036. This limitation shall not include the existing tenant mix.

In clause 9.3.1 of the Lease Agreement, the parties propose that Lessor shall not lease to, or enter into any similar arrangement with any party for premises in a centre developed, owned, and/or operated by the Lessor within a radius of five kilometers (5km) of the Centre for purpose of establishing and/or conducting the business activity of a hypermarket, supermarket, or any other similar business unless mutually agreed upon by both parties in writing for the period up to 4th February, 2023 and only in respect of premises exceeding 2500 square metres of the selling area.

In clause 9.3.2, the parties propose that the Lessee undertakes not to operate any hypermarket, supermarket, or any other similar business within a radius of five kilometres (5km) from the Centre unless mutually agreed by both parties in writing for the period of up to 4th February, 2023 and only in respect of premises exceeding 2500 square metres of the selling area.

The aforementioned provisions are in contravention of Sections 21(1), 3 (*e*) and 3 (*i*) of the Act unless an exemption is granted under section 25(1), hence the application.

Interested persons are invited to submit their representations regarding the application in writing to the Authority within thirty (30) days of the publication of this notice.

Submissions may be delivered through the email address: info@cak.go.ke or hand-delivered between 8.00 am–5.00 pm during working days to: The Competition Authority of Kenya, Railways HQs, Block "D' Ground Floor, Haile Selassie Avenue or sent via P.O. Box. 36265-00200, Nairobi. The Authority may be contacted through Telephone No. +254-20-2628233 or + 254-20-2779000.

Dated the 2nd November, 2017.

WANG'OMBE KARIUKI,
Director-General.

MR/3483392

GAZETTE NOTICE NO. 11798

THE PUBLIC FINANCE MANAGEMENT ACT

(*No.*18 *of* 2012)

THE PUBLIC FINANCE MANAGEMENT (NATIONAL GOVERNMENT AFFIRMATIVE ACTION FUND) REGULATIONS, 2016

(*L.N.* 52 *of* 2016)

APPOINTMENT

IN EXERCISE of the powers conferred by section 16 (7) of the Public Finance Management (National Government Affirmative Action Fund) Regulations, 2016, the Cabinet Secretary for Public Service, Youth and Gender Affairs appoints the persons listed in the Schedule hereto to be members of various County National Government Affirmative Action Fund Committees, for a period of three (3) years, with effect from the 15th November, 2017.

SCHEDULE

County	*Constituency*	*Names*
	WAJIR	
Under regulation 16(3)(*a*)	Wajir East	Bishara Abdi Mohamed
	Wajir West	Rukia Ahmed Abdinile
	Eldas	Abdi Edow Ibrahim
	Wajir South	Muhammed Hussein Thote
	Wajir North	Rahma Abbey Mohamed
	Tarbaj	Abdia Osman Adan
Under regulation 16(3)(*b*)	PWD Representative	Ahmed Mohammed Noor
Under regulation 16(3)(*c*)	Ministry of Interior and Government Co-ordination	
Under regulation 16(3)(*d*)	Ministry of Public Service, Youth and Gender Affairs	
	MERU	
Under regulation 16(3)(*a*)	Igembe North	Faith Kambura
	Igembe Central	Linet Mwendwa
	Igembe South	Munene Salesio
	Tigania West	Fridah Kagwiria
	Tigania East	Anita Kathono
	Imenti North	Robert Murega Rimberia
	Imenti South	David Muriithi Gatenai
	Imenti Central	Patrick Gatobu Muthuri
	Buuri	Peter Kithinji
Under regulation 16(3)*(b)*	PWD Representative	Miriam Karwirwa Guantai
Under regulation 16(3)(*c*)	Ministry of Interior and Government Co-ordination	
Under regulation 16(3)(*d*)	Ministry of Public Service, Youth and Gender Affairs	
	MACHAKOS	
Under regulation 16(3)(*a*)	Yatta	Betty Kioko
	Mwala	Alfonse Musui Nzioka
	Machakos	Benson Musau Makau
	Kangundo	Esther Muthini
	Kathiani	Scolastica Mumbua Mutisya
	Mavoko	Mariettar Mutheu Wambua
	Matungulu	Irene Nduku Wambua
Under regulation 16(3)(*b*)	PWD Representative	Marrietar Makaa Munyoki
Under regulation 16(3)(*c*)	Ministry of Interior and Government Co-ordination	
Under regulation 16(3)(*d*)	Ministry of Public Service, Youth and Gender Affairs	
	NYERI	
Under regulation 16(3)(*a*)	Othaya	Muragu Isaac Nderitu
	Mathira	Maina Daniel Gachara
	Mukurweini	Macharia Leah Wakonyu
	Tetu	Ngunjiri Francis Kihuria
	Kieni	Kamoche Mellina Murigi
	Nyeri Town	Wachira Mary Muthoni
Under regulation 16(3)(*b*)	PWD Representative	Waithira Penina Kaburu
Under regulation 16(3)(*c*)	Ministry of Interior and Government Co-ordination	
Under regulation 16(3)(*d*)	Ministry of Public Service, Youth and Gender Affairs	
	KIRINYAGA	
Under regulation 16(3)(*a*)	Mwea West	Philis Gaturi Muriithi
	Mwea East	Naftaly Mwangi
	Kirinyaga Central	Jeneffer Wangui Munene
	Ndia	Lucy Nyambura Kiti
	Gichugu	Rose Wagatwe Mikanda
Under regulation 16(3)(*b*)	PWD Representative	Samson Kiarie Wangucu
Under regulation 16(3)(*c*)	Ministry of Interior and Government Co-ordination	
Under regulation 16(3)(*d*)	Ministry of Public Service, Youth and Gender Affairs	
	KIAMBU	
Under regulation 16(3)(*a*)	Kikuyu	Anne Muthoni Manga
	Lari	Samuel Njenga Ngugi
	Kabete	Annsusah Wanjiku Mbugua
	Juja	Stephen Mwangi Wachira
	Ruiru	Rodah Mukami Muhunyo
	Gatundu North	Daniel Njoroge Gachuki
	Gatundu South	Livingstone Ndutire Karugo
	Githunguri	Janet Wanjiru Mwaura
	Kiambaa	Titus Mburu Mwangi
	Limuru	Philomena Njoki Mwangi
	Kiambu	Lydia Wanjiru Njoroge
	Thika	Robert Mbugua Gachie
Under regulation 16(3)*(b)*	PWD Representative	Ruth Mukami Njenga
Under regulation 16(3)(*c*)	Ministry of Interior and Government Co-ordination	
Under regulation 16(3)(*d*)	Ministry of Public Service, Youth and Gender Affairs	

County	*Constituency*	*Names*
	NANDI	
Under regulation 16(3)(*a*)	Nandi Hills	Peter Ruto Serem
	Chesumei	Eunice Lei
	Emgwen	John Kibet Chepsiror
	Mosop	Paul Kipkirong Bungei
	Aldai	Salina Jepkorir
	Tinderet	Isaac Kiprono Sirma
Under regulation 16(3)(*b*)	PWD Representative	Cosmas Kipchumba
Under regulation 16(3)(*c*)	Ministry of Interior and Government Co-ordination	
Under regulation 16(3)(*d*)	Ministry of Public Service, Youth and Gender Affairs	
	BARINGO	
Under regulation 16(3)(*a*)	Baringo North	Rodah J. Toroitich
	Tiaty	Florence Lomariwo
	Eldama Ravine	Alice Jeptepkeny Chirchir
	Baringo South	Lekae Samuel
	Baringo Central	Kipkoros Chemusian
	Mogotio	Caroline Jelegat Chumba
Under regulation 16(3)(*b*)	PWD Representative	Joseph Kesa Kibet
Under regulation 16(3)(*c*)	Ministry of Interior and Government Co-ordination	
Under regulation 16(3)(*d*)	Ministry of Public Service, Youth and Gender Affairs	
	NYAMIRA	
Under regulation 16(3)(*a*)	North Mugirango	Leonard Onchwari Moturi
	West Mugirango	Janet Moraa Ongae
	Kitutu Masaba	Caroline Nyangweso Onkoba
	Borabu	Mary Buyaki Barongo
Under regulation 16(3)(b)	PWD Representative	Dorice Kerubo Omwando
Under regulation 16(3)(c)	Ministry of Interior and Government Coordination	
Under regulation 16(3)(d)	Ministry of Public Service, Youth and Gender Affairs	
	TRANS NZOIA	
Under regulation 16(3)(a)	Kiminini	Scholastica Wekhuyi
	Saboti	Peter Wanjala Katimi
	Cherangany	Florence Chepchirchir Sigei
	Kwanza	Anne Muthoni
	Endebess	Emmarncy Sitati
Under regulation 16(3)(*b*)	PWD Representative	Laban Wanyonyi
Under regulation 16(3)(*c*)	Ministry of Interior and Government Co-ordination	
Under regulation 16(3)(*d*)	Ministry of Public Service, Youth and Gender Affairs	
	KISUMU	
Under regulation 16(3)(*a*)	Kisumu West	Anastansia Joyce Amimo
	Kisumu Central	Sunday Akinyi Kiche
	Kisumu East	Peter Otieno Okuta
	Nyando	Jane Akinyi Ogada
	Muhoroni	Vincent Otieno Onyango
	Nyakach	Caleb Odhiambo Nyamori
	Seme	Christine Tabu Otieno
Under regulation 16(3)(b)	PWD Representative	Lucy Atieno Midiwo
Under regulation 16(3)(c)	Ministry of Interior and Government Coordination	
Under regulation 16(3)(d)	Ministry of Public Service, Youth and Gender Affairs	
	KAJIADO	
Under regulation 16(3)(*a*)	Kajiado Central	Mlanoi Naishorua Kapaito
	Kajiado West	Jeremiah Katianyi Kaiseyie
	Kajiado South	Lucy Simantoi Sayiore
	Kajiado North	Linnah Chillah Muvhagi
	Kajiado East	Janet Ndungwa Nzioki
Under regulation 16(3)(*b*)	PWD Representative	Jeniffer Isele Morio
Under regulation 16(3)(*c*)	Ministry of Interior and Government Co-ordination	
Under regulation 16(3)(*d*)	Ministry of Public Service, Youth and Gender Affairs	
	KITUI	
Under regulation 16(3)(*a*)	Mwingi West	Cristine Ndaina Nzuka
	Mwingi Central	Penina Mwikali Mwendwa
	Mwingi North	Lydia Kasyoka Mwangangi
	Kitui Central	Mathias Maingi Kano
	Kitui Rural	Bendict Zakoyo Kilonzo
	Kitui East	Jedida Mumbi Kilonzi
	Kitui South	Dorcas Mwanziu Michael
	Kitui West	Kitaa Peter
Under regulation 16(3)(*b*)	PWD Representative	Morris Mbevo Kiema
Under regulation 16(3)(*c*)	Ministry of Interior and Government Co-ordination	
Under regulation 16(3)(*d*)	Ministry of Public Service, Youth and Gender Affairs	

County	*Constituency*	*Names*
	VIHIGA	
Under regulation 16(3)(*a*)	Sabatia	Erickson Mudanya
	Emuhaya	Lorna Ngoya Joash
	Luanda	Martha Auko Okwaro
	Vihiga	Irene Kavulani Buhiru
	Hamisi	Aggrey Amulavu Jevunya
Under regulation 16(3)(*b*)	PWD Representative	Mary Gorretti Moji
Under regulation 16(3)(*c*)	Ministry of Interior and Government Co-ordination	
Under regulation 16(3)(*d*)	Ministry of Public Service, Youth and Gender Affairs	
	NAROK	
Under regulation 16(3)(*a*)	Kilgoris	Grace Naiguran
	Narok North	Sophie Naisiae Maranga
	Narok East	Samuel Rayio Kirrutti
	Narok West	Langat Kibet Richard
	Emurrua Dikirr	Cheruiyot Michael Kipkirui
	Narok South	Catherine Moripet Meipuki
Under regulation 16(3)(*b*)	PWD Representative	Paul Tarayia Ole Sopia
Under regulation 16(3)(*c*)	Ministry of Interior and Government Co-ordination	
Under regulation 16(3)(*d*)	Ministry of Public Service, Youth and Gender Affairs	
	GARISSA	
Under regulation 16(3)(*a*)	Garissa Township	Farhiya Dagane
	Fafi	Hassan Aress
	Balambala	Rehema Shale Mohamud
	Lagdera	Ahmed Husein Sahal
	Dadaab	Fouzia Abdi Muse
	Ijara	Hothan Siyat Oyow
Under regulation 16(3)(*b*)	PWD Representative	Ibrahim Gedi Sambul
Under regulation 16(3)(*c*)	Ministry of Interior and Government Co-ordination	
Under regulation 16(3)(*d*)	Ministry of Public Service, Youth and Gender Affairs	
	TAITA TAVETA	
Under regulation 16(3)(*a*)	Voi	Anne Mutindi Kiteto
	Mwatate	Nicholas Peter Mombo Malemba
	Wundanyi	Mercy Kambe Mwale
	Taveta	John Machuru Lukindo
Under regulation 16(3)(*b*)	PWD Representative	Margaret Mkacharo Mwakulila
Under regulation 16(3)(*c*)	Ministry of Interior and Government Co-ordination	
Under regulation 16(3)(*d*)	Ministry of Public Service, Youth and Gender Affairs	
	KISII	
Under regulation 16(3)(*a*)	Bonchari	Irene Kwamboka Obare
	Kitutu Chache South	Dorcas Kemunto Nyangacha
	Kitutu Chache North	Nicholas Okumu Araka
	Nyaribari Chache	Margret M. Osaka
	Bomachoge Borabu	Elizabeth Mongare Ochora
	Bomachoge Chache	Jared Onwonga Gwako
	Bobasi	Zachariah Nyang'au Isoe
	Nyaribari Masaba	Biliah Bochaberi Maranga
	South Mugirango	Milcah Kerubo
Under regulation 16(3)(*b*)	PWD Representative	Linet Kemunto Nyakeriga
Under regulation 16(3)(*c*)	Ministry of Interior and Government Co-ordination	
Under regulation 16(3)(*d*)	Ministry of Public Service, Youth and Gender Affairs	
	MIGORI	
Under regulation 16(3)(*a*)	Rongo	Lilian Rachilo
	Awendo	Christoper Yaye
	Uriri	Onyango Kenneth Ogutu
	Suna East	Lydia Atieno
	Suna West	Daniel Ogutu
	Nyatike	Dorina Atieno Owuor
	Kuria West	Meresa Tingo
	Kuria East	Elizabeth Boke Kohe
Under regulation 16(3)(*b*)	PWD Representative	Mark Mwita Thuguro
Under regulation 16(3)(*c*)	Ministry of Interior and Government Co-ordination	
Under regulation 16(3)(*d*)	Ministry of Public Service, Youth and Gender Affairs	
	KERICHO	
Under regulation 16(3)(*a*)	Ainamoi	Ruth Sang
	Belgut	Janet Chepkemoi
	Bureti	Leonard Korir
	Kipkelion West	Josphine Chepkorir Yegon
	Soin Sigowet	Rebecca Sang
	Kipkelion East	Chepkoech Rotich

County	*Constituency*	*Names*
Under regulation 16(3)(*b*)	PWD Representative	Benjamin Koech
Under regulation 16(3)(*c*)	Ministry of Interior and Government Co-ordination	
Under regulation 16(3)(*d*)	Ministry of Public Service, Youth and Gender Affairs	
	NYANDARUA	
Under regulation 16(3)(*a*)	Oljororok	David Munyeki
	Kinangop	Patrick Muhindi
	Olkalau	Teresiah Njoki
	Ndaragua	Agnes Njeri Kamundia
	Kipipiri	John Mwangi Muchiri
Under regulation 16(3)(*b*)	PWD Representative	Marion Wanjiru Njoroge
Under regulation 16(3)(*c*)	Ministry of Interior and Government Co-ordination	
Under regulation 16(3)(*d*)	Ministry of Public Service, Youth and Gender Affairs	
	LAIKIPIA	
Under regulation 16(3)(*a*)	Laikipia East	Charity Kochale
	Laikipia West	Joseph Chege Kagunyi
	Laikipia North	Samuel Akonya
Under regulation 16(3)(*b*)	PWD Representative	Lydia Nyaguthi Karanja
Under regulation 16(3)(*c*)	Ministry of Interior and Government Co-ordination	
Under regulation 16(3)(*d*)	Ministry of Public Service, Youth and Gender Affairs	
	BOMET	
Under regulation 16(3)(*a*)	Bomet Central	Winny Chelegat
	Konoin	Irene Sigilai
	Chepalungu	Gladys Chepkemoi
	Bomet East	Emmanuel Rono
	Sotik	Siele Philip
Under regulation 16(3)(*b*)	PWD Representative	Wilson Keter
Under regulation 16(3)(*c*)	Ministry of Interior and Government Co-ordination	
Under regulation 16(3)(*d*)	Ministry of Public Service, Youth and Gender Affairs	
	MURANGA	
Under regulation 16(3)(*a*)	Maragua	Jane Wairimu Kamande
	Kandara	Frashia Wairimu Gituiku
	Kigumo	Mary Muthoni Murira
	Mathioya	Julius Njuguna Njoki
	Kiharu	Agnes Wanjiru Macharia
	Gatanga	Teresia Wambui Waiganjo
	Kangema	Joseph Mwathi
Under regulation 16(3)(*b*)	PWD Representative	Elias Ndirangu Gachiri
Under regulation 16(3)(*c*)	Ministry of Interior and Government Co-ordination	
Under regulation 16(3)(*d*)	Ministry of Public Service, Youth and Gender Affairs	
	KILIFI	
Under regulation 16(3)(*a*)	Kilifi North	Jonathan Mwongela Mativo
	Kilifi South	Claris Idza Mwangata
	Kaloleni	Wycliffe Odongo Aoro
	Rabai	Mercy Neema Mwanyanje
	Ganze	Judith Uchi Johana
	Malindi	Jimmy Kabwere Wanje
	Magarini	Julius Henry Mweni
Under regulation 16(3)(*b*)	PWD Representative	Daniel Fondo Kalama
Under regulation 16(3)(*c*)	Ministry of Interior and Government Co-ordination	
Under regulation 16(3)(*d*)	Ministry of Public Service, Youth and Gender Affairs	
	TANA RIVER	
Under regulation 16(3)(*a*)	Bura	Salim Abdulrahman Salim
	Galole	Mwanahamisi Ghamangombe
	Garsen	Mwanaamu Haado Omari
Under regulation 16(3)(*b*)	PWD Representation	Hussein Dado Takano
Under regulation 16(3)(*c*)	Ministry of Interior and Government Co-ordination	
Under regulation 16(3)(*d*)	Ministry of Public Service, Youth and Gender Affairs	
	NAKURU	
Under regulation 16(3)(*a*)	Naivasha	Gladys Wambuku Chege
	Nakuru Town East	Ajaba Ali Bulle
	Molo	John Mburu Githuka
	Kuresoi South	Lily Cheptoo
	Bahati	Mercy Nyaguthie Kiruthi
	Nakuru Town West	Clara Cherotich
	Subukia	Anne Wanjiru Kiiru
	Rongai	Hellen Chemutai Megek
	Gilgil	Janet Ntiiti Kilusu
	Kuresoi North	Betty Chepkoech Soi

County	*Constituency*	*Names*
	Njoro	Erick Kipngetich Korir
Under regulation 16(3)(*b*)	PWD Representative	Jane Wairimu Njunguna
Under regulation 16(3)(*c*)	Ministry of Interior and Government Co-ordination	
Under regulation 16(3)(*d*)	Ministry of Public Service, Youth and Gender Affairs	
	BUSIA	
Under regulation 16(3)(*a*)	Budalangi	Dorice Mwanika Makhulo
	Teso North	Jane Ipalei Apollo
	Butula	Jackson O Apopo
	Funyula	Lucy Akinyi Rakuomi
	Matayos	Emma Joan Egesa
	Teso South	Lucy Majanga Otieng
	Nambale	Zaida Nduta Ramadhan
Under regulation 16(3)(*b*)	PWD Representative	Geoffrey Ekesa Shikuku
Under regulation 16(3)(*c*)	Ministry of Interior and Government Co-ordination	
Under regulation 16(3)(*d*)	Ministry of Public Service, Youth and Gender Affairs	
	ELGEYO MARAKWET	
Under regulation 16(3)(*a*)	Marakwet East	Hellen Jemaiyo Chelimo
	Keiyo North	Magdaline Jemator Kendele
	Keiyo South	Korir Patrick Kiplagat
	Marakwet West	Cherotich Kiptoo Joseph
Under regulation 16(3)(*b*)	PWD Representative	Elizeba Jepkosgei Chesimet
Under regulation 16(3)(*c*)	Ministry of Interior and Government Co-ordination	
Under regulation 16(3)(*d*)	Ministry of Public Service, Youth and Gender Affairs	
	SIAYA	
Under regulation 16(3)(*a*)	Alego Usonga	Boaz Mathews Ouma-Awiti
	Ugunja	Felistas Aloo Abonyo
	Ugenya	Ann Atieno Ooko
	Bondo	Dorothy Akinyi Okwach
	Rarieda	Orwa Ogejo
	Gem	Pamela Adhiambo Odima
Under regulation 16(3)(*b*)	PWD Representative	Vitalis Omondi Owako
Under regulation 16(3)(*c*)	Ministry of Interior and Government Co-ordination	
Under regulation 16(3)(*d*)	Ministry of Public Service, Youth and Gender Affairs	

The appointment of the members made vide Gazette Notice Nos. 3448 of 2015 and 1154 of 2017 is revoked.

SICILY K. KARIUKI,
Cabinet Secretary for Public Service, Youth and Gender Affairs.

GAZETTE NOTICE NO. 11799

THE CONSTITUTION OF KENYA

THE INDEPENDENT ELECTORAL AND BOUNDARIES COMMISSION ACT

(*No.* 9 *of* 2011)

THE ELECTIONS ACT

(*No.* 24 *of* 2011)

THE ELECTIONS (GENERAL) REGULATIONS

(*L.N.* 128 *of* 2012 and *L.N.* 72 *of* 2012)

THE ELECTIONS (PARTY PRIMARIES AND PARTY LISTS) REGULATIONS, 2017

(*L.N.* 69)

NOMINATED MEMBERS TO THE COUNTY ASSEMBLY

CORRIGENDA

IN Gazette Notice No. 8380 of 2017, Vol. CXIX—No. 124 published on 28th August, 2017, *delete* as specified herein below;

LAMU COUNTY—05

MARGINALIZED LIST

Page 4990, Fifth Column, Row-5

	Name	*Gender*	*ID No.*	*Nature of Special Interest*	*Name of Party*	*No. of Seats Allocated*
Delete	Festus Kihuha	Male	21415144	PWD	Party of Democratic Unity	1
Insert	Festus Kihuha	Male	21415144	Ethnic Minority	Party of Democratic Unity	1

BUNGOMA COUNTY—39

GENDER TOP-UP LIST

Page 5004, Second and Fourth Columns, Row-6

	Name	*Gender*	*ID No.*	*Name of Party*
Delete	Kesia Lukosi	Female	20783533	Ford Kenya
Insert	Caviny Sakwa Lukosi	Female	4360231	

Dated the 16th November, 2017.

W. W. CHEBUKATI,
Chairperson,
Independent Electoral and Boundaries Commission.

GAZETTE NOTICE NO. 11800

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012)

ISSUE OF A PROVISIONAL CERTIFICATE

WHEREAS Peter Maina Muriuki, of P.O. Box 14219–00100, Nairobi in the Republic of Kenya, is registered as proprietor lessee of all that piece of land known as L.R. No. 20728/208 situate in the South of Ruiru Township in Kiambu District, by virtue of a grant registered as I.R. 87362/1, and whereas sufficient evidence has been adduced to show that the said grant has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a provisional certificate of title provided that no objection has been received within that period.

Dated the 1st December, 2017.

G. M. MUYANGA,
Registrar of Titles, Nairobi.

MR/3574043

GAZETTE NOTICE NO. 11801

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012)

ISSUE OF A PROVISIONAL CERTIFICATE

WHEREAS Orthodox Archbishopric of Kenya and Irinoupolis, a limited company by guarantee, of P.O. Box 46119–00200, Nairobi in the Republic of Kenya, is registered as proprietor lessee of all that piece of land known as L.R. No. 209/4810, situate in the city of Nairobi in the Nairobi Area, by virtue of a grant registered as I.R. 50603/1, and whereas sufficient evidence has been adduced to show that the said grant has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a provisional certificate of title provided that no objection has been received within that period.

Dated the 1st December, 2017.

P. K. TONUI,
Registrar of Titles, Nairobi.

MR/3483437

GAZETTE NOTICE NO. 11802

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012)

ISSUE OF A PROVISIONAL CERTIFICATE

WHEREAS Lazeena Nawaaz Gulam, of P.O. Box 14167–00800, Nairobi in the Republic of Kenya, is registered as proprietor lessee of all that villa No. Mandara 8 erected on all that piece of land known as L.R. No. 28431 (original No. 18/31), situate in the city of Nairobi in Nairobi Area, by virtue of a lease registered as I.R. 127654/1, and whereas sufficient evidence has been adduced to show that the said lease has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a provisional certificate of title provided that no objection has been received within that period.

Dated the 1st December, 2017.

G. M. MUYANGA,
Registrar of Titles, Nairobi.

MR/3483248

GAZETTE NOTICE NO. 11803

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012)

ISSUE OF A PROVISIONAL CERTIFICATE

WHEREAS Foton East Africa Limited, a limited liability company incorporated in Kenya, of P.O. Box 10340–00100, Nairobi in the Republic of Kenya, is registered as proprietor lessee of all that apartment number E–9 erected on all that piece of land known as L.R. No. 209/20048 (original No. 209/3574), situate in the city of Nairobi in Nairobi Area, by virtue of a lease registered as I.R. 141774/1, and whereas sufficient evidence has been adduced to show that the said lease has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a provisional certificate of title provided that no objection has been received within that period.

Dated the 1st December, 2017.

S. C. NJOROGE,
Registrar of Titles, Nairobi.

MR/3483249

GAZETTE NOTICE NO. 11804

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012)

ISSUE OF A PROVISIONAL CERTIFICATE

WHEREAS Margaret Wanjiru Waigera, as administrator of the estate of Simon Waigera Mwangi (deceased), of P.O. Box 14540–20100, Nakuru in the Republic of Kenya, is registered as proprietor lessee of all that piece of land known as L.R. No. 12250/89, situate in Nakuru Municipality in Nakuru District, by virtue of a certificate of title registered as I.R. 34151/1, and whereas sufficient evidence has been adduced to show that the said certificate of title has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a provisional certificate of title provided that no objection has been received within that period.

Dated the 1st December, 2017.

S. C. NJOROGE,
Registrar of Titles, Nairobi.

MR/3483402

GAZETTE NOTICE NO. 11805

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012)

ISSUE OF A PROVISIONAL CERTIFICATE

WHEREAS Kaumaldev Rammurti Bootaram Soni, of P.O. Box 95247, Mombasa in the Republic of Kenya, is registered as proprietor in fee simple of all that piece of land known as portion No. 24 Kipini, containing 3.57 acres or thereabout, situate in Kipini Municipality in Tana River District, registered as Number. C.R. 5804, and whereas sufficient evidence has been adduced to show that the said certificate of title has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a provisional certificate of title provided that no objection has been received within that period.

Dated the 1st December, 2017.

J. G. WANJOHI,
Registrar of Titles, Mombasa.

MR/3483398

GAZETTE NOTICE NO. 11806

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW CERTIFICATE OF LEASE

WHEREAS (1) Johannes Jochemus Duitoit and (2) Johann Peter Dutoit, both of P.O. Box 624, Eldoret in the Republic of Kenya, are registered as proprietors in freehold ownership interest of all that piece of land containing 2.44 hectares or thereabout, situate in the district of Mombasa, registered under title No. Kwale/Golini/1116, and whereas sufficient evidence has been adduced to show that the certificate of lease issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new certificate of lease provided that no objection has been received within that period.

Dated the 1st December 2017.

A. N. NJOROGE,

MR/3483220 *Land Registrar, Kwale District.*

GAZETTE NOTICE NO. 11807

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS (1) Ruth Nyawira Gathaiya and (2) Esther Wanjiku Githinji, both of P.O. Box 1758–20100, Nakuru in the Republic of Kenya, are registered as proprietors in absolute ownership interest of all that piece of land containing 0.040 hectare or thereabouts, situate in the district of Nakuru, registered under title No. Bahati/Kabatini Block 1/14259 (Ndeffo), and whereas sufficient evidence has been adduced to show that the land title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December 2017.

C. W. SUNGUTI,

MR/3483396 *Land Registrar, Nakuru District.*

GAZETTE NOTICE NO. 11808

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS Nelson Mandela Mukhwami, of P.O. Box 286–30105, Soy in the Republic of Kenya, is registered as proprietor in absolute ownership interest of all that piece of land containing 0.046 hectare or thereabouts, situate in the district of Nakuru, registered under title No. Njoro/Njoro Block 4/1867 (Belbur), and whereas sufficient evidence has been adduced to show that the land title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December 2017.

C. W. SUNGUTI,

MR/3483351 *Land Registrar, Nakuru District.*

GAZETTE NOTICE NO. 11809

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS Samuel Mbugua Gachoka (ID/7252428), is registered as proprietor in absolute ownership interest of all that piece of land containing 0.10 hectare or thereabouts, situate in the district of Kiambu, registered under title No. Ndeiya/Makutano/T.1013, and whereas sufficient evidence has been adduced to show that the land title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December 2017.

G. R. GICHUKI,

MR/3483342 *Land Registrar, Kiambu District.*

GAZETTE NOTICE NO. 11810

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS Rufus Harrison Muinami (ID/1809678), of P.O. Box 22039–00400, Nairobi in the Republic of Kenya, is registered as proprietor in absolute ownership interest of all that piece of land containing 0.0149 hectare or thereabouts, situate in the district of Kiambu, registered under title No. Kiambaa/Kihara 1036/4, and whereas sufficient evidence has been adduced to show that the land title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December 2017.

G. R. GICHUKI,

MR/3483310 *Land Registrar, Kiambu District.*

GAZETTE NOTICE NO. 11811

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS Gacenia Njoroge Njuru (ID/3101171), of P.O. Box 23082–00604, Lower Kabete in the Republic of Kenya, is registered as proprietor in absolute ownership interest of all that piece of land containing 0.37 hectare or thereabouts, situate in the district of Kiambu, registered under title No. Kabete/Nyathuna/871, and whereas sufficient evidence has been adduced to show that the land title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December 2017.

G. R. GICHUKI,

MR/3483366 *Land Registrar, Kiambu District.*

GAZETTE NOTICE NO. 11812

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS Eliud Mungai Kibugi (ID/35288094), of P.O. Box 29–00614, Wangige in the Republic of Kenya, is registered as proprietor in absolute ownership interest of all that piece of land containing 1.738 hectares or thereabout, situate in the district of Kiambu, registered under title No. Kabete/Kibichiku/2134, and whereas sufficient evidence has been adduced to show that the land title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December 2017.

G. R. GICHUKI,

MR/3483241 *Land Registrar, Kiambu District.*

GAZETTE NOTICE NO. 11813

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS John Gikibi Wanjere, of P.O. Box 890, Karatina in the Republic of Kenya, is registered as proprietor in absolute ownership interest of all that piece of land containing 0.09 hectare or thereabouts, situate in the district of Nyeri, registered under title No. Gatarakwa/Gatarakwa BK II/1058, and whereas sufficient evidence has been adduced to show that the land title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December 2017.

S. M. MWANZAWA,

MR/3483186 *Land Registrar, Nyeri District.*

GAZETTE NOTICE NO. 11814

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS Leah Waruguru w/o Githinji, of P.O. Box 343, Nyeri in the Republic of Kenya, is registered as proprietor in absolute ownership interest of all that piece of land containing 2.7 hectares or thereabout, situate in the district of Nyeri, registered under title No. Tetu/Kiriti/318, and whereas sufficient evidence has been adduced to show that the land title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December 2017.

S. M. MWANZAWA,

MR/3483265 *Land Registrar, Nyeri District.*

GAZETTE NOTICE NO. 11815

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS Annah Wanjiru Kabura (ID/1195659), of P.O. Box 240, Thika in the Republic of Kenya, is registered as proprietor in absolute ownership interest of all that piece of land containing 0.202 hectare or thereabouts, situate in the district of Murang'a, registered under title No. Mitubiri/Wempa/Block II/3445, and whereas sufficient evidence has been adduced to show that the land title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December 2017.

N. N. NJENGA,

MR/3483230 *Land Registrar, Murang'a District.*

GAZETTE NOTICE NO. 11816

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW CERTIFICATE OF LEASE

WHEREAS James Gichanga (ID/8822579), of P.O. Box 27569–00506, Nairobi in the Republic of Kenya, is registered as proprietor in absolute ownership interest of all that piece of land containing 0.1100 hectare or thereabouts, situate in the district of Murang'a, registered under title No. Murang'a/Municipality/Block II/473, and whereas sufficient evidence has been adduced to show that the certificate of lease issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new certificate of lease provided that no objection has been received within that period.

Dated the 1st December 2017.

N. N. NJENGA,

MR/3483235 *Land Registrar, Murang'a District.*

GAZETTE NOTICE NO. 11817

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW CERTIFICATE OF LEASE

WHEREAS James Gichanga (ID/8822579), of P.O. Box 27569–00506, Nairobi in the Republic of Kenya, is registered as proprietor in absolute ownership interest of all that piece of land containing 0.0503 hectare or thereabouts, situate in the district of Murang'a, registered under title No. Murang'a/Municipality/Block II/222, and whereas sufficient evidence has been adduced to show that the certificate of lease issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new certificate of lease provided that no objection has been received within that period.

Dated the 1st December 2017.

N. N. NJENGA,

MR/3483235 *Land Registrar, Murang'a District.*

GAZETTE NOTICE NO. 11818

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW CERTIFICATE OF LEASE

WHEREAS James Gichanga (ID/8822579), of P.O. Box 27569–00506, Nairobi in the Republic of Kenya, is registered as proprietor in absolute ownership interest of all that piece of land containing 0.0770 hectare or thereabouts, situate in the district of Murang'a, registered under title No. Murang'a/Municipality/Block II/229, and whereas sufficient evidence has been adduced to show that the certificate of lease issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new certificate of lease provided that no objection has been received within that period.

Dated the 1st December 2017.

N. N. NJENGA,

MR/3483235 *Land Registrar, Murang'a District.*

GAZETTE NOTICE NO. 11819

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW CERTIFICATE OF LEASE

WHEREAS James Gichanga (ID/8822579), of P.O. Box 27569–00506, Nairobi in the Republic of Kenya, is registered as proprietor in absolute ownership interest of all that piece of land containing 0.0503 hectare or thereabouts, situate in the district of Murang'a, registered under title No. Murang'a/Municipality/Block II/221, and whereas sufficient evidence has been adduced to show that the certificate of lease issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new certificate of lease provided that no objection has been received within that period.

Dated the 1st December 2017.

N. N. NJENGA,

MR/3483235 *Land Registrar, Murang'a District.*

GAZETTE NOTICE NO. 11820

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS Grace Wanja Muchai (ID/4928915), of P.O. Box 31331, Nairobi in the Republic of Kenya, is registered as proprietor in absolute ownership interest of all that piece of land containing 0.6 hectare or thereabouts, situate in the district of Murang'a, registered under title No. Loc.20/Kambirwa/1453, and whereas sufficient evidence has been adduced to show that the title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December 2017.

N. N. NJENGA,

MR/3483430 *Land Registrar, Murang'a District.*

GAZETTE NOTICE NO. 11821

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS Rosemary Wanjiru Waithaka (ID/6258973), is registered as proprietor in absolute ownership interest of all that piece of land containing 1.03 hectares or thereabout, situate in the district of Gatundu, registered under title No. Ngenda/Nyamangara/2582, and whereas sufficient evidence has been adduced to show that the title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December 2017.

J. W. KAMUYU,

MR/3483362 *Land Registrar, Gatundu/Thika Districts.*

GAZETTE NOTICE NO. 11822

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS Chege Karanja (ID/7181469), of P.O. Box 18654–00100, Nairobi in the Republic of Kenya, is registered as proprietor in absolute ownership interest of all that piece of land containing 0.20 hectare or thereabouts, situate in the district of Thika, registered under title No. Mitumiri/Wempa Block 1/2528, and whereas sufficient evidence has been adduced to show that the title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December 2017.

J. K. NJOROGE,
Land Registrar, Thika District.

MR/3483188

GAZETTE NOTICE NO. 11823

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS Joseph Onsarigo Nyangito (ID/11356391), of P.O. Box 93–40200, Kisii in the Republic of Kenya, is registered as proprietor in absolute ownership interest of all that piece of land situate in the district of Kisii, registered under title No. Central Kitutu/Mwamosioma/5174, and whereas sufficient evidence has been adduced to show that the title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December 2017.

S. N. MOKAYA,
Land Registrar, Kisii District.

MR/3483236

GAZETTE NOTICE NO. 11824

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS Nduma Njagi (ID/4250667), of P.O. Box 80, Karurumo in the Republic of Kenya, is registered as proprietor in absolute ownership interest of all that piece of land containing 3.02 hectares or thereabout, situate in the district of Embu, registered under title No. Kyeni/Kigumo/5568, and whereas sufficient evidence has been adduced to show that the title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December 2017.

J. M. MUNGUTI,
Land Registrar, Embu District.

MR/3483246

GAZETTE NOTICE NO. 11825

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS Lucy Wanjiru Nayaga (ID/3749503), of P.O. Box 143, Embu in the Republic of Kenya, is registered as proprietor in absolute ownership interest of all that piece of land containing 0.10 hectare or thereabouts, situate in the district of Embu, registered under title No. Gaturi/Githimu/8673, and whereas sufficient evidence has been adduced to show that the title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December 2017.

J. M. MUNGUTI,
Land Registrar, Embu District.

MR/3483245

GAZETTE NOTICE NO. 11826

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS Mary Waithira Njau, of P.O. Box 275, Maragua in the Republic of Kenya, is registered as proprietor in absolute ownership interest of all that piece of land containing 0.325 hectare or thereabouts, situate in the district of Laikipia, registered under title No. Ngobit Supuko Block 5/1119, and whereas sufficient evidence has been adduced to show that the title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December 2017.

P. M. NDUNGU,
Land Registrar, Laikipia District.

MR/3483177

GAZETTE NOTICE NO. 11827

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS Samuel Maina Karori, of P.O. Box 1037, Nyahururu in the Republic of Kenya, is registered as proprietor in absolute ownership interest of all that piece of land containing 0.088 hectare or thereabouts, situate in the district of Laikipia, registered under title No. Nyahururu/9792, and whereas sufficient evidence has been adduced to show that the title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December 2017.

P. M. NDUNGU,
Land Registrar, Laikipia District.

MR/3483179

GAZETTE NOTICE NO. 11828

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS Cherono Ruth Ngetich, of P.O. Box 982, Kericho in the Republic of Kenya, is registered as proprietor in absolute ownership interest of all that piece of land containing 3.15 hectares or thereabout, situate in the district of Kericho, registered under title No. Kericho/Kapsoit/1786, and whereas sufficient evidence has been adduced to show that the title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December 2017.

G. C. KORIR,
Land Registrar Kericho District.

MR/3483158

GAZETTE NOTICE NO. 11829

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS Cleophas Misiko, is registered as proprietor in absolute ownership interest of all that piece of land situate in the district of Bungoma, registered under title No. E. Bukusu/N. Kanduyi/2020, and whereas sufficient evidence has been adduced to show that the title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December 2017.

R. W. NGAANYI,
Land Registrar, Bungoma/Mt. Elgon Districts.

MR/3483234

GAZETTE NOTICE NO. 11830

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS John Marekia Muigai (deceased), is registered as proprietor in absolute ownership interest of all that piece of land containing 0.0294 hectare or thereabouts, situate in the district of Naivasha, registered under title No. Kijabe/Kijabe Block 1/6677, and whereas sufficient evidence has been adduced to show that the title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December 2017.

T. M. KAKEWA,
Land Registrar Naivasha District.

MR/3483359

GAZETTE NOTICE NO. 11831

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS Joseph Agola Abony (ID/4022781), is registered as proprietor in absolute ownership interest of all that piece of land containing 0.042 hectare or thereabouts, situate in the district of Homa Bay, registered under title No. Kabuoch/Kobita/Kawuor/2117, and whereas sufficient evidence has been adduced to show that the title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December 2017.

V. K. LAMU,
Land Registrar Homa Bay District.

MR/3483454

GAZETTE NOTICE NO. 11832

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS Azaraia Owigo Suleman Lwale (ID/1506385), is registered as proprietor in absolute ownership interest of all that piece of land containing 1.3 hectares or thereabout, situate in the district of Homa Bay, registered under title No. Kanyada/Kanyabala/342, and whereas sufficient evidence has been adduced to show that the title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December 2017.

V. K. LAMU,
Land Registrar Homa Bay District.

MR/3483344

GAZETTE NOTICE NO. 11833

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS Mwangi Ng'ang'a (ID/5176982), of P.O. Box 542, Eldoret in the Republic of Kenya, is registered as proprietor in absolute ownership interest of all that piece of land containing 0.42 hectare or thereabouts, situate in the district of Uasin Gishu, registered under title No. Lainguse/Kiptenga Block 2 (Kamuyu)/142, and whereas sufficient evidence has been adduced to show that the title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December 2017.

E. J. KETER,
Land Registrar Uasin Gishu District.

MR/3483395

GAZETTE NOTICE NO. 11834

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS Mathew Ajuoga Muma, of P.O. Box 19533–00202, Nairobi in the Republic of Kenya, is registered as proprietor in absolute ownership interest of all that piece of land containing 0.080 hectare or thereabouts, situate in the district of Kajiado, registered under title No. Kajiado/Kaputiei North/9643, and whereas sufficient evidence has been adduced to show that the title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December 2017.

J. M. WAMBUA,
Land Registrar Kajiado District.

MR/3483363

GAZETTE NOTICE NO. 11835

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS Cliff Onchaku Ondabu (ID/25388867), of P.O. Box 61, Kilgoris in the Republic of Kenya, is registered as proprietor in absolute ownership interest of all that piece of land containing 0.05 hectare or thereabouts, situate in the district of Kajiado, registered under title No. Kajiado/Kitengela/74819, and whereas sufficient evidence has been adduced to show that the title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December 2017.

J. M. WAMBUA,
Land Registrar Kajiado District.

MR/3483187

GAZETTE NOTICE NO. 11836

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS Noah James Mbebe, is registered as proprietor in absolute ownership interest of all that piece of land situate in the district of Kilifi, registered under title No. Kilifi/Mtonduia/846, and whereas sufficient evidence has been adduced to show that the title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December 2017.

D. H. MWARUKA,
Registrar of Titles, Kilifi District.

MR/3483475

GAZETTE NOTICE NO. 11837

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS Alex Githaiga Gachimu, of P.O. Box 13781–00100, Nairobi in the Republic of Kenya, is registered as proprietor in absolute ownership interest of all that piece of land containing 0.030 hectare or thereabouts, situate in the district of Machakos, registered under title No. Donyo Sabuk/Komarock Block I/38470, and whereas sufficient evidence has been adduced to show that the land title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December 2017.

G. M. NJOROGE,
Land Registrar, Machakos District.

MR/3483478

GAZETTE NOTICE NO. 11838

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS Nailenya Mosiany ole Kashu (ID/0087519), (2) Soitara ole Mosiany Nendirikish (ID 0086947) and (3) Parmuat ole Nkasho, are registered as proprietors in absolute ownership interest of all that piece of land containing 0.689 hectare or thereabouts, situate in the district of Kajiado, registered under title No. Kajiado /Dalalekutuk/4112, and whereas sufficient evidence has been adduced to show that the land title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December, 2017.

J. M. WAMBUA,
Land Registrar, Kajiado District.

MR/3574037

GAZETTE NOTICE NO. 11839

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS Diamond Hasham Lalji Nurani, is registered as proprietor in absolute ownership interest of all that piece of land situate in the district of Kwale, registered under title No. Kwale/Galu Kinondo/398, and whereas sufficient evidence has been adduced to show that the land title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December, 2017.

P. MAKINI,
Land Registrar, Kwale District.

MR/3574020

GAZETTE NOTICE NO. 11840

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF NEW LAND TITLE DEEDS

WHEREAS Barnabas Otwani Barasa, of P.O. Box 25, Amukura in the Republic of Kenya, is registered as proprietor in absolute ownership interest of all those pieces of land containing 0.404 and 1.205 hectare or thereabouts, respectively, situate in the district of Busia/Teso, registered under title No. South Teso/Apokor/2832 and 2661, and whereas sufficient evidence has been adduced to show that the land title deeds issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue new title deeds provided that no objection has been received within that period.

Dated the 1st December, 2017.

S. R. KAMBAGA,
Land Registrar, Busia/Teso District.

MR/3574014

GAZETTE NOTICE NO. 11841

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS Alexander Mugo Ezera (ID/5084014), is registered as proprietor in absolute ownership interest of all that piece of land containing 0.05 hectare or thereabouts, situate in the district of Embu, registered under title No. South Ngandori/Kairuri/T. 184, and whereas sufficient evidence has been adduced to show that the land title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December, 2017.

J. M. MUNGUTI,
Land Registrar, Embu District.

MR/3483293

GAZETTE NOTICE NO. 11842

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS Yusuf Salim Mwamasare, is registered as proprietor in absolute ownership interest of all that piece of land, situate in the district of Kwale, registered under title No. KWL/Mkomba/1170, and whereas sufficient evidence has been adduced to show that the land title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December, 2017.

A. N. NJOROGE,
Land Registrar, Kwale District.

MR/3574001

GAZETTE NOTICE NO. 11843

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS Moses Kiarie Gathumbi (ID/25732336), of P.O. Box 57, Ol Joro Orok in the Republic of Kenya, is registered as proprietor in absolute ownership interest of all that piece of land containing 0.045 hectare or thereabouts, situate in the district of Nyandarua, registered under title No. Nyandarua/Ol Joro Orok Salient/26875, and whereas sufficient evidence has been adduced to show that the land title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December, 2017.

C. M. GICHUKI,
Land Registrar, Nyandarua District.

MR/3574002

GAZETTE NOTICE NO. 11844

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS (1) Patricia Auma Otieno (ID/0529465) and (2) David Odhiambo Radido (ID/5967190), are registered as proprietors in absolute ownership interest of all that piece of land containing 3.8 hectares or thereabout, situate in the district of Ugenya, registered under title No. Siaya/Ambira/668, and whereas sufficient evidence has been adduced to show that the land title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December, 2017.

D. O. DULO,
Land Registrar, Ugenya/Ugunja Districts.

MR/3483499

GAZETTE NOTICE NO. 11845

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012*)*

ISSUE OF A NEW LAND TITLE DEED

WHEREAS Diamond Hasham Lalji Nurani, is registered as proprietor in absolute ownership interest of all that piece of land situate in the district of Kwale, registered under title No. Kwale/Galu Kinondo/663, and whereas sufficient evidence has been adduced to show that the land title deed issued thereof has been lost, notice is given that after the expiration of sixty (60) days from the date hereof, I shall issue a new title deed provided that no objection has been received within that period.

Dated the 1st December, 2017.

P. MAKINI,
Land Registrar, Kwale District.

MR/3574020

GAZETTE NOTICE NO. 11846

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012)

RECONSTRUCTION OF LOST OR DESTROYED LAND REGISTER

WHEREAS (1) Dinnesh Jamnadas Thakkar and (2) Premla Dinnesh Thakkar, both of P.O. Box 6474, Nairobi in the Republic of Kenya, are registered as proprietors lessees of all that piece of land known as L.R. No. 209/11092/3, situate in the city of Nairobi in Nairobi Area, by virtue of a certificate of lease registered as I.R. 77898/1, and whereas the land register in respect thereof is lost or destroyed, and whereas efforts made to locate the said land register have failed, notice is given that after the expiration of sixty (60) days from the date hereof, the property register shall be reconstructed under the provisions of section 33 (5) of the Act, provided that no objection has been received within that period.

Dated the 1st December, 2017.

B. F. ATIENO,
Land Registrar, Nairobi.

MR/3483384

GAZETTE NOTICE NO. 11847

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012)

RECONSTRUCTION OF LOST OR DESTROYED LAND REGISTER

WHEREAS Intex Construction Limited, a limited liability company incorporated in the Republic of Kenya, of P.O. Box 60923–00200, Nairobi in the Republic of Kenya, is registered as proprietor of all that piece of land known as L.R. No. 15207, situate in the city of Nairobi in Nairobi Area, by virtue of a grant registered as I.R. 53129, and whereas the land register in respect thereof is lost or destroyed, and whereas efforts made to locate the said land register have failed, notice is given that after the expiration of sixty (60) days from the date hereof, the property register shall be reconstructed under the provisions of section 33 (5) of the Act, provided that no objection has been received within that period.

Dated the 1st December, 2017.

P. K. TONUI,
Land Registrar, Nairobi.

MR/3483488

GAZETTE NOTICE NO. 11848

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012)

RECONSTRUCTION OF LOST OR DESTROYED LAND REGISTER

WHEREAS Manmohan Singh s/o Sohel Kular (as personal Representative/administrator of the estate of Katar Singh s/o Jay Dyal and Amar Kaur Kular alias Amar Kaur), of P.O. Box 32566–00200, Nairobi in the Republic of Kenya, is registered as proprietor of all that piece of land known as L.R. No. 36/VII/214 (original number 33/7), situate in city of Nairobi in Nairobi Area, by virtue of an indenture of conveyance registered as Vol. N35 Folio 58/1 File 10994, and whereas the land register in respect thereof is lost or destroyed, and efforts made to locate the said land register have failed, notice is given that after the expiration of sixty (60) days from the date hereof, the property register shall be reconstructed under the provisions of section 33 (5) of the Act, provided that no objection has been received within that period.

Dated the 1st December, 2017.

C. N. KITUYI,
Land Registrar, Nairobi.

MR/3483493

GAZETTE NOTICE NO. 11849

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012)

LOSS OF GREEN CARD

WHEREAS Ishamael Ithongo (ID/10087052), of P.O. Box 29168–00625, Kangemi in the Republic of Kenya, is registered as proprietor of all those pieces of land containing 0.690 and 0.050 hectare or thereabouts, situate in the district of Kiambu, registered under title No. Muguga/Gitaru/3084 and 3085, respectively, and whereas sufficient evidence has been adduced to show that the green card issued thereof has been lost and efforts to trace it have failed, notice is given that after the expiration of sixty (60) days from the date hereof, provided that no valid objection has been received within that period, I shall issue a new green card.

Dated the 1st December, 2017.

G. R. GICHUKI,
Land Registrar, Kiambu District.

MR/3483151

GAZETTE NOTICE NO. 11850

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012)

LOSS OF GREEN CARD

WHEREAS Sanjay Suresh Chandra Somaia (ID/9592236), of P.O. Box 117, Kisumu in the Republic of Kenya, is registered as proprietor of all that piece of land containing 1.62 hectares or thereabout, situate in the district of Kiambu, registered under title No. Escarpment/Kinari Block 1/2764, and whereas sufficient evidence has been adduced to show that the green card issued thereof has been lost and efforts to trace it have failed, notice is given that after the expiration of sixty (60) days from the date hereof, provided that no valid objection has been received within that period, I shall issue a new green card.

Dated the 1st December, 2017.

G. R. GICHUKI,
Land Registrar, Kiambu District.

MR/3483467

GAZETTE NOTICE NO. 11851

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012)

REGISTRATION OF INSTRUMENT

WHEREAS Harrison George Tuja (deceased), is registered as proprietor of that piece of land known as Werugha/Werugha/80, situate in the district of Taita Taveta, and whereas the High Court of Kenya at Nairobi, in succession cause No. 41 of 2010, has issued grant of letters of administration to (1) Agnes Magema HarrisonTuja and (2) Irene Wakio Mwakesi, and whereas all efforts made to recover the land title deed and be surrendered to the land registrar for cancellation have failed, notice is given that after the expiration of thirty (30) days from the date hereof, provided no valid objection has been received within that period, I intend to dispense with the production of the said land title deed and proceed with the registration of the said administration of letters to (1) Agnes Magema Harrison Tuja and (2) Irene Wakio Mwakesi, and upon such registration the land title deed issued earlier to the said Harrison George Tuja deceased, shall be deemed to be cancelled and of no effect.

Dated the 1st December, 2017.

S. MANYARKIY,
Land Registrar, Taita/Taveta District.

MR/3483172

GAZETTE NOTICE NO. 11852

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012)

REGISTRATION OF INSTRUMENT

WHEREAS Fabiano Kunguru Njage (deceased), is registered as proprietor of that piece of land known as Kirinyaga/Marurumo/194, situate in the district of Kirinyaga, and whereas the Senior Resident Magistrate's Court at Gichugu, in succession cause No. 36 of 2009, has issued grant and confirmation letters to Esther Wathitha Kunguru, and whereas all efforts made to recover the land title deed and be surrendered to the land registrar for cancellation have failed, notice is given that after the expiration of thirty (30) days from the date hereof, provided no valid objection has been received within that period, I intend to dispense with the production of the said land title deed and proceed with the registration of the said administration of letters to Esther Wathitha Kunguru, and upon such registration the land title deed issued earlier to the said Fabiano Kunguru Njage (deceased), shall be deemed to be cancelled and of no effect.

Dated the 1st December, 2017.

R. M. NYAGA,
Land Registrar, Kirinyaga District.

MR/3483326

GAZETTE NOTICE NO. 11853

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012)

REGISTRATION OF INSTRUMENT

WHEREAS Prisca Adhiambo Ongwela (ID/0274122) (deceased), is registered as proprietor in absolute ownership interest of that piece of land known as Gem/Kowuor/Kotieno/1194, situate in the district of Homa Bay, and whereas the High Court of Kenya at Homa Bay, in succession cause No. 133 of 2015, has issued grant documents to Thomas A. Ongwela, and whereas all efforts have been made to recover the land title deed and be surrendered to the land registrar for cancellation have failed, notice is given that after the expiration of thirty (30) days from the date hereof, provided no valid objection has been received within that period, I intend to dispense with the production of the said land title deed and proceed with the registration of the said instrument of transfer and issue a land title deed to the said Thomas A. Ongwela, and upon such registration the land title deed issued earlier to the said Prisca Adhiambo Ongwela (deceased), shall be deemed to be cancelled and of no effect.

Dated the 1st December, 2017.

V. K. LAMU,

MR/3483472 *Land Registrar, Homa Bay District.*

GAZETTE NOTICE NO. 11854

THE LAND REGISTRATION ACT

(*No.* 3 *of* 2012)

REGISTRATION OF INSTRUMENT

WHEREAS Patrick S. M. Ojenge (deceased), is registered as proprietor in absolute ownership interest of that piece of land known as Kabuoch/Kaguria/Kamenya/Koguta/595, situate in the district of Homa Bay, and whereas the High Court of Kenya at Homa Bay, in succession cause No. 262 of 2014, has issued grant documents to (1) Samson Muga and (2) Shem O. Muga, and whereas all efforts have been made to recover the land title deed and be surrendered to the land registrar for cancellation have failed, notice is given that after the expiration of thirty (30) days from the date hereof, provided no valid objection has been received within that period, I intend to dispense with the production of the said land title deed and proceed with the registration of the said instrument of transfer and issue a land title to the said (1) Samson Muga and (2) Shem O. Muga, and upon such registration the land title deed issued earlier to the said Patrick S. M. Ojenge (deceased), shall be deemed to be cancelled and of no effect.

Dated the 1st December, 2017.

V. K. LAMU,

MR/3483472 *Land Registrar, Homa Bay District.*

GAZETTE NOTICE NO. 11855

THE CONSTITUTION OF KENYA

THE COUNTY GOVERNMENTS ACT

(*No.* 17 *of* 2012)

COUNTY EXECUTIVE COMMITTEE MEMBERS OF KWALE COUNTY GOVERNMENT

APPOINTMENT

IT IS notified for the information of the general public that pursuant to Article 179 (2) (*b*) of the Constitution of Kenya and section 30 (1) (*b*) and 44 of the County Government, Act, the Governor of Kwale County has upon approval by the County Assembly on 16th October, 2017, appointed the persons whose names appear hereunder as members of the County Executive Committee.

Name	*Department*
Saumu Beja Mahaja	Environment and Natural Resources
Gwama Mwatsahu Mgala	Health Services
Bakari Hassan Sebe	Finance and Economic Planning
Hemed Ramadhan Mwabudzo	Roads and Public Works
Joanne Nduku Nyamasyo	Agriculture, Livestock and Fisheries
Mangale Munga Ndegwa	Education
Ramadhani Masudi Bungale	Social Services And Talent Management

Dated the 15th November, 2017.

SALIM MVURYA,

MR/3483414 *Governor, Kwale County.*

GAZETTE NOTICE NO. 11856

THE CONSTITUTION OF KENYA

THE COUNTY GOVERNMENT OF KERICHO

(*No.* 17 *of* 2012)

COUNTY ENVIRONMENT COMMITTEE

APPOINTMENT

PURSUANT to the Fourth Schedule of the Constitution of Kenya, 2010 and the Environmental Management and Co-ordination (Amendment) Act 2015, the Governor of Kericho County appoints the following as members of the Kericho County Environment Committee, for a period of three (3) years, with effect from the date of gazettement:

Geoffrey Rutto—*Chairman*
Samuel Odeng—*Secretary*
Johnstone Rono
David Ruto
Silvia Inziani
Fredrick Osewe
John Towett
Patrick Gang
Daudi Kitur
Fernandez Korir
Charles Kirui
Michael Wairoma
Gideon Mutai
Joseph Mutai
Thomas Kiptoo
Stanislaus Apwokha
Paul Bii
Odoyo Bittar
John Kirui (Dr.)
Crispinus Wafula
Richard Mutai
Grace Cheptoo
Lydia Chepkoech Sigilai
Reuben Langat
George Agengo

Dated the 27th November, 2017.

P. K. CHEPKWONY,

MR/3574024 *Governor, Kericho County.*

GAZETTE NOTICE NO. 11857

THE CONSTITUTION OF KENYA

THE COUNTY GOVERNMENTS ACT

(*No.* 17 *of* 2012)

THE COUNTY ASSEMBLY SERVICES ACT

APPROVAL OF THE APPOINTMENT OF A MEMBER OF THE COUNTY ASSEMBLY SERVICE BOARD OF KIAMBU

IN EXERCISE of the powers conferred by section 12 of the County Governments Act, 2012, as read together with section 9 (2) and the First Schedule of the County Assembly Services Act, 2017, the County Assembly of Kiambu in its session held on Wednesday, 29th November, 2017 at 10.00 a.m. approved the appointment of the person named below, as a Member of the County Assembly Service Board—

EVANGELOS EVANSON MWAURA THIANI

Dated the 30th November, 2017.

JOHN MWIVITHI MUTIE,
Secretary,

MR/3574666 *County Assembly Service Board of Kiambu.*

GAZETTE NOTICE NO. 11858

THE STATE CORPORATIONS ACT

(*Cap.* 446)

KENYA ACCREDITATION SERVICE ORDER, 2009

(*L.N.* 55 *of* 2009)

NOTIFICATION

PURSUANT to the provisions of paragraph 4 (1) (*e*) of the Kenya Accreditation Service Order, 2009, it is notified for information of the general public that the following are the Accredited Conformity Assessment Bodies and their status.

DIRECTORY OF ACCREDITED CONFORMITY ASSESSMENT BODIES: YEAR 2017

1. CALIBRATION LABORATORIES

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/CL/02 SONIC QUALITY INSPECTORS LIMITED MIRAGE PLAZA, MOMBASA ROAD P.O. BOX 6063-00200 NAIROBI, KENYA E-mail: info@sqi-sonicinspections.com Tel. No. +254 20 60007509	ISO/IEC 17025:2005	21-Feb-2018

SCHEDULE OF ACCREDITATION

No.	*Calibration Field*	*Calibration Object*	*Measurand*	*Calibration Method*	*Standard*	*Calibration and Measurement Capability (CMC)* *(Measurement Point /Range ± expanded uncertainty (k=2, level of confidence 95%))*	*Calibration Site*
01	Temperature	Water / Oil / Alcohol Baths	Temperature - 40°C to 200°C	Internal Method: SQI/TCP/01 Reference Method; EA-10/11-02;2002, ASTM-Calibration of thermocouples and LIG thermometers-5th Edition. Traceability; BS/MET/4/3/103/010 and BS/MET/4/3/103/011	Temperature Process Calibrator Thermocouple Sensor	-40°C to 200°C ± 2.0°C (Limited by the error margin for type-K thermocouple sensors)	Various
		Ovens / Incubators / Refrigerators / Freezers	Temperature - 40°C to 350°C	Internal Method: SQI/TCP/02 Reference Method; EA-10/11-02;2002, ASTM-Calibration of thermocouples and LIG thermometers-5th Edition. Traceability; BS/MET/4/3/103/010 and BS/MET/4/3/103/011	Temperature Process Calibrator (i) Thermocouple Sensors (-40°C to 180°C) (ii) Higher Temperature Sensors above 180°C and up to 350°C	-40°C to 350°C ± 2.5°C	
		Self-indicating thermometer (Contact thermometers)	Temperature 30°C to 200°C	Internal Method: SQI/TCP/03 Reference Method; EA-10/11-02;2002, ASTM-Calibration of thermocouples and LIG thermometers-5th Edition. Traceability; BS/MET/4/3/103/011 and BS/MET.4.3.103/009	(i) Temperature Process Calibrator (-200°C to 1800°C) (ii) Thermocouple sensor that was calibrated together with the above Process Calibrator. (iii) Dry well calibrator - (Temp. Range 0 to 300 °C)	30°C to 200°C ± 2.0°C	
02	Mass	Non automatic weighing balances	Mass (1mg to 5Kg)	Internal Method: SQI/CP/06/01 Reference Method: OIML R76-1:2006 Traceability; KEBS – BS/MET/2/3/73/074	F_1 Masses	1mg to 1000mg ± 0.03mg 1g to 2000g ± 0.3mg 2kg to 5kg ± 7.5mg	Various

No.	*Calibration Field*	*Calibration Object*	*Measurand*	*Calibration Method*	*Standard*	*Calibration and Measurement Capability (CMC)* *(Measurement Point /Range ± expanded uncertainty (k=2, level of confidence 95%))*	*Calibration Site*
			Mass (20kg to 1000kg)	Internal Method: SQI/CP/06/01 Reference Method: : OIML R76-1:2006 Traceability; KEBS: BS/MET/2/3/75/152	M_2 Masses	20kg to 1000kg ± 1g	Various
03	Pressure	Pressure gauges	0 to 40 Bar	Internal Method: SQI/PCP/01 Reference Method: BS EN 837-1:1998 Traceability; KEBS: BS/MET/5/3/65/399	Bourdon Gauge	0 to 40 Bar ± 0.25 Bar	Various

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/CL/05 INSTRUMENTATION LIMITED WILSON AIRPORT, BUILDING 37 P.O. BOX 44356-00100 NAIROBI, KENYA E-mail: yusuf@instrumentkenya.com Tel. No. +254 20 6004512	ISO/IEC 17025:2005	04-Dec-2018

SCHEDULE OF ACCREDITATION

No.	*Calibration Field*	*Calibration Object*	*Measurand*	*Calibration Method*	*Standard*	*Calibration and Measurement Capability (CMC)* *(Measurement Point /Range ± expanded uncertainty (k=2, level of confidence 95%))*	*Calibration Site*
01	Torque	Torque Wrenches	Torque: 67.5 to 320Nm	Method: ISO 6789:2003 Traceability BS/MET/3/3/45/032	Torque Meter	67.5Nm – 320Nm ± 0.41%	Various
02	Temperature	Resistance temperature Indicators	Temperature (-50°C to 1300°C)	Internal Method: CP-TEMP-01 Reference Method: Reistance simulation Traceability: BS/MET/9/3/41/010	Portable Wheatstone Bridge	-50°C to 550°C ± 1.0 °C (Controlled by the Wheatstone bridge 1Ω/div)	
		Temperature Gauges, Thermometers		Internal Method: CP-TEMP-02/04 Reference Method: Comparison in a Liquid bath Traceability: BS/MET/4/3/95/240	Standard digital thermocouple	0°C to 250°C ± 1.5 °C	
		Thermocopules		Intenal Method: CP-TEMP-03 Reference Method: Voltage Simulation Traceability: BS/MET/9/3/41/103	Potentiometer	0°C to 1300°C ± 0.8 °C	
03	Pressure	Pressure gauges, Manometers, pressure transmitters	Pressure 0.1 to 1.0 bar	Internal Method: CP-PRESS-01 Reference: None Traceability: BS/MET/5/3/70/79	Pressure Gauge – Bourdon Tube (Budenberg Gauge)	0.1bar to 1.0bar ± 0.1%	
			Pressure 1 to 10,000psi	Traceability: BS/MET/5/3/70/79	Pressure Gauge – Bourdon Tube (Rototherm Gauge)	1psi to 10,000psi ± 2.0%	

No.	*Calibration Field*	*Calibration Object*	*Measurand*	*Calibration Method*	*Standard*	*Calibration and Measurement Capability (CMC)* *(Measurement Point /Range ± expanded uncertainty (k=2, level of confidence 95%))*	*Calibration Site*
04	Revolution	Tachometers, Centrifuges	Revolution 600 to 3000rpm	CP-TACH 01 CP TACH 02 Reference: BS 3403:1972 Traceability BS/MET/7/3/44/221	Revolution Counter	600 to 3000rpm ± 44rpm	Various

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/CL/07 ELISTERS 2000 LIMITED BURUBURU COMPLEX , MUMIAS ROAD P.O. BOX 9091-00100 NAIROBI, KENYA E-mail: info@elisters2000.com Tel. No. +254 20 7784338	ISO/IEC 17025:2005	20-Sep-2018

SCHEDULE OF ACCREDITATION

No.	*Calibration Field*	*Calibration Object*	*Measurand*	*Calibration Method*	*Standard*	*Calibration and Measurement Capability (CMC)* *(Measurement Point /Range ± expanded uncertainty (k=2, level of confidence 95%))*	*Calibration Site*
01	Pressure	Mechanical Pressure gauges, digital Pressure Gauges, Vacuum Pressure Gauges	Pressure (-0.8 to 700 bar)	Internal Method: ELK-CP-03 Reference Method: DKD_R6_1andBS837-1:2002E Traceability: BS/MET/5/3/70/272	Digital test gauge 3586220	-0.8 to 70bar ± 0.1%	Various
		Mechanical Pressure Gauges and Digital Pressure gauges		Internal Method: ELK-CP-03 Reference Method: DKD_R6_1andBS837-1:2002E Traceability BS/MET/5/3/70/273	Digital test gauge 3593055	(0 to 700bar) ±0.1%	
02	Mass	Non automatic weighing instruments	Mass (1mg to 40 tons)	Internal Method: EL2K/CP/01 Reference Method: OIML R 76-1:2006(E) Traceability: BS/MET/2/3/66/2/3 Traceability: BS/MET/2/3/82/064 Traceability: WM/MECH/2/6/VOL3	$F_{1\ Masses}$	1mg to 200g ± 0.44mg 1g to 2000g ± 1.78mg 1kg to 10kg ± 8mg	Various
					$M_{2\ Masses}$	5kg to 1000kg ± 3g 1ton to 40 ton ± 50g	
03	Temperature	Liquid Baths	Temperature (-90°C to 500°C)	Internal Method: EL2K-CP-04 Reference method EA-10/11 Feb 2000 edition, ASTM - calibration of thermocouples and related systems and LIG thermometers-5th edition,. Traceability BS/MET/4/98/106	Standard Digital TC/RTD Temperature read out and PT 100 Sensors	-30°C to 200°C ±1.0°C	Various
		Direct Contact Thermometers e.g. LIG, Digital and dial mechanical thermometers		Traceability BS/MET/4/3/97/155	Dry well Calibrator S/No. B16759 and PT 100-Sensor	50°C to 300°C ±0.8°C	Various
				Traceability BS/MET/4/3/98/106	Standard Digital TC/RTD Temperature read out	-30°C to 300°C ±2.5°C	
		closed working		Traceability	Standard Digital	90°C to 500°C ±2.5°C	

No.	*Calibration Field*	*Calibration Object*	*Measurand*	*Calibration Method*	*Standard*	*Calibration and Measurement Capability (CMC)* *(Measurement Point /Range ± expanded uncertainty (k=2, level of confidence 95%))*	*Calibration Site*
		chambers e.g Ovens, Incubators, Refrigerators and freezers by temporal characterization and profiling		BS/MET/4/3/98/106	TC/RTD Temperature read out		
				Traceability BS/MET/4/3/96/073.074 and 075	Thermocouple sensors S/No K-1, K-2, K-3	-90°C to 180°C ±2.5°C	
		constant closed working chambers e.g high temperature heating Ovens		Traceability BS/MET/4/3/96/072	Thermocouple sensors S/No. K-4	150°C to 500°C ±5.0°C	

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/CL/08 ESTEC CHROMATO HOUSE BUNGOMA ROAD, OFF BARICHO ROAD P.O. BOX 12143-00400 NAIROBI KENYA E-mail: info@esteckenya.com Tel. No. +254-20-537709/10	ISO/IEC 17025:2005	21-Feb-2018

SCHEDULE OF ACCREDITATION

No.	*Calibration Field*	*Calibration Object*	*Measurand*	*Calibration Method*	*Standard*	*Calibration and Measurement Capability (CMC)* *(Measurement Point /Range ± expanded uncertainty)*	*Calibration Site*
01	Mass	Non Automatic Weighing Balances	Mass (2mg to 11kg)	Internal Method: ES/BCP/01 Reference Method: KS OIML R76 TRACEABILITY:KEBS:BS/MET/2/3/82/057	$F_{1\ MASSES}$	2mg to 1000mg ±0.03mg	Various
						1g to 2000g ± 3.0mg	
						2kg to 11 Kg ± 7.5mg	
			Mass (5kg to 500kg)	Internal Method: ES/BCP/01 Reference Method: KS OIML R76 TRACEABILITY:KEBS:BS/MET/2/3/82/058	$M_{2\ MASSES}$	5kg to 500kg ± 1g	Various

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/CL/10 QUALITY ASSURANCE SYSTEMS LIMITED QAS PLAZA, MOMBASA ROAD P.O. BOX 56871-00200 NAIROBI, KENYA E-mail: info@qas-limited.com Tel. No. +254 20 2049892 / 2034681	ISO/IEC 17025:2005	17-Sep-2018

SCHEDULE OF ACCREDITATION

No.	*Calibration Field*	*Calibration Object*	*Measurand*	*Calibration Method*	*Standard*	*Calibration and Measurement Capability (CMC)* *(Measurement Point /Range ± expanded uncertainty (k=2, level of confidence 95%))*	*Calibration Site*
01	Mass	Non Automatic Weighing Machines	Mass (10mg to 1.11kg)	QASM/OP/01 Reference Method: R76-1 2006 Traceability; KEBS/BS/MET/2/3/022	$F_{1\ MASSES}$	10mg ± 0.008mg	Various
						20mg ± 0.010mg	
						50mg ± 0.012mg	
						100mg ± 0.016mg	
						200mg ± 0.20mg	
						500mg ± 0.025mg	
						1g ± 0.03mg	
						2g ± 0.04mg	
						5g ± 0.05mg	

No.	*Calibration Field*	*Calibration Object*	*Measurand*	*Calibration Method*	*Standard*	*Calibration and Measurement Capability (CMC)* *(Measurement Point /Range ± expanded uncertainty (k=2, level of confidence 95%))*	*Calibration Site*
						10g ± 0.06mg	
						20g ± 0.08mg	
						50g ± 0.10mg	
						100g ± 0.16mg	
						200g ± 0.30mg	
						500g ± 0.80mg	
			Mass (1kg to 967kg)	QASM/OP/01 Reference Method: R76-1 2006 Traceability; KEBS/BS/MET/2/3/009	$M_{2\ MASSES}$	1kg ± 0.050g	
						2kg ± 0.10g	
						5kg ± 0.25g	
						10kg ± 0.5g	
						20kg ± 1g	

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/CL/18 NYERI WATER AND SEWERAGE COMPANY CALIBRATION LABORATORY NYERI WATER AND SEWERAGE COMPANY LIMITED P.O. BOX 1520-10100 NYERI, KENYA E-mail: info@nyewasco.co.ke Tel. No. +254 61 2034548 / 2034623	ISO/IEC 17025:2005	21-Jan-2018

SCHEDULE OF ACCREDITATION

No.	*Calibration Field*	*Calibration Object*	*Measurand*	*Calibration Method*	*Standard*	*Calibration and Measurement Capability (CMC)* *(Measurement Point /Range ± expanded uncertainty)*	*Calibration Site*
01	Flow Meter Calibration	Water Meters	Volumetric Flow rate ($0.015m^3$/hr to $1000m^3$/hr	Internal Method: NWSCO/02/TM/01 Reference Method: KS OIML R 49:2004 (Part 1,2 and 3) Traceability: Cert. No. QASV/3L/NWSC/014/037	Calibration Bench Meter sizes 15mm to 40mm	$0.015m^3$/hr to $20m^3$/hr ± 0.12%	Nyeri Water Central Lab and Clients Premises
				Internal Method: NWSCO/02/TM/01 Reference Method: KS OIML R 49:2004 (Part 1,2 and 3) Traceability: Cert. No. QASV/3L/NWSC/014/038			
				Internal Method: NWSCO/02/TM/03 Reference Method: KS OIML R 49:2004 (Part 1,2 and 3) Traceability Cert. No. BS/MET/8/3/47/098	Ultrasonic Flow Meter. Meter sizes 15mm to 1000mm	$0.0m^3$/hr to $1000m^3$/hr ± $0.477m^3$/hr	
				Internal Method: NWSCO/02/TM/03 Reference Method: KS OIML R 49:2004 (Part 1,2 and 3) Traceability Cert. No. KEBS/BS/MET/8/3/47/099			
				Internal Method: NWSCO/02/TM/03 Reference Method: KS OIML R 49:2004 (Part 1,2 and 3) Traceability Cert. No. KEBS/BS/MET/8/3/47/100			
				Internal Method: NWSCO/02/TM/03 Reference Method: KS	Insertion Flow Meter Meter sizes	$0.0m^3$/hr to $1000m^3$/hr ± 0.5%	

No.	*Calibration Field*	*Calibration Object*	*Measurand*	*Calibration Method*	*Standard*	*Calibration and Measurement Capability (CMC)* *(Measurement Point /Range ± expanded uncertainty)*	*Calibration Site*
				OIML R 49:2004 (Part 1,2 and 3) Traceability Cert. No. KEBS/BS/MET/8/3/45/075	80mm to 1400mm		

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/CL/19 LABCRS SERVICES LIMITED PARK PLACE, MAGADI ROAD, OFF LANGATA ROAD P.O. BOX 791-00511 ONGATA RONGAI NAIROBI, KENYA E-mail: info@labcrsservices.com Tel. No. +254 722858041; +254 20 2323520	ISO/IEC 17025:2005	03-Dec-2018

SCHEDULE OF ACCREDITATION

No.	*Calibration Field*	*Calibration Object*	*Measurand*	*Calibration Method*	*Standard*	*Calibration and Measurement Capability (CMC)* *(Measurement Point /Range ± expanded uncertainty (k=2, level of confidence 95%))*	*Calibration Site*
01	Mass	Balances	Mass (1mg to 5kg)	LSL/BCP/01 REFERENCE METHOD: KS-OIML R76:2006 TRACEABILITY:KEBS:BS/MET/2/3/65/118	$F_{1\ MASSES}$	1mg to 5mg ±0.006mg	Various
						10mg ± 0.008mg	
						20mg ± 0.010mg	
						50mg ± 0.012mg	
						100mg ± 0.015mg	
						200mg ± 0.020mg	
						500mg ± 0.025mg	
						1g ± 0.03mg	
						2g ± 0.04mg	
						5g ± 0.05mg	
						10g ± 0.06mg	
						20g ± 0.08mg	
						50g ± 0.10mg	
						100g ± 0.15mg	
						200g ± 0.30mg	
						500g ± 0.75mg	
						1kg ± 1.60mg	
						2kg ± 3.00mg	
						5kg ± 8.00mg	
		Balances	Mass (5kg to 500kg)	LSL/BCP/01 REFERENCE METHOD: KS-OIML R76:2006 TRACEABILITY:KEBS:BS/MET/2/3/65/234	$M_{2\ MASSES}$	5kg ± 0.25g	Various
						10kg ± 0.5g	
						20kg ± 1g	
02	Pressure	Pressures Gauges	Positive Pressure (1 to 40 bar)	LSL/OP/01 REFERENCE METHOD: KS 09:731 TRACEABILITY:KEBS:BS/MET/2/3/59/037	40bar Test Gauge	1 to 40 bar ± 0.5%	Various
03	Temperature	Baths, Fridges, Freezers, Incubators, Self-indicating thermometers	Temperature (-30°C to 1200°C)	LSL/TCP/01, LSL/TCP/02, LSL/TCP/03 REFERENCE METHOD: MET-04-OP-08, QMET4/OP/06 TRACEABILITY: KEBS: BS/MET/4/3/79/087	Digital Thermometer and a circulator.	-30°C to 1200°C ± 1°C	Various
		Water Bath, Incubator, Oven, Freezers and Refrigerators	Temperature (-30°C to 1200°C)	LSL/TCP/02 REFERENCE METHOD: QMET4/OP/06 TRACEABILITY: KEBS BS/MET/4/3/75/143	Digital Thermometer	-30°C to 1200°C ± 1°C	Various

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/CL/24 LYNX AFRICA LIMITED	ISO/IEC 17025:2005	03-Dec-2018

EPREN CENTRE, BURUBURU BLOCK 2, 3rd FLOOR, ROOM 25 P.O. BOX 3052-00506 NAIROBI, KENYA E-mail: info@lynxafrica.co.ke Tel. No. +254 723 697586; +254 733 524124; +254 714 718479		

SCHEDULE OF ACCREDITATION

No.	*Calibration Field*	*Calibration Object*	*Measurand*	*Calibration Method*	*Standard*	*Calibration and Measurement Capability (CMC)* *(Measurement Point /Range ± expanded uncertainty (k=2, level of confidence 95%))*	*Calibration Site*
01	Mass	Non Automatic Weighing Balances	Mass (1mg to 8.8kg)	LAL/BCP/01 REFERENCE METHOD: KS-OIML R76;2006. TRACEABILITY:KEBS:BS/MET/2/3/65/247	$F_{1\ MASSES}$	1mg to 5mg +0.006mg	Various
						10mg ± 0.008mg	
						20mg ± 0.010mg	
						50mg ± 0.012mg	
						100mg ± 0.016mg	
						200mg ± 0.020mg	
						1g ± 0.03mg	
						2g ± 0.04mg	
						5g ± 0.05mg	
						10g ± 0.06mg	
						20g ± 0.08mg	
						50g ± 0.10mg	
						100g ± 0.16mg	
						200g ± 0.30mg	
						500g ± 0.80mg	
						1kg ± 1.60mg	
						2kg ± 3.00mg	
						5kg ± 8.00mg	
			Mass (20kg to 1000kg)	LAL/BCP/01 REFERENCE METHOD: KS-OIML R76:2006 TRACEABILITY:KEBS:BS/MET/2/3/65/135	$M_{2\ MASSES}$	20kg ± 1g	Various

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/CL/25 BIOLOGIC SOLUTONS LIMITED PANARI SKY CENTRE, MOMBASA ROAD P.O. BOX 15078-00100 NAIROBI, KENYA E-mail: info@biologic.co.ke Tel. No. +254 731076764; +254722156001; +254722947010	ISO/IEC 17025:2005	17-Sep-2018

SCHEDULE OF ACCREDITATION

No.	*Calibration Field*	*Calibration Object*	*Measurand*	*Calibration Method*	*Standard*	*Calibration and Measurement Capability (CMC)* *(Measurement Point /Range ± expanded uncertainty (k=2, level of confidence 95%))*	*Calibration Site*
01	Mass	Non Automatic Weighing Machines	Mass (1mg to 200g)	Comparison Method: BSL/LTP/005 Reference method: OIML R76-2, EA-10/18 Traceability; N°Z14 10689 and N°Z14 10690 : Zwiebel Metrology Dept., Accredited by COFRAC	$F_{1\ MASSES}$	1mg to 1000mg ± 0.03mg	Various
						1g to 200g ± 0.3mg	
02	Temperature	Self-indicating Thermometers	Temperature (0ºC to 100 ºC)	Comparison Method BSL/LTP/001 Traceability; Thermometer BS/MET/4/3/96/300 Indicator: cert. No. NET 1401994 – KIMO France	Precision Digital Thermometer Standard Digital Temperature read out an sensors,	0ºC to 100 ºC ± 1.0 ºC	Various

No.	*Calibration Field*	*Calibration Object*	*Measurand*	*Calibration Method*	*Standard*	*Calibration and Measurement Capability (CMC)* *(Measurement Point /Range ± expanded uncertainty (k=2, level of confidence 95%))*	*Calibration Site*
03	Volume	Pipette	Weight (0.01g to 320g)	Gravimetric Method: BSL/LTP/004 Reference Method: ISO 8655-6 Traceability; BS/MET/2/3/77/096	Top Loading Electronic Balance	0.01g to 320g ± 1.2mg	Various

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/CL/26 KENYA AIRWAYS CALIBRATION CENTRE KENYA AIRWAYS LIMITED NORTH AIRPORT ROAD P.O. BOX 19002-00501 NAIROBI, KENYA E-mail: info@kenya-airways.com Tel. No. +254 20 642 2451	ISO/IEC 17025:2005	12-Nov-2018

SCHEDULE OF ACCREDITATION

No.	*Calibration Field*	*Calibration Object*	*Measurand*	*Calibration Method*	*Standard*	*Calibration and Measurement Capability (CMC)* *(Measurement Point /Range ± expanded uncertainty (k=2, level of confidence 95%))*	*Calibration Site*
01	Force	Tensiometer Tester	Tension	KQ/TE/2/TPM Ref: ISO 7500 Traceability; KEBS Cert. No. BS/MET/3/3/45/163	Cable Tensiometer Tester	(0-5000N) ± 0.59%	Kenya Airways Calibration Centre
02	Torque	Torque Wrenches	Torque	KQ/TE/2/TPM Ref: ISO 6789 Traceability; TEAM TORQUE INC Cert. No. 04162015-508222041	Transducer	(110-1100Nm) ± 1.3Nm	
				KQ/TE/2/TPM Ref: ISO 6789 Traceability; EDUARD WILLE GmbH and Co. KG Cert. No. 0990093		(2-100Nm) ± 0.35%	
				KQ/TE/2/TPM Ref: ISO 6789 Traceability; EDUARD WILLE GmbH and Co. KG Cert. No. 0990093		(150-3000Nm) ± 0.52%	
03	Pressure	Bourdon Tube Vacuum and Pressure Gauges	Pressure	KQ/TE/2/TPM Ref: BS 837-1 Traceability; KEBS Cert. No. BS/MET/5/3/72/196	Digital Pressure Calibrator	(0-7bar) ± 0.14bar	
				KQ/TE/2/TPM Ref: BS 837-1 Traceability; KEBS Cert. No. BS/MET/5/3/72/194		(0-70bar) ± 0.02bar	
				KQ/TE/2/TPM Ref: BS 837-1 Traceability; KEBS Cert. No. BS/MET/5/3/72/195		(0-700bar) ± 0.15bar	

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/CL/27 IDEAL QUALITY TRAIL SYSTEMS LIMITED PAT PLAZA, KITENGELA OPPOSITE RED HERON CENTRE P.O. BOX 62689-00200 NAIROBI, KENYA E-mail: idealqualitysystems@gmail.com Tel. No. +254 20 2587291; +254 724 994079; +254 734 077479	ISO/IEC 17025:2005	14-Aug-2019

SCHEDULE OF ACCREDITATION

No.	*Calibration Field*	*Calibration Object*	*Measurand*	*Calibration Method*	*Standard*	*Calibration and Measurement Capability (CMC)* *(Measurement Point /Range ± expanded uncertainty (k=2, level of confidence 95%))*	*Calibration Site*
01	Temperature	Water /Oil / Alcohol baths	Temperature	Internal Method: IQTS/OP/01/1 Reference Method: EAL-G31 ASTM E2251 Traceability: KEBS/BS/MET/4/3/104/114	Standard Digital Thermometer – Transfer Standard S/No. DB5300-0M(CE-002) Pt resistance sensor	-40ºC to 350ºC ± 1.0 ºC	IQTS and Clients Site.
		Ovens, Incubators, refridgerators and Freezers		Internal Method: IQTS/OP/01/3 Reference Method: EAL-G31 Traceability: KEBS/BS/MET/4/3/103/280	Standard Digital Thermometer – Transfer Standard S/No. 1247299(CE-001) Thermocouple Sensors (K1, K2, K3)	-40ºC to 250ºC ± 2.5 ºC	IQTS and Clients Site
		Self-Indicating Thermometers (Contact Thermometers)		Internal Method; IQTS/OP/01/2 Reference Method: EAL-G31 ASTM E2251 Traceability: KEBS/BS/MET/4/3/103/203	Standard Digital Thermometer – Transfer Standard S/No. DB5300-0M(CE-002) Pt resistance sensor. Water bath, Oil bath	25ºC to 250ºC ± 0.8 ºC	IQTS and Clients Site
		Electrically heating Furnaces		Internal Method: IQTS/OP/01/5 Reference Method: EAL-G31 Traceability: KEBS/BS/MET/4/3/103/280	Standard Digital Thermometer – Transfer Standard S/No. 1247299(CE-001) Thermocouple Sensors (K4)	200ºC to 1000ºC ± 25 ºC	IQTS and Clients Site
		Electrically heating Autoclaves and Sterilizers		Internal Method; IQTS/OP/01/4 Reference Method: EAL-G31 Traceability: KEBS/BS/MET/4/3/103/280	Standard Digital Thermometer – Transfer Standard S/No. 1247299(CE-001) Thermocouple Sensors (K1, K2,K3)	100ºC to 150ºC ± 2.5 ºC	IQTS and Clients Site
02	Pressure	Bourdon Tube Pressure	Pressure	Internal Method: IQTS/P/OP/01 Reference Method: DKS-R-6-1 Traceability: KEBS/BS/MET/5/3/7/451	Digital Pressure Gauge S/No. 211H13110140	0 to 4 MPa + 0.001MPa	IQTS and Clients Site

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/CL/28 GMP SERVICES LIMITED LUSAKA ROAD, OFF DUNGA ROAD ROUND ABOUT P.O. BOX 39769-00623 NAIROBI, KENYA E-mail: info@gmpaccl.com Tel. No. +254 734 411507	ISO/IEC 17025:2005	21-Jan-2018

SCHEDULE OF ACCREDITATION

No.	*Calibration Field*	*Calibration Object*	*Measurand*	*Calibration Method*	*Standard*	*Calibration and Measurement Capability (CMC)* *(Measurement Point /Range ± expanded uncertainty)*	*Calibration Site*
01	Temperature	Water / Oil baths	Temperature - 40°C to 450°C	GMP/MET/01/CP/08 Traceability; KEBS Cert. No. BS/MET/4/3/94/131	Thermocouple Digital Indicator	-40°C to 250°C ± 2.0°C	Various
		Ovens, Incubators,		GMP/MET/01/CP/04 Traceability; KEBS	High Temperature	-50°C to 250°C ± 2.5°C	

No.	*Calibration Field*	*Calibration Object*	*Measurand*	*Calibration Method*	*Standard*	*Calibration and Measurement Capability (CMC) (Measurement Point /Range ± expanded uncertainty)*	*Calibration Site*
		refrigerators and Freezers		Cert. No. BS/MET/4/3/94/131	Sensor		
		Furnace		GMP/MET/01/CP/05 Traceability; KEBS Cert. No. BS/MET/4/3/94/131	Temperature Indicator	300°C to 450°C ± 25°C	
		LIG Thermometers, Dial gauge thermometers and digital thermometers		GMP/MET/01/CP/03 Traceability; KEBS Cert. No. BS/MET/4/3/94/131	Digital Thermometer	-30°C to 250°C ± 1.0°C	
02	Mass	Non automatic weighing balances	Mass (1mg to 300Kg)	GMP/MET/02/CP/01 Traceability; WMCL/F/2014-06/1982	F_1 MASSES	1mg to 5mg ± 0.006mg	Various
						10mg ± 0.008mg	
						20mg ± 0.010mg	
						50mg ± 0.012mg	
						100mg ± 0.016mg	
						200mg ± 0.020mg	
						500mg ± 0.025mg	
						1g ± 0.03mg	
						2g ± 0.04mg	
						5g ± 0.05mg	
						10g ± 0.06mg	
						20g ± 0.08mg	
						50g ± 0.10mg	
						100g ± 0.16mg	
						200g ± 0.3mg	
						500g ± 0.8mg	
						1kg ± 1.6mg	
						2kg ± 3.0mg	
						5kg ± 8.0mg	
			Mass (5kg to 300kg)	GMP/MET/02/CP/01 Traceability; KEBS: BS/MET/2/3/75/191	M_2 MASSES	5kg ± 0.25g	Various
						10kg ± 0.5g	
						20kg ± 1g	

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/CL/30 ENDEAVOUR INSTRUMENT AFRICA LIMITED PEMBA STREET , OFF LUSAKA ROAD INDUSTRIAL AREA P.O. BOX 14818-00100 NAIROBI, KENYA E-mail: qualitymgmt@endeavourkenya.co.ke Tel. No. +254 20 6531415/6/7; +254 721 362098; +254 733 551893	ISO/IEC 17025:2005	17-Sep-2018

SCHEDULE OF ACCREDITATION

No.	*Calibration Field*	*Calibration Object*	*Measurand*	*Calibration Method*	*Standard*	*Calibration and Measurement Capability (CMC) (Measurement Point /Range ± expanded uncertainty (k=2, level of confidence 95%))*	*Calibration Site*
01	Mass	Non Automatic Weighing Machines	Mass (1g to 3.888kg)	Comparison in Air; Internal Method; EIAL/QP/MASS REFERENCE METHOD: KS OIML R76:2006 TRACEABILITY: KEBS BS/MET/2/3/82/012	$F_{1\ MASSES}$	1g ± 0.03mg	Various
						2g ± 0.04mg	
						5g ± 0.05mg	
						10g ± 0.06mg	
						20g ± 0.08mg	
						50g ± 0.10mg	
						100g ± 0.15mg	
						200g ± 0.30mg	
						500g ± 0.75mg	
						1kg ± 1.60mg	
						2kg ± 3.00mg	
			Mass (20kg to 1000kg)	Comparison in Air; Internal Method : EIAL/QP/MASS REFERENCE METHOD: KS OIML R76:2006 TRACEABILITY: KEBS BS/MET/2/3/82/010	$M_{2\ MASSES}$	20kg ± 3.00g	Various

2. CERTIFICATION BODIES

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/CB/01 KENYA BUREAU OF STANDARDS CERTIFICATION KENYA BUREAU OF STANDARDS POPO ROAD, OFF MOMBASA ROAD P.O. BOX 54974-00100 NAIROBI, KENYA E-mail: outac@kebs.org Tel. No. +254 20 6005480; +254 20 6948263	ISO/IEC 17021-1:2015	16-Mar-2020

SCHEDULE OF ACCREDITATION

No.	*Management System Sub-scope*	*Technical Cluster*	*IAF Code*	*Description of Economic Activity*	*Critical Code*	*No. of Certifications*	*No. of Auditors*
01	QMS ISO 9001	Food	1	Agriculture, forestry and fishing	3	5	12
			3	Food products, beverages and tobacco		9	17
		Services	29	Wholesale and retail trade; Repair of motor vehicles, motorcycles and personal and household goods	37	1	113
			32	Financial intermediation; real estate; renting		4	3
			35	Other services		5	10
			36	Public administration		22	50
			37	Education		71	64
		Health	38	Health and Social Work	38	6	5
02	EMS ISO 14001	Agriculture, Forestry and Fishing	1	Agriculture, Forestry and Fishing	1	3	8
		Food	3	Food products, beverages and tobacco	3	5	10
		Paper	8	Publishing companies	9	1	8
			9	Printing companies		1	8

No.	*Management System Sub-scope*	*Technical Cluster*	*Category*	*Description of Economic Activity*	*No. of Certifications*	*No of Auditors*
03	FSMS ISO 22000	Food and Feed Processing	C	Food Manufacturing	26	30
		Catering	E	Catering	5	6
		Retail, transport and storage	G	Provision of transport and storage services	1	8
04	FSSC ISO 22000 and ISO TS 22002-1 and Additional FSSC requirements	Food and Feed Processing	C	Food Manufacturing	5	5

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/CB/02 SGS (KENYA) LIMITED VICTORIA TOWERS, 2ND FLOOR UPPERHILL, KILIMANJARO ROAD P.O. BOX 72118-00200 NAIROBI, KENYA E-mail: Kioko.ndolo@sgs.com Tel. No. +254-20-2733690	ISO/IEC 17021-1: 2015	13-Dec-2018

SCHEDULE OF ACCREDITATION

No.	*Management System Sub-Scope*	*Technical Cluster*	*IAF Code*	*Description of Economic Activity*	*Critical Code*	*No. of Certifications*	*No. of Auditors*
01	QMS ISO 9001	Food	1	Agriculture, forestry and fishing	3	26	6
			3	Food products, beverages and tobacco		42	9
			30	Hotels and restaurants		1	3
		Mechanical	17	Basic metals and fabricated metal products	20 or 22	2	3
			18	Machinery and equipment		2	3
			19	Electrical and optical equipment		9	4
			20	Shipbuilding		1	1
			22	Other transport equipment		2	3
		Paper	7	Limited to “Paper products”	9	10	3
			8	Publishing companies		2	4
			9	Printing companies		9	7

No.	*Management System Sub-Scope*	*Technical Cluster*	*IAF Code*	*Description of Economic Activity*	*Critical Code*	*No. of Certifications*	*No. of Auditors*
		Construction	28	Construction	28	2	3
			34	Engineering services		5	2
		Goods Production	14	Rubber and plastic products	14	5	4
			23	Manufacturing not elsewhere classified		1	2
		Chemicals	10	Manufacture of coke and refined petroleum products	12	7	7
			12	Chemicals, chemical products and fibres		4	5
		Transport and Waste Management	31	Transport, storage and communication	31	23	8
		Services	29	Wholesale and retail trade; Repair of motor vehicles, motorcycles and personal and household goods	33 or 37	22	6
			32	Financial intermediation; real estate; renting		14	5
			33	Information technology		4	3
			35	Other services		11	8
			36	Public administration		12	9
			37	Education		9	3
02	EMS ISO 14001	Mechanical	19	Electrical and optical equipment	19 and 22	2	3
			22	Other transport equipment		1	3
		Chemicals	14	Rubber and plastic products	14	1	3

No.	*Management System Sub-scope*	*Technical Cluster*	*Category*	*Description of Economic Activity*	*No. of Certifications*	*No. of Auditors*
03	FSMS ISO 22000	Food and Feed Processing	C	Food Manufacturing	69	6

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/CB/03 BUREAU VERITAS CERTIFICATION KENYA LIMITED ABC PLACE FIRST FLOOR, WAIYAKI WAY WESTLANDS P.O. BOX 34378-00200 NAIROBI, KENYA E-mail: sam.kimotho@za.bureauveritas.com Tel. No. +254-20-4450560-6	ISO/IEC 17021:2011	18-Feb-2017

SCHEDULE OF ACCREDITATION

ISO 9001:2008 QUALITY MANAGEMENT SYSTEM SCOPES				
IAF Codes	*IAF Description*	*NACE Codes*	*NACE Numbers*	*Complete/ Limited**
3	Food products, Beverages and Tobacco	DA	15.3, 15.41, 15.43, 15.51, 15.8 15.86, 15.91 and 15.98	Limited
12	Chemicals, Chemical Products and Fibres	DG	24.1, 24.15, 24.20 and 24.30	Limited
19	Electrical and Optical Equipment	DL	31.3 and 31.4	Limited
23	Manufacturing not elsewhere classified		31, 32, 33.19	Complete
29	Wholesale and retail trade; Repair of motor vehicles, motorcycles and personal and household goods	G	45, 46, 47, 95.2	Complete
31	Transport, storage and communication	I	49, 50, 51, 52, 53, 61	Complete
32	Financial intermediation; real estate; renting	J and K	64, 65, 66, 68, 77	Complete
33	Information Technology	K	72.1, 72.2 and 72.40	Limited
35	Other Services	K	74.60 and 74.4	Limited
38	Health and Social Work	N	85.11 and 85.3	Limited

*Limited implies: Accreditation only covers the NACE Numbers indicated in the codes provided.

3. INSPECTION BODIES

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/IB/01 TYPE C INSPECTION BODY AVANT-GARDE ENGINEERS AND CUNSULTANTS (P) LIMITED 68 A, PORUR KUNDRATHUR HIGH ROAD PORUR , CHENNAI INDIA E-mail: avantgarde@vsnl.com Tel. No. + 91 44 24828717-720	ISO/IEC 17020:2012	22-Nov-2017

SCHEDULE OF ACCREDITATION

Field of Inspection	*Product/Service*	*Type and Range of Inspections*	*Methods and Procedures*	*Inspection Location*
Power Plant (Conventional and Non-conventional fuels)	Boiler and Auxiliaries with piping.	Witness of testing and process activities: Hydro test, Pneumatic test, NDT, Heat treatment	Client specifications	Client Facilities
	Turbo generator and Auxiliaries with piping	Witnessing of welder qualification test		
	Water treatment plant	Painting and final inspection		
	Compressed air system	Witness of testing and process activities: Hydro test, Pneumatic test, NDT, Heat treatment		
	Cranes, hoists and lifting tackles	Verification of calibration certificates testing and measuring tools and equipment.		
	Fuel handling and system	Witness of performances, mechanical test, run test, type test for rotating items		
	Ash handling system	Painting and final inspection		
	Metallic Bellows	Routine and type test for electrical equipment /Instrumentation items.		
	Various types of pumps for cooling water, raw water and treated water services	Witness of testing and process activities: Hydro test, Pneumatic test, NDT, Heat treatment		
	Cooling tower and auxiliaries	Witness of testing and process activities: Hydro test, Pneumatic test, NDT, Heat treatment		
	Circulating water chemical treatment	Review of documents: Raw material test certificates, Consumable certificates		
	Air conditioning system	Witness of testing and process activities: Hydro test, Pneumatic test, NDT, Heat treatment		
Power Plant (Conventional and Non-conventional fuels)	Ventilation system	Witness of testing and process activities: Hydro test, Pneumatic test, NDT, Heat treatment	Client Specifications	Client Facilities
	Fire-fighting system	Witness of in-process activities during product manufacturing.		
	Balance of plant piping and auxiliaries	Witness of testing and process activities: Hydro test, Pneumatic test, NDT, Heat treatment		
	Transformers (power and distribution)	Routine and type test for electrical equipment /Instrumentation items.		
	Power Control Centre and MCCs.			
	High Tension Switchgears and Low Tension panels			
	HT and LT power Cables with termination kits			
	Gas Engine	Witness of performances, mechanical test, run test, type test for rotating items		
	Plant Lighting, communication system, earthing system.	Routine and type test for electrical equipment /Instrumentation items.		
	Distribution Control System package	Routine and type test for electrical equipment /Instrumentation items.		
	Balance of plant instrumentation	Routine and type test for electrical equipment /Instrumentation items.		
Cement Plant	Crusher	Pre-delivery	Client specifications	Client Facilities
	Grinder	Post –delivery		
	Rotatory Equipment	Post -delivery		
	Raw mill Kiln	Review and approval of documents and Coating and Painting inspection		
	Clinker	Raw material identification		
	Additives	Process Qualification		
	Grinder	Witness of testing activities		
	Auxiliary equipment	Packing inspection		
	Piping	Megger test and Functional check		
	Electrical equipment	High voltage test		
	Control and instrumentation equipment	In-process inspection activities and Dispatch clearance		
Distillery Plant	Slop fixed boiler	Pre-delivery	Client specifications	
	Fermentation tubes	Post –delivery		
	Heat exchanger	Raw material identification and Process Qualification		
	Tanks and vessels	Review and approval of documents		
	Evaporators and vapour separators	In-process inspection activities		
	Piping	Interpretation of NDT activities		
	Electrical Equipment	Coating and Painting inspection		
	Reactor heat exchanger	Packing inspection and Dispatch clearance		
Paper and Pulp Industries	Cooling or digester	Witness of testing activities and Interpretation of NDT results	Client specifications	Client Facilities
	Washers	Coating and Painting inspection		
	Weak liquor	In-process inspection activities		
	Evaporators	Pre-delivery and Post –delivery		
	Heavy liquor	In-process inspection activities		
	Direct contact evaporator	Packing inspection		
	Bleaching	In-process inspection activities		

Field of Inspection	*Product/Service*	*Type and Range of Inspections*	*Methods and Procedures*	*Inspection Location*
	Pulp dryer	Dispatch clearance		
	Press	Review and approval of documents		
	Wood Yard	Packing inspection		
	Recovery Boiler	Witness of testing activities and Interpretation of NDT results		
	Continuous digester	Witness of testing activities and Interpretation of NDT results		
	Re-causticising system	In-process inspection activities		
	Batch Digester	Pre-delivery and Post –delivery		
	Smelt Dissolver	Coating and Painting inspection		
	Slaker	Pre-delivery and Post –delivery		
	Causticiser	Witness of testing activities and Interpretation of NDT results		
	Lime kiln	Witness of testing activities and Interpretation of NDT results		
Oil and Gas Projects	Marshalling Cabinet	Visual Inspection	Client specifications	Client Facilities
	System Cabinet	Review of drawing		
	Power Cabinet	Pipe Continuity Test and Insulation Test		
	Serial Interface Cabinet	Cables inspection		
	Communication Cabinet	Paint inspection		
	ESD System Cabinet	Foam inspection		
Various Infra Structure Projects (Incl. water and Sewerage)	Various pipes and Specials	Hydrostatic Pressure Test and Visual and Dimensional Check	Client specifications	Client Facilities
	Pumps and allied accessories	Mechanical Test and Type test (lube oil consumption check)		
	Electrical equipment	Cement Mortar Lining Inspection		
	Gas Engine	Gunning Inspection and Review and approval of documents		
	Electric Operated Cranes	Witness of Cubical, Permeability, Sleeve test		
	Air Blowers	Interpretation of Radio Graphic films.		
	Electro Magnetic Flow meter	Internal test reports review and High Voltage Test, Megger test		
Desalination Plant	Various sizes of Pipes and specials	Visual and dimensional check	Client specifications	Client Facilities
	Filters	Pre-delivery		
	Roughing filter	Post -delivery		
	Dual media filter	Raw material identification		
	Cartridge filter	Review and approval of documents		
	Dosing tanks	In-process inspection activities		
	Common Chlorine Cylinders	Process Qualification		
	Blowers	Witness of testing activities		
	Clarifiers	Interpretation of NDT results		
	Thickeners	Coating and Painting inspection		
	Reverse Osmosis Trains	Packing inspection		
	Various pumps	Dispatch clearance		
	Electrical Switch gears	Witness of testing activities		
	Transformers	Coating and Painting inspection		
Chemical and Petrochemical plants	Boiler	Pre-delivery	Client specifications	Client Facilities
	Hopper	Post -delivery		
	Feeder	Review and approval of documents		
	Mixer	In-process inspection activities		
	Conveyor	Witness of testing activities		
	Scrubber	Interpretation of NDT results		
Chemical and Petrochemical plants	Crusher	Coating and Painting inspection	Client specifications	Client Facilities
	Dryer and Cooler	Packing inspection		
	Granulator	Dispatch clearance		
	Kiln	Witness of testing activities		
	Electric furnace	Review and approval of documents		
	Dust precipitator	Witness of testing activities		
	Condenser	Witness of testing activities		
	Hydrator	Coating and Painting inspection		
	Tanks	Coating and Painting inspection		
	Fans	Packing inspection		
	Pumps	Witness of testing activities		
	Fittings and Valves	Witness of testing activities		
	Hydro Generator	Pre-delivery and Post delivery		
	Absorber	Dispatch clearance		
	Stripper and Scrubber	Coating and Painting inspection		
	Neutralizer	In-process inspection activities		
	Purge Reducing drum	Witness of testing activities		
	Mechanical circulator	Witness of testing activities		
Power Distribution system	Power Substation	Review of documents: raw material test certificate, consumable certificates.	Client specifications	Client Facilities

Field of Inspection	*Product/Service*	*Type and Range of Inspections*	*Methods and Procedures*	*Inspection Location*
	High voltage transmission lines	Polarity check		
	Transmission Systems	Painting and Final Inspection.		
	Transformers Power Poles	Painting and Final Inspection.		
	Transformer drums	Painting and Final Inspection.		
Solar System	Photo Voltaic Modules	Routine and type test for electrical equipment.	Client specifications	Client Facilities
	Inverters	Performances test		
	Transformer	Post installation.		
	Strings combiner boxes	Process inspection.		
	Cables	Performances test		
	Switch gear panels	Review of documents like raw material test certificate, consumable certificate.		
	Distribution Board	Painting and Final Inspection.		
	Sub-station equipment.	Painting and Final Inspection.		
	Mounting structures	Review of documents like raw material test certificate, consumable certificate.		

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/IB/02 TYPE A INSPECTION BODY SGS (KENYA) LIMITED VICTORIA TOWERS, 2ND FLOOR UPPERHILL, KILIMANJARO ROAD P.O. BOX 72118-00200 NAIROBI, KENYA E-mail: paul.sammy@sgs.com Tel. No. +254-20-2733690	ISO/IEC 17020:2012	20-SEP-2018

SCHEDULE OF ACCREDITATION

No.	*Field of Inspection*	*Product / Service*	*Type of Inspection*	*Range of Inspection*	*Codes / Regulations / Methods*	*Inspection Location*
01	Physical inspection	Oil, Gas and Chemicals	Determination of quantity and physical identification for verification of conformity. Bunker surveys, sampling and ship transfer	Various	API Chapter 17 ASTM D4057-12 International and National Standards and In-house procedures	Kilindini Port, Mombasa
		Dry agricultural Commodities, Liquids and Chemicals, Minerals and Mineral Products	Weighing supervision, cargo inspections and sampling	Various	GAFTA Rule 124 and In-house procedures	Various
		Automotive (Axle Load)	Axle Load limits	Various	KENHA contract National Regulations and in-house procedures	Mariakani and Gilgil

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/IB/03 TYPE A INSPECTION BODY INTERTEK TESTING SERVICES E.E (PTY) LIMITED DAVID KAYANDA ROAD, KIZINGO P.O. BOX 611-80100 MOMBASA, KENYA E-mail: ops.cbe-mombasa@intertek.com Tel. No. +254 41 222464/2222629	ISO/IEC 17020:2012	12-Nov-2019

SCHEDULE OF ACCREDITATION

No.	*Field of Inspection*	*Product / Service*	*Type of Inspection*	*Range of Inspection*	*Codes / Regulations / Methods*	*Inspection Location*
01	Physical inspection	Vegetable oils, oilseeds, vegetable and animal fats	Quantitative	Cargo inspections and sampling. Quantity determination and physical identification for verification of conformity. Bunker surveys.	FOSFA guidelines.	Various
		Agricultural commodities. Grains, pulses, rice, millet, cashew nuts, spices packaged and processed agro products.		Weighing supervision, cargo inspections and sampling.	GAFTA Rule 124	
		Petroleum products: Gas oil, Mogas, fuel oil, kerosene, industrial diesel oil, base oil and liquefied petroleum gas.		Quantity determination and physical identification for verification of conformity. Bunker survey, sampling and ship transfer.	API Chapter 17 ASTM D4057-12	
		Warehouses, road and rail wagons.		Verification of conformity.	Contract of sale or documentary requirements.	

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/IB/05 TYPE A INSPECTION BODY INSPECTORATE EA LIMITED ROTHMANS BUILDING, KIZINGO P.O. BOX 42327-80100 MOMBASA, KENYA E-mail: admin@inspectorate-ea.com Tel. No. +254-41-2317318/2317303	ISO/IEC 17020:2012	21-Jan-2018

SCHEDULE OF ACCREDITATION

No.	*Field of Inspection*	*Product / Service*	*Type of Inspection*	*Range of Inspection*	*Codes / Regulations / Methods*	*Inspection Location*
01	Physical Inspection	Vegetable Oils, Oil Seeds, Vegetable and Animal Fats	Quantity	Various	FOSFA 2002	Port of Mombasa
		Agricultural Commodities			GAFTA Rule 124, 2014	Port of Mombasa and Clients Premises
		Petroleum Products: Petrol, Diesel, Kerosene and Jet A-1			In-house method adopted from API Chapter 17, 2005	Port of Mombasa, Mombasa Depot and Nairobi Depot.
		Liquefied Petroleum Gas			In-house method adopted from API Chapter 17, 2005, Section10 Part 2	Port of Mombasa
		General Cargo	Physical Verification		Lloyds Handbook	Port of Mombasa and Clients Premises

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/IB/06 TYPE A INSPECTION BODY POLUCON SERVICES KENYA LIMITED NYATI ROAD, OFF LINKS ROAD P.O. BOX 99344-80107 MOMBASA, KENYA E-mail: polucon@polucon.com Tel. No. +254 (41) 440777/3/4	ISO/IEC 17020:2012	16-Dec-2018

SCHEDULE OF ACCREDITATION

No.	*Field of Inspection*	*Product/Service*	*Type of Inspection*	*Range of Inspection*	*Methods and Procedures*	*Site*
01.	Physical inspection	Agricultural commodities. Maize, beans, sorghum and Wheat,	Quantity and physical verification	Weighing supervision and sampling.	GAFTA Rule 124:2014 GAFTA Rule 123:2012 ISO 24333	Port of Mombasa and client Premises
		Containers	Physical Verification	Various	PQI/OP/001	Port of Mombasa and client Premises

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/IB/07 TYPE C INSPECTION BODY KENYA ASSOCIATION OF BUS MANUFACTURERS (KABM) KAM BUILDING, 15 MWANZI ROAD WESTLANDS P.O. BOX 30225-00200 NAIROBI, KENYA E-mail: info@kam.co.ke Tel. No. +254 20 2324827/8, 254 20 8155531/2	ISO/IEC 17020:2012	16-Mar-2020

SCHEDULE OF ACCREDITATION

No.	*Field of Inspection*	*Product/Service*	*Type of Inspection*	*Range of Inspection*	*Codes / Regulations / Methods*	*Inspection Location*
01	Motor Vehicle Inspection	Bus Body Construction for Passengers	Review and Approval of Designs Visual Inspection and Dimensioning / Gauging	Vehicles Classes: I, II, III and IV	Internal Method: QF/05/016 Reference: KS 372:2014	Client Site

4. MEDICAL LABORATORIES:

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/ML/01 MU-CHS/MTRH AMPATH REFERENCE LABORATORY MOI TEACHING AND REFERAL HOSPITAL P.O. BOX 4606-30100 ELDORET, KENYA E-mail: weinjera@gmail.com Tel. No. +254 724 152908	ISO 15189:2012	21-Feb-2018

SCHEDULE OF ACCREDITATION

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Biological Sample*	*Components / Analytes*	*Measurement Range*	*Test Location*
01	Hematology	Electrical impendence, flow cytometry and colorimetric Reference Standard – ICHS Internal procedure- ARL 436	Coulter ACT 5 diff	Whole Blood	WBC	(0.01- 30.00) x 10^9 / L	Main Lab, MTRH - Eldoret
					RBC	(0.01 – 8.00) x 10^{12} /L	
					HB	(1.0 – 23.5) g/dL	
					HCT	0 - 60%	
					Platelets	(0 -1000)x10^9 /L	
					Neutrophils-Absolute	(0.006-18) x 10^9 / L	
					Lymphocyte-Absolute	(0.003 -9) x 10^9 / L	
					Basophils - Absolute	(0-1.8) x 10^9 / L	
					Monocytes - Absolute	(0-0.9) x 10^9 / L	
					Eosinophils - Absolute	(0-0.6) x 10^9 / L	
		Electrophoresis Reference standard - National institute for biological and control UK Internal Procedure - ARL 461	Cooler, Electrophoresis tank, scanner	Dried Blood Spots and Whole Blood	Hemoglobin variants (HBA, HBF, HBS, HBA2).	Qualitative	
		Measurement of coagulation time: Reference standard -The British standard for blood coagulation Internal Procedures: ARL 465 (Factor VIII) ARL 462 (Factor IX) ARL 463 (PTI) ARL 464 (APTT)	coagulometer	Plasma	Coagulation Factors --- Factor VIII,	1-50%	
					Factor IX,	1-73%	
					Inhibitors PTI	1-50%	
					APTT	1-50%	
02	Immunology	Flow Cytometry Reference standard CLSI Internal Procedure: ARL 442	FACS Calibur	Whole blood	CD4 and CD8	50-1200 cells/µL	Main Lab, MTRH – Eldoret
03	Serology	Enzyme linked immune assay: Reference standard -WHO Internal Procedure: ARL 442	Thermo-scientific reader and plate washer	Serum	HBsAg	Qualitative	Main Lab, MTRH – Eldoret
		Enzyme linked immuno-assay: Reference standard -WHO Internal Procedure: ARL 402		Serum	HIV		
		Agglutination of antigen coated particles based on antigen/antibody interactions Reference standard –WHO Internal Procedure: ARL 449	Water Bath	Serum	VDRL		
		Agglutination of antigen coated particles based on antigen/antibody interactions Reference standard –WHO Internal Procedure: ARL 446	Manual	Urine	Human Chorionic Gornadotrophin (HCG)		
04	Molecular Biology	Enumeration of stained PBMC cells suspended in buffered solution in a neuber chamber. Reference standard - HIV AIDS Network Coordination (HANC) Internal Procedure: ARL 505	Neuber Chamber and centrifuge Class II biosafety cabinet Light microscope	Whole blood	Peripheral Blood Mononuclear Cells (PBMC)	100 – 1,000, 000 cells/mL	
		Polymerase chain reaction Reference standard –WHO Internal Procedure: ARL 505	Roche CAPCTM / Abbott	Dry Blood Spots	HIV DNA	Qualitative	
				Plasma	HIV RNA	(34 – 10,000,000) RNA copies/mL	
05	Chemistry	Ion selective Electrode: Reference Standard – IFCC. Internal Procedure - ARL 427	Cobas Integra 400 plus	Serum	Sodium	116- 176mmol/L	Main Lab, MTRH – Eldoret
		Spectrophotometry: Reference Standard – IFCC Internal Procedure: ARL 416		Serum	Blood Urea	9.32 – 796mmol/L	
		Spectrophotometry: Reference Standard – IFCC. Internal Procedure: ARL 451		Celebro-Spinal Fluid	Glucose	25- 310 mg/dL	
		Spectrophotometry: Reference Standard – IFCC Internal Procedure: ARL 450		Celebro-Spinal Fluid	Protein	40 – 120mgl/dL	
		Ion Selective Eletrode: Reference Standard – IFCC Internal Procedure: ARL 428		Serum	Potassium	3.96 – 7.60 mmol/L	
		Ion Selective Electrode: Reference Standard – IFCC. Internal Procedure: ARL 429		Serum	Chloride	85 – 117 mmol/L	

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Biological Sample*	*Components / Analytes*	*Measurement Range*	*Test Location*
		Ion Selective Electrode: Reference Standard – IFCC Internal Procedure: ARL 430		Serum	Bicarbonates ($HC0_3$)	1.1 – 44.3mmol/L	
		Spectrophotometry: Reference Standard – IFCC Internal Procedure: ARL 412		Serum	Creatinine	0.06 – 36mmol/L	
		Spectrophotometry: Reference Standard – IFCC Internal Procedure: ARL 413		Serum	ALP	2 – 948 U/L	
		Spectrophotometry: Reference Standard – IFCC Internal Procedure: ARL 415		Serum	AST	1.5 – 503 U/L	
		Spectrophotometry: Reference Standard – IFCC Internal Procedure: ARL 414		Serum	ALT	1 – 446 U//L	
		Spectrophotometry: Reference Standard – IFCC Internal Procedure: ARL 437		Serum	Amylase	0.4 – 147 U/L	
		Spectrophotometry: Reference Standard – IFCC Internal Procedure: ARL 420		Serum	Bilirubin Direct	0.81 – 185.05 µmol/L	
		Spectrophotometry: Reference Standard – IFCC Internal Procedure: ARL 420		Serum	Bilirubin Total	0.58 – 282.00 µmol/L	
		Spectrophotometry: Reference Standard – IFCC Internal Procedure: ARL 434		Serum	Protein Total	41-105g/L	
		Spectrophotometry: Reference Standard – IFCC Internal Procedure: ARL 421		Serum	Albumin	0.08- 54g/L	
		Spectrophotometry: Reference Standard – IFCC Internal Procedure: ARL 424		Serum	HDL Cholesterol	1.55 – 90mg/dL	
		Spectrophotometry: Reference Standard – IFCC Internal Procedure: ARL 425		Serum	LDL Cholesterol	0.72- 7.02mmol/L	
		Spectrophotometry: Reference Standard – IFCC Internal Procedure: ARL 422		Serum	Total Cholesterol	0.009 – 11.4mmol/L	
		Spectrophotometry: Reference Standard – IFCC Internal Procedure: ARL 423		Serum	Trilyceride	0.53- 7.0mmol/L	
		Spectrophotometry: Reference Standard – IFCC Internal Procedure: ARL 431		Serum	Glucose	0.9 – 24.8 mmol/L	
		Spectrophotometry: Reference Standard – IFCC Internal Procedure: ARL 426		Serum	Creatinine Kinase	3 – 1330U/L	
		Spectrophotometry: Reference Standard – IFCC Internal Procedure: ARL 452		Serum	Phosphate inorganic	0.12 – 11.95 mg/dL	
06	Microbiology	Mass Spetroscopy: Bacteria isolation using appropriate culture media Automated drug sensitivity: Reference standard – American society for Microbiology (ASM) Internal procedures: ARL1027 and ARL 2016	Incubator Vitek 2 compact	Blood Ear swab High vaginal swab	Various bacterial isolates	Qualitative	Main Lab, MTRH – Eldoret
		Microscopic examination of stained smears (gram stain): Reference standard – American society for Microbiology (ASM) Internal procedure :ARL 1005	Light microscope	Bacterial culture Ear swab and HVS	Gram positive or gram negative bacteria	Qualitative	
		Mass Spectroscopy: Fungal isolation using appropriate culture media Automated drug sensitivity: Reference standard – American society for Microbiology (ASM) Internal procedure: ARL1027	Vitek 2 compact Incubator	Celebro-Spinal Fluid	Various fungal isolates	Qualitative	
		Wet Mount of CSF stained in Indian ink – using Neubauer counting chamber or direct wet preparations: Reference standard – American society for Microbiology (ASM) Internal procedure: ARL 1023 and ARL 1009	Neubauer counting chamber Light Microscopes	Celebro-Spinal Fluid	Cell count, Cryptococcus species and other fungal elements		
		Agglutination of fungal particles based on antigen antibody interactions: Reference standard – American society for Microbiology (ASM) Internal procedure: ARL 1015	Water bath	Celebro-Spinal Fluid and urine	Cryptococcal antigen		
07	Parasitology	Microscopic examination of wet preparation method	Light microscope	HVS swab	Trichomonas vaginalis		
		Parasite culture using Urine in-pouch method Reference standard – WHO Internal procedure: ARL1018 and ARL1018	Incubator, Light microscopy	Urine	Trichomonas vaginalis		

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/ML/02 MATER HOSPITAL LABORATORY THE MATER HOSPITAL DUNGA ROAD, SOUTH B P.O. BOX 30325-00100 NAIROBI, KENYA E-mail: labsec@materkenya.com Tel. No. +254 20 6531199; +254 20 6534289	ISO 15189:2012	17-Feb-2020

SCHEDULE OF ACCREDITATION

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Specimen*	*Components / Analytes*	*Reference to Standardized Procedure*	*Measurement Range*	*Test Location*
01	Chemistry	Spectrophotometry and Ion Selective Electrode	Beckman Coulter AU480 Backup analyzer-Olympus AU 400	Serum	ALT (GPT)	Internal Method: MHL-CHM-P006 Reference Method: IFCC 1977.2	3 to 500 u/L	Mater Main Lab. South B
					AST (GOT)		3 to 1000u/L	
					Lipase		3 to 600u/L	
					GGT		5 to 1200u/L.	
					HDL-Cholesterol	Internal Method: MHL-CHM-P006 Reference Method: Abell-Kendall, Biol. Chem-1952	0.05 to 4.65mmol/L	
					Total Cholesterol		0.5 to 18.0mmol/ L	
					Triglycerides	Internal Method: MHL-CHM-P006 Reference Method: GPO-Spectrophometric method – Fossati et.al 1982	0.1 to 11.3mmol/L	
					Urea	Internal Method: MHL-CHM-P006 Reference Method: ID/GC/MS- Anal. Chem. 1984	0.8 to 50mmol/L	
					Creatinine Kinase	Internal Method: MHL-CHM-P006 Reference Method: IFCC 1977.2	10 to 2000u/L	
					Glucose	Internal Method:MHL-CHM-P006 Reference Method: Hexokinase/G6PDH Smith et.al 1982.	0.6 to 45.0mmol/L	
					Creatinine	Internal Method: MHL-CHM-P006 Reference Method: IDMS – Siekman L. 1985	5 to 2200umol/L	
					LDH	Internal Method: MHL-CHM-P006 Reference Method: Abell-Kendall, Biol. Chem-1952	50 to 3000u/L	
					Albumin	Internal Method: MHL-CHM-P006 Reference Method: Immunoturbidimetry-Clin. Chem. Lab. Med 2001	15 to 60g/L.	
					Total protein		30 to 120g/L	
					Alkaline Phosphatase	Internal Method: MHL-CHM-P006 Reference Method: IFCC 1977.2	5 to 1500u/L	
					AMYLASE	Internal Method: MHL-CHM-P006 Reference Method: IFCC 1977.2	5 to 2000u/L	
					CALCIUM	Internal Method: MHL-CHM-P006 Reference Method: AA -J. Clin. Chem. 1981	1 to 5mmol/L	
					Uric Acid	Internal Method: MHL-CHM-P006 ReferenceMethod: ID/GC/MS – Siekman et al Clin. Biochem 1985	0.089 to 1.785mmol/L	

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Specimen*	*Components / Analytes*	*Reference to Standardized Procedure*	*Measurement Range*	*Test Location*
					Potassium	Internal Method: MHL-CHM-P006 Reference Method: Voladapold et.al ;NIST publication -1978	0.25 to 10mmol/L	
					Sodium		75to 250mmol/L	
					Chloride		50 to 200mmol/L	
		Chemiluminescent Microparticle Immunoassay (Thyroid Function Tests)	Architect Plus System Backup analyzer - Minividas	serum	Free T3	Internal Method:MHL-SER-P001 MHL-SER-P017 Reference Method: CLSI-C45-A	1.54 to 46.08pmol/L	Main Lab South B
					Free T4		1 to 77.2pmol/L.	
					TSH		2 to 100 uU/ml	
02	Haematology	Coulter Technical (electrical impendence, colorimetric) and flow cytometry	Cell Dyn Ruby	EDTA anticoagulated blood	WBC	Internal Method: MHL-HEM-P002 Reference Method: CLSI H20-A2	(0.02 to 246) x10^3/µL	Main Lab South B
					RBC	Internal Method: MHL-HEM-P002 Reference Method: CLSI H52-A2	(0.01 to 7.5) x10^6/µL	
					HB	Internal Method: MHL-HEM-P002 Reference Method: CLSI H15-A3	0.1 to 25g/dl	
					HCT	Internal Method: MHL-HEM-P002 Reference Method: CLSI H15-A3	8.3 to 79.8 %	
					Platelets	Internal Method: MHL-HEM-P002 Reference Method: CLSI H20-A2	(0.01 to 3000)x10^3/µL	
03	Microbiology	Automated blood cultures (include other cultures for ID and Sensitivity)	BACTEC 9050	EDTA blood	Bacterial isolates (blood pathogens)	Internal Method: MHL-MIC-P039 Reference Method: CLSI-M47-A	Qualitative	Main Lab South B
		Microscopic examination of stained bacteria isolates	Microscope	Culture media, swabs, and body fluids	Bacterial and fungal cells	Internal Method: MHL-MIC-P014 Reference Method: The Gram Stain James W. et al , Univ. California 1952		
		Microscopic identification of ZN stained smears		Sputum, Body fluids and tissues Expectorants and secretions	TB bacilii	Internal Method: MHL-MIC-P024 Reference Method: Medical laboratory manual for tropical countries by Monica Cheesbrough, 1987		
04	Serology	Chemiluminescence	Architect plus *i*1000SR	Serum	HIV Ag/Ab	Internal Method: MHL-SER-P001 Reference Method: WHO P24 Antigen: 1st international reference. NIBSC code 901636		
					HBsAg	Internal Method:MHL-SER-P001 Reference Method: National Institute for Biological Standards and Control code 00/58		

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/ML/05 BUNGOMA COUNTY HOSPITAL LABORATORY BUNGOMA COUNTY HOSPITAL HOSPITAL ROAD OPPOSITE POLICE/COUNTY HEAD QUARTERS P.O. BOX 14-50200, BUNGOMA E-mail: bungomadh@yahoo.com Tel. No. +254 05530401	ISO 15189:2012	30-Sep-2017

SCHEDULE OF ACCREDITATION

Medical field	*Examination technique*	*Equipment*	*Biological sample*	*Components / Analytes*	*Measurement Ranges*
Routine Chemistry	spectrophotometry using - automated method	HUMASTAR 200	Serum	ALT AST D/Bilirubin T/Bilirubin	2-500u/l 3-700u/l 0-7mg/dl

Medical field	*Examination technique*	*Equipment*	*Biological sample*	*Components / Analytes*	*Measurement Ranges*
		Back up- Humalyzer 2000		Albumin Alkaline Phosphatase Urea Total protein Creatinine	0.05-20mg/dl 1.5-8mg/dl 10-2000u/l 5-400mg/dl 0-120mg/dl 0.1-25mg/dl
Hematology	Flow Cytometry/electrical impedance	Celtac F MEK 8222K Back up Celtac F MEK 7222K	Whole Blood (EDTA)	WBC RBC Platelet Hct Hgb,	0-299x10^3/ul 0-14.9x10^6/ul 0-1490x10^3/ul 0-99.9% 0-29.9g/dl
Immunology	Flow Cytometry technique	Facscount	Whole blood (EDTA) Anticoagulated blood	$CD4^+$ /$CD3^+$	57-1310cells/ul
Parasitology	Light microscopy on Giemsa stained thick and thin smears	Light microscope	Whole Blood (EDTA)	Malarial parasite	N/A

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/ML/09 KISII COUNTY TEACHING AND REFERRAL HOSPITAL LABORATORY KISII COUNTY TEACHING AND REFERRAL HOSPITAL HOSPITAL ROAD P.O. BOX 92, KISII E-mail: otarastanley@yahoo.com Tel. No. +254 721 222501	ISO 15189:2012	16-Mar-2020

SCHEDULE OF ACCREDITATION

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Specimen*	*Components / Analytes*	*Reference to Standardised Procedure*	*Measurement Range*	*Test Location*
01	Serology	Immuno-chromatography	First Response Trinity Biotech Uni-Gold™ Alere Determine HIV 1/2	Whole Blood	HIV 1/2	SOP-QMS-PR-SER-008 SOP-QMS-PR-SER-009 SOP-QMS-PR-SER-010 WHO Standard for JC Virus DNA, NIBSC Code 14/114; Ver 2:2016	Qualitative	KCTRH Serology Laboratory
02	Immunology	Flow Cytometry	BD Facs Calibur	Whole blood	CD3	SOP QMS-PR-IMMUN-001 CLSI H42-A2	34 to 7721 cells/µL	KCTRH Immunology Laboratory
					CD4		61 to 4938 cells/µL	
03	Microbiology	Fluorescence Staining	Auramine Fluorescence Microscopy	Sputum	Mycobacterium TB	SOP QMS-PR-MICRO-010 Reference: ZN Technique by Monica Cheesbrough, Cambridge University press, 2000	Qualitative	KCTRH Microbiology Laboratory
		PCR	Cephid Gene-Xpert		Mycobacterium TB	SOP QMS-PR-MICRO-014 Reference: WHO/HTM/TB/2011		

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/ML/12 NATIONAL HIV REFERENCE LABORATORY KENYATTA NATIONAL HOSPITAL COMPLEX P.O. BOX 20750-00202 NAIROBI, KENYA E-mail: nhrl@nphls.or.ke Tel. No. +254 20 2011660	ISO 15189:2012	14-May-2019

SCHEDULE OF ACCREDITATION

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Specimen*	*Components / Analytes*	*Reference to Standardised Procedure*	*Measurement Range*	*Test Location*
01.	Molecular Biology	PCR	Abbot CAP/CTM	Dried Blood Spots, Plasma	HIV-1 RNA	Reference Method; WHO Std for HIV-1 RNA and nucleic acid-based techniques (NAT) NIBSC 971656 Internal Method: SOP No. 605 : Quantitative SOP No. 604: Qualitative	40 to 10^6 copies per mL	NHRL-KNH
				Dried Blood Spots	HIV-1 DNA		Qualitative	
02.	Serology	ELISA	ELISA reader and washer	Serum	HIV Ag/Ab	Reference Method: HIV Bio-Elisa HIV-1+2 Ag/Ab. Internal Method: SOP No. 303 Reference Method; Murex HIV Ag/Ab Combination Internal Method: SOP No. 314	Qualitative	

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/ML/14 THE NAIROBI HOSPITAL LABORATORY NAIROBI HOSPITAL ARGWINGS KODHEK ROAD P.O. BOX 30026-00100 NAIROBI, KENYA E-mail: hosp@nairobihospital.org Tel. No. +254 20 2845000	ISO 15189:2012	14-Apr-2019

SCHEDULE OF ACCREDITATION

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Specimen*	*Components / Analytes*	*Reference to Standardised Procedure*	*Measurement Range*	*Test Location*
01.	Biochemistry	Spectrophotometry	Architect c8000	Serum / Plasma	Albumin	IFCC Plasma Proteins; Clin. Chem. Lab. Med., 2001 SOP-TNH/LAB/BCM/001	3.1 to 105.0 g/L	The Nairobi Hospital Central Lab. Argwins Kodhek Road
					Alkaline phosphatase	IFCC reference measurement procedure (37 °C) for Alkaline Phosphatase- Clin. Chem. Lab. Med., 2011, 49(9), 1439-1446; SOP-TNH/LAB/BCM/001	5 to 2200 U/L	
					ALT (GPT)	IFCC reference measurement procedure (37 °C) for ALT; Clin. Chem. Lab. Med., 2002, 40, 718-724 SOP-TNH/LAB/BCM/001	5.1 to 942.0 U/L	
					Amylase, Total	IFCC reference measurement procedure (37 °C) for amylase; Clin. Chem. Lab. Med., 2006, 44, 1146-1155 SOP-TNH/LAB/BCM/001	2.4 to 3010.0 U/L	
					AST (GOT)	IFCC reference measurement procedure (37 °C) for AST; Clin. Chem. Lab. Med., 2002, 40, 725-733 SOP-TNH/LAB/BCM/001	2.2 to 913.0 U/L	
					Bilirubin, Direct	Doumas reference method for total bilirubin: Clin. Chem., 1985, 31, 1779-1789 SOP-TNH/LAB/BCM/001	1.7 to 265.5 µmol/L	
					Bilirubin, Total		0.74 to 10.85 mmol/L	

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Specimen*	*Components / Analytes*	*Reference to Standardised Procedure*	*Measurement Range*	*Test Location*
					Calcium	NIST ID-TIMS method for serum calcium: NBS special publication 260-36 SOP-TNH/LAB/BCM/001	0.5 to 6.0 mmol/L	
					Cholesterol	CDC Abell-Kendall method for cholesterol: Clin. Chem., 1990, 36, 370-375 SOP-TNH/LAB/BCM/001	0.16 to 18.26 mmol/L	
					CK, Total	IFCC reference measurement Procedure (37 °C) for CK- Clin. Chem. Lab. Med., 2002, 40, 635-642 SOP-TNH/LAB/BCM/001	6.6 to 4267.0 U/L	
					Creatinine	DGKC reference method for serum creatinine: Clin. Biochem., 1985, 23, 137-144 SOP-TNH/LAB/BCM/001	17.7 to 3270.8 µmol/L	
01.	Biochemistry	Spectrophotometry	Architect c8000	Serum / Plasma	GGT	IFCC reference measurement procedure (37°C) for gamma-GT - Clin. Chem. Lab. Med., 2002, 40, 734-738 SOP TNH/LAB/BCM/001	3.3 to 1543.0 U/L	The Nairobi Hospital Central Lab. Argwins Kodhek Road
					Glucose	DGKL reference method for glucose: Biomedical Mass Spectrometry, 1982, 9, 395-405 SOP TNH/LAB/BCM/001	0.28 to 44.40 mmol/L	
					HDL-Cholesterol	CDC reference method for HDL cholesterol in serum: Handbook of Lipoprotein Testing, 2nd Edition.Washington DC: AACC Press 2001: 227-230. SOP TNH/LAB/BCM/001	0.01 to 4.66 mmol/L	
					Iron	Architect c8000 Method SOP TNH/LAB/BCM/001	0.9 to 179.0 µmol/L	
					LD (LDH)	IFCC reference measurement procedure (37 °C) for LDH; Clin. Chem. Lab. Med., 2002, 40, 643-648 SOP TNH/LAB/BCM/001	10 to 2000 U/L	
					Lipase	Architect c8000 Method SOP TNH/LAB/BCM/001	3.1 to 1200 U/L	
					Magnesium	NIST ID-ICP/MS method for serum magnesium: Clin. Chim. Acta, 2000, 292, 55-68 SOP TNH/LAB/BCM/001	0.25 to 3.90 mmol/L	
					Phosphorus	DGKL reference method for ortho-phosphate: Fresenius J. Anal. Chem., 1990, 337, 143 SOP TNH/LAB/BCM/001	0.20 to 8.17mmol/L	
					Protein, Total	Architect c8000 Method SOP TNH/LAB/BCM/001	0.76 to 184.00 g/L	

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Specimen*	*Components / Analytes*	*Reference to Standardised Procedure*	*Measurement Range*	*Test Location*
					Urea	DGKC reference method for urea: Kessler et al., Clin. Chem., 1999, 45, 1523-1529 SOP TNH/LAB/BCM/001	0.5 to 44.6 mmol/L	
					Uric Acid (Urate)	DGKC reference method for uric acid: Clin. Biochem., 1985, 23, 129-135 SOP TNH/LAB/BCM/001	12.98 - 1950 µmol/L	
01.	Biochemistry	ISE Indirect	Architect c8000	Serum / Plasma	Chloride	NIST/CDC/AACC coulometric titration method for serum chloride-NBS special publication 260-67 SOP TNH/LAB/BCM/001	50 to 150 mmol/L	The Nairobi Hospital Central Lab. Argwins Kodhek Road
					Potassium	NIST/CDC/AACC Flame Atomic Emission method for serum potassium - NBS special publication 260-63 SOP TNH/LAB/BCM/001	1.0 to 10.0 mmol/L	
					Sodium	NIST/CDC/AACC Flame Atomic Emission method for serum sodium, NRSCL RS7 SOP TNH/LAB/BCM/001	100 to 200 mmol/L	
02	Special Chemistry	Electrochemiluminescence Immunoassay	Cobas e601	Serum / Plasma	Thyroid Stimulating Hoemone (TSH)	SOP TNH/LAB/SPC/001 Coba e601 Method	0.005 to 100 µU/mL	
					Total Thyroxine (T4)	DGKC reference method for serum total thyroxine: Biomed. Mass Spec., 1987, 14, 683-8 SOP TNH/LAB/SPC/001	5.40 to 320 nmol/L	
					Total triiodothyronine (T3)	NIST LC/MS/MS reference method for total triiodothyronine: Anal. Chem. 2004, 76, 5092-5096 SOP TNH/LAB/SPC/001	0.3 to 10.0 nmol/L	
					Free thyroxine (FT4)	University of Ghent reference measurement procedure For free thyroxine in serum- Clin. Chem. Lab. Med., 2011, 49(8), 1275 – 1281 SOP TNH/LAB/SPC/001	0.3 to 100.0 pmol/L	
					Free triiodothyronine (FT3)	NIST LC/MS/MS reference method for total triiodothyronine: Anal. Chem. 2004, 76, 5092-5096 SOP TNH/LAB/SPC/001	0.4 to 50.0 pmol/L	
					TOTAL PSA	Cobas e601Method SOP TNH/LAB/SPC/001	0.003 to 100 ng/mL	
02	Special Chemistry	Electro-chemiluminescence Immunoassay	Cobas e601	Serum / Plasma	CA 19-9	Cobas e601Method SOP TNH/LAB/SPC/001	0.6 to 1000 U/mL	The Nairobi Hospital Central Lab. Argwins Kodhek Road
					CA 15-3		1 to 300 U/mL	
					CA 125		0.6 to 5000 U/mL	
					CEA		0.2 to 1000 ng/ mL	
					HIV		N/A	
		chemiluminescence microparticle Immunoassay	Architect i2000	Serum / Plasma	Thyroid Stimulating Hormone (TSH)	Architect i2000 Method SOP TNH/LAB/SPC/002	0.01 to 127.98 µU/mL	
					Total Thyroxine (T4)	DGKC reference method for serum total thyroxine: Biomed. Mass Spec., 1987, 14, 683-8 SOP TNH/LAB/SPC/002	12.25 to 264.47 nmol/L	

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Specimen*	*Components / Analytes*	*Reference to Standardised Procedure*	*Measurement Range*	*Test Location*
					Total triiodothyronine (T3)	NIST LC/MS/MS reference method for total triiodothyronine: Anal. Chem. 2004, 76, 5092-5096 SOP TNH/LAB/SPC/002	0.38 to 8.95 nmol/L	
					Free thyroxine (FT4)	University of Ghent reference measurement procedure For free thyroxine in serum- Clin. Chem. Lab. Med., 2011, 49(8), 1275 – 1281 SOP TNH/LAB/SPC/002	5.1 to 154.4 pmol/L	
					Free triiodothyronine (FT3)	NIST LC/MS/MS reference method for total triiodothyronine: Anal. Chem. 2004, 76, 5092-5096 SOP TNH/LAB/SPC/002	1.69 to 45.94 pmol/L	
					Total PSA	Architect i2000 Method SOP TNH/LAB/SPC/002	0.008 to 100 ng/mL	
03	Haematology	Impedance Count	Sysmex XN1000	Whole Blood	RBC	CLSI -H52-A2 SOP-TNH/LAB/HEM/042	0.01to 8.60 X 10^{12}/L	The Nairobi Hospital Central Lab. Argwins Kodhek Road
					Platelet	PTB reference method for blood cell counting: J. Lab. Med., 2012, 36(1), 25-35 SOP-TNH/LAB/HEM/042	0.01 to 5000X10^{9}/L	
		SLS – Haemoglobin method			HB	CLSI H15-A3 SOP-TNH/LAB/HEM/042	0.01 to 26.0 g/dl	
			Cell dyn 3700		HB	CLSI H15-A3, SOP-TNH/LAB/HEM/001	0.5 to 24.0 g/dl	
		Optical Count			WBC	CLSI –H20-A2 standard SOP-TNH/LAB/HEM/001	0.01 to 250.0 X10^{9}/L	
		Impedance Count			RBC	CLSI -H52-A2, SOP-TNH/LAB/HEM/001	0.01 to 8.0 X 10^{12}/L	
					Platelet	PTB reference method for blood cell counting: J. Lab. Med., 2012, 36(1), 25-35, SOP-TNH/LAB/HEM/001	0.02 to 2000X10^{9}/L	
		Coagulometry	ACL Elite Pro		PT	CLSI H47-A2: SOP-TNH/LAB/HEM/002	12 to 35 sec	
					APTT	CLSI H47-A2: SOP-TNH/LAB/HEM/002	2.3 to 127.5 sec	
					INR	CLSI H47-A2, SOP-TNH/LAB/HEM/002	Qualitative	
04	Microbiology	Manual	N/A	Urine	Urinalysis	District Laboratory Practice in Tropical Countries; CAMBRIDGE UNIVERSITY PRESS, 2009 SOP-TNH/LAB/MIC/005	Qualitative	
		Manual, Vitek 2 System	Vitek 2	Urine	Urine culture and senstivity	CLSI MO2-A12 Standard SOP-TNH/LAB/MIC/005 SOP-TNH/LAB/MIC/003 SOP-TNH/LAB/MIC/001		
		DNA probe technology	BD AFFIRM™ VPII System	HVS	Vaginitis test	BD Affirm™ VPIII Microbial Identification Method SOP-TNH/LAB/HEM/002		

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Specimen*	*Components / Analytes*	*Reference to Standardised Procedure*	*Measurement Range*	*Test Location*
05	Histology	Haematoxylin and Eosin	Dako Coverslipper	Biopsy	tissue/cell mophology	Haematoxylin and eosin staining method by CF Culling and Prof WL Dunn SOP-TNH/LAB/HST/006	Qualitative	
		Periodic acid schiffs	manual		Aldehydes	Haematoxylin and eosin staining method by CF Culling and Prof WL Dunn SOP-TNH/LAB/HST/007		
		Perl's Prussian blue	Manual		Iron and Heamosiderrin	Haematoxylin and eosin staining method by CF Culling and Prof WL Dunn SOP-TNH/LAB/HST/008		

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/ML/17 MIGORI COUNTY HOSPITAL LABORATORY MIGORI COUNTY HOSPITAL P.O. BOX 201-40400 SUNA, MIGORI, KENYA E-mail: migorilab@gmail.com Tel. No. +254 789 748 543/ +254 789 506 940	ISO 15189:2012	13-Dec-2019

SCHEDULE OF ACCREDITATION

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Specimen*	*Components / Analytes*	*Reference to Standardised Procedure*	*Measurement Range*	*Test Location*
01	Parasitology	Microscopic examination of Giemsa stained blood smears	Microscope	Whole blood	Malaria parasites	District Laboratory Practice in Tropical Countries By Monica Cheesbrough; CAMBRIDGE UNIVERSITY PRESS, 2009. Malaria - QMS-PR-PARA-001 Stool - QMS-PR-PARA-002	Qualitative	Migori District Hospital Migori
		Microscopic examination of faecal specimen	Microscope	Stool	Ova and Cyst		Qualitative	
03	Microbiology	Microscopic examination of ZN stained smears	Microscope	Sputum	AAFB	District Laboratory Practice in Tropical Countries by Monica Cheesbrough, Cambridge University Press, 2000 SOP - QMS-PR-MICRO-003	Qualitative	
04	Immunology	Flow Cytometry	FACSCount	Whole blood	CD4/CD8	CLSI –H42A2	CD4: 1- 2,000 CD8: 1 -2,000	
05	Serology	Rapid	N/A	Whole blood, Plasma/ Serum	VDRL	Wondfo rapid one step syphilis Method SOP- QMS-PR-SERO-006	Qualitative	
		Immuno-chromatography		Whole blood, plasma /serum	HIV	First Response HIV-1-2 method Alere Determine HIV-1/2 SOP –QMS-PR-SERO-009 SOP –QMS-PR-SERO-010	Qualitative	
06	Haematology	Colorimetry	Hemocue 201	Whole blood	HB	CLSI -H15-A3 SOP QMS-PR-HAEM-007	0.15-25.5 g/dl	

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/ML/18 PCEA CHOGORIA HOSPITAL LABORATORY PCEA CHOGORIA HOSPITAL P.O. BOX 35-60401 CHOGORIA, KENYA E-mail: info@pceachogoriahospital.org Tel. No. +254 713656186, +254 734192208	ISO 15189:2012	14-Apr-2019

SCHEDULE OF ACCREDITATION

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Specimen*	*Components / Analytes*	*Reference to Standardised Procedure*	*Measurement Range*	*Test Location*
01	Clinical chemistry	spectrophotometry method	Mindray	Serum	ALT	IFCC - 2011 Internal Method: CHEM- 07	4 to 1000 U/L	Main lab Chogoria hospital
					AST		4 to 800U/L	
					Total Bilirubin		0.09 to 35.09 mg/dL	
					Direct Bilirubin		0.06 to 15.21 mg/dL	
					Total Protein		2 to 120 g/L	
					Urea		1 to 40 mmol/L	
					Creatinine		0.1 to 27.4 mg/dL	
					Total Cholesterol		3.85 to 769.23 mg/dL	
					Triglycerides		8.8 to 1106mg/dL	
					Calcium		0.4 to 15 U/L	
					Amylase		5 to 1500 U/L	
02	Haematology	Electrical Impedance and spectrophotometry	Medonic	Whole blood	RBC	CLSI IQC Guide for Quantitative Tests – Sept. 2009. Internal Method: HEAMA-004	0.24 to 14.00 x10^{12} /L	Main lab Chogoria hospital
					MCV		15 to 250fL	
					HCT		2.2 to 75.0%	
					Platelets		26 to 1999x 10^{9}/L	
					WBC		1.0 to 99.9x10^{9}/L	
					HB		0.8 to 99.9g/dL	
03.	Microbiology	Microscopic examination of stained sputum smears	Microscope	Sputum	AFB Microscopy	Manual determination method Internal Method: MICRO-12 and MICRO-8	Qualitative	Main lab Chogoria hospital
04.	Immunology	Flow cytometry	Manual determination BD FACS count	Whole blood	CD3	BD FACSCount System User's Guide - 2005 Internal Method: IMMUNO-01	1 to 2500 cells/µL	Main lab Chogoria hospital
					CD4		1 to 2500 cells/µL	
	Immunology	Immuno-chromatography	HIV kit (manual)	Serum or EDTA plasma	HIV 1/2 antibody / antigen	WHO HIV Kit Insert-2015 Procedure for testing HIV antibody - rapid test (IMMUNO - 02)	Qualitative	Main lab Chogoria hospital

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/ML/22 NYUMBANI DISAGNOSTIC LABORATORY NYUMBANI CHILDRENS' HOME P.O. BOX 24970-00502 KAREN, NAIROBI, KENYA E-mail: diagnosis@nyumbani.org Tel. No. +254 20 3885970; +254 20 3883171: +254 722 539294; +254 731 646883; +254 722 201163	ISO 15189:2012	12-Nov-2019

SCHEDULE OF ACCREDITATION

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Specimen*	*Components / Analytes*	*Reference to Standardized Procedure*	*Measurement Range*	*Test Location*
01	Biochemistry	Photometry	C111	Serum	ALT	Internal Method: NDL:SOP:113 Reference Method: Clin. Chem. 2002(40:718 – 724)	1 to 700 U/L	Nyumbani Diagnostic Lab, Karen
					AST		1 to 700)U/L	
					HDL	Internal Method: NDL:SOP:113 Reference Method: Handbook of Lipoprotein testing 2nd Edition, 2001(227 – 230)	0.08 – 3.12 mmol/l	
					T. Cholesterol	Internal Method: NDL:SOP:113 Reference Method: Clin. Chem 1990 (36: 370 – 375)	0.25 – 20.7 mmol/	
					Triglycerides	Internal Method: NDL:SOP:113 Reference Method: Clin. Chem 1999 (45:1523-1529)	0.1 – 10 mmol/l	
					Urea		3 - 240 mg/dL	
					Creatinine	Internal Method NDL:SOP:113	18 - 1100 µmol/L	

No.	Medical Field	Examination Technique	Equipment	Specimen	Components / Analytes	Reference to Standardized Procedure	Measurement Range	Test Location
						Reference Method: Clin. Chem 1985 (23:137-144)		
		ISE	AVL COBAS		Sodium	Internal Method NDL:SOP:114 Reference Method: CLSI C29-A2	40 - 205 mmol/L	
					Potassium		1.5 - 15 mmol/L	
					Chloride		50 - 200 mmol/L	
02.	Special Chemistry	ELISA	HUMAREADER	Serum	FT3	Internal Method NDL:SOP:101 Reference Method: Anal. Chem 2004 (76: 5092 – 5096)	1.00 - 20.00 pg/mL	Nyumbani Diagnostic Lab, Karen
					FT4	Internal Method NDL:SOP:102 Reference Method: Clin Chem 2011 (49(8): 1275 – 1281)	1.00 – 8.00 ng/dl	
					TSH	Internal Method NDL:SOP:93 Reference Method: Elisa Method ab100660	2.744 – 2000 pg/mL	
03	Immunology	ELISA	HUMAREADER	Serum	HIV-Ag Ab	Internal Method NDL:SOP:82 Reference Method: WHO P24 Antigen: 1st International Reference NIBSC Code 90/636	Qualitative	Nyumbani Diagnostic Lab, Karen
04	Hematology	Elctric Impedance and Calorimetry	MEDONIC M. Series Mindray 5300 (Back-up)	EDTA , Whole Blood	Hemoglobin	Internal Method NDL:SOP:12 Reference Method: CLSI H15-A3	0.1 – 35.0 g/dl	Nyumbani Diagnostic Lab, Karen
					Haematocrit		1 - 105 %	
					Platelets	Internal Method NDL:SOP:12 Reference Method: Journal Lab. Med. 2012(36(1): 25 – 35) German Std: DIN 58932-5	(0.01 - 1999)*10^9/L	
					Red blood cells	Internal Method NDL:SOP:12 Reference Method: CLSI H52-A2	(0.01 – 14.0)*10^{12}/L	
					White blood cells	Internal Method NDL:SOP:93 Reference Method: CLSI H20-A2	(0.01 – 119.0)*10^9/L	
06	Virology (Molecular Testing)	PCR	ABBOTT M2000	Plasma	HIV-1 RNA	Internal Method NDL:SOP:31 Reference Method: WHO 1st International Standard for HIV-1 RNA	(40 – 10^6) copies/ml	Nyumbani Diagnostic Lab, Karen
			TAQMAN			Internal Method NDL:SOP:30 Reference Method: WHO 1st International Standard for HIV-1 RNA	(34 – 10^6) copies/ml	

Cab Name and Address	Normative Standard	Date of Expiry
KENAS/ML/24 PATHOLOGISTS LANCET KENYA – MOMBASA LABORATORY GROUND FLOOR, BIASHARA BUILDING SITE 7317 MOMBASA, KENYA E-mail: info@lancet.co.ke Tel. No. +254 703 061000/70/71/72, +254 721 143766	ISO 15189:2012	21-Jan-2018

SCHEDULE OF ACCREDITATION

No.	Medical Field	Examination Technique	Equipment	Specimen	Components / Analytes	Measurement Ranges	Test Location
01	Hematology	Electric Impedence	SYSMEX XS 1000 I	Whole Blood	WBC RBC HB HCT MCV MCH PLATELETS NEUTROPHILS LYMPHOCYTES	1.78 -38.89x103/µL 1.39 - 6.98x106/µL 4.00-19.6 g/dL 0.116 -0.530 % 66.4 -101.0 fL 21.2 - 36.9 pg 6.00 -522.0x103/µL 8.40- 28.50 % 7.20 -55.00 %	MSA 7317 SITE

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Specimen*	*Components / Analytes*	*Measurement Ranges*	*Test Location*
02	Chemistry	Spectrophotometry	COBAS C111	Serum	SODIUM POTASSIUM CHLORIDE UREA CREATININE ALP AST ALT GGT BILIRUBIN TOTAL BILIRUBIN DIRECT PROTEIN TOTAL ALBUMIN HDL (CHOLESTEROL) TOTAL (CHOLESTEROL) TRIGLYCERIDES CRP GLUCOSE	114.0 -155.0 mmol/L 3.6 - 6.0 mmol/L 90.0 - 112.0 mmol/L 2.0 -27.9 mmol/L 34.0 -816.0 µmol/L 46.0 - 713.0 U/L 13.0 -82.0 U/L 6.0 -41.0 U/L 8.0 -261.0 U/L 1.0 -90.0 µmol/L 0.70 -28.0 µmol/L 52.0 -80.0 g/L 24.0 -52.0 g/L 0.80 -2.40 mmol/L 3.04 -7.90 mmol/L 0.62 -3.85 mmol/L 1.20 -79.9mg/L 3.8 -15.10 mmol/L	MSA 7317 SITE
03	Microbiology	Macroscopy and Microscopy	Manual method	Urine and stool	ROUTINE URINALYSIS ROUTINE STOOL ANALYSIS	Qualitative	MSA 7317 SITE
04	Serology and Rapids	Manual	Manual method and Kits	Serum, Whole blood, Urine and stool	BHCG URINE HEP C RAPID RPR HIV RAPID WIDAL-TO/TH RHEUMATOID FACTOR ROTA/ADENO VIRUS H PYLORI AB H PYLORI AG OCCULT BLOOD MALARIA SMEARS MALARIA ICT BLOOD GROUP	Qualitative	MSA 7317 SITE
05	Endocrinology	Spectrophotometry	COBAS e4111	Serum	FT3 FT4 TSH PSA	2.50 -39.3 pmol/L 10.4 -88.3 pmol/L 0.01 -10.75 µIU/mL 0.00 - 91.20 ng/mlL	MSA 7317 SITE

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/ML/26 KEMRI / CDC DIAGNOSTICS AND LABORATORY SYSTEMS PROGRAM KEMRI HEADQUARTERS, MBAGATHI ROAD P.O. BOX 606-00621 NAIROBI, KENYA E-mail: xw12@cdc.gov Tel. No. +254 20 2867000 KEMRI KISUMU KISUMU –BUSIA HIGHWAY OPPOSITE KISIAN PRIMARY SCHOOL P.O. BOX 1578-40100 KISUMU, KENYA E-mail: xw12@cdc.gov Tel. No. +254 057 2022929/902	ISO 15189:2012	30-Sep-2019

SCHEDULE OF ACCREDITATION

Medical Field	*Examination Technique*	*Equipment*	*Biological Samples*	*Components/Analytes*	*Measurement Ranges*
Molecular Biology	Real Time RT- PCR for respiratory viruses detection	KingFisher and MagNaPure automated extraction machines and 7500 Fast RT-PCR Machines for nucleic acid amplification and detection	Respiratory	Influenza species	NA
	Real Time RT- PCR for zoonotic and/or outbreak viruses detection	7500 Fast RT-PCR Machines for nucleic acid amplification and detection	Blood, Serum	Dengue, Crimean Congo Hemorrhagic Fever (CCHF), Ebola, Rift Valley Fever (RVF), Lassa, Marburg, Yellow fever, Chikungunya, Brucella, Leptospira, Rickettsia	

Medical Field	*Examination Technique*	*Equipment*	*Biological Samples*	*Components/Analytes*	*Measurement Ranges*
	Real Time RT- PCR for influenza subtyping	KingFisher and MagNaPure automated extraction machines and 7500 Fast RT-PCR Machines for nucleic acid amplification and detection	Respiratory	Influenza species	
	TaqMan Array Card- Real Time RT-PCR for four syndromic pathogens (respiratory, encephalitis, enterics and acute febrile illness)	ViiA™7 real Time RT-PCR	Respiratory, Blood, Serum	Respiratory pathogens, Encephalitis pathogens, Enteric pathogens and Arboviruses	
	Real Time RT-PCR for Middle East Respiratory Syncytial (MERS) Coronavirus	7500 Fast RT-PCR Machines for nucleic acid amplification and detection	Respiratory	MERS-Coronavirus	
	Nested conventional RT-PCR for Hepatitis virus detection	Thermal Cycler	Respiratory	Hepatitis E virus	
	Multiplex PCR: Respiratory Virus	Thermal Cycler, Gel Doc System	Respiratory	Pneumococcal isolates	
	Conventional PCR: Respiratory Virus	Thermal Cycler, Gel Doc System	Respiratory	Pneumococcal isolates	
	Enzyme-Linked Immunosorbent Assays	ELISA Washer and ELISA Reader	Serum	Yellow Fever, Marburg, Lassa, Chikungunya, Hepatitis E, Brucella, Rickettsia, Leptospira, Rift Valley Fever (RVF), Dengue, Crimean Congo Hemorraghic Fever (CCHF)	
Virus Isolation and detection techniques	Influenza virus isolation and detection technique (Tissue culture)	UV microscope Incubator Light microscope	Respiratory	Influenza species	NA
	Respiratory virus isolation and detection techniques	UV microscope Incubator Light microscope	Blood	Klebsiella, Staphylococcus, Streptococcus, Enterococcus, Haemophilus, Escherichia, Brucella	
Bacteriology	Blood Culture (Identification of bacterial isolates)	Bactec 9050	Blood, CSF	Acinetobacter, Enterobacter, Klebsiella, Moraxella, Pantoea, Pasteurella, Pseudomonas, Serratia, Sphingomonas, Staphylococcus, Strenotrophomonas	N/A
(Enteric Diseases Unit)	Aerobic, anaerobic and micro-aerophilic , culture of pathogenic bacteria (manual method)	Agar plates, Incubators	Isolated from stool, rectal swabs, fluids from body swabs and body fluids	Salmonella, Shigella, E.*Coli*, Vibrio Cholera, Campylobacter, Streptococcus, Aeromonas	N/A
	Isolation and detection enteric bacteria. Identification, serotyping, and antimicrobial sensitivity testing (MIC)	Antimicrobial discs, agar plates (manual method)	Bacterial cultures		
	API	Viek	Bacterial culture		
	Gram stain – microscopy (manual method)	Microscope	Culture Isolates		
	Serology	Manual Method	Culture Isolates		

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/ML/28 EASTERN DEANERY AIDS RELIEF PROGRAM (EDARP) –CARDINAL OTUNGA LABORATORY TUMAINI PLAZA, DONHOLM P.O. BOX 47351-00100 NAIROBI, KENYA E-mail: info@edarp.org Tel. No. +254 722 699 211	ISO 15189:2012	22-Sep-2019

SCHEDULE OF ACCREDITATION

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Specimen*	*Components / Analytes*	*Reference to Standardised Procedure*	*Measurement Range*	*Test Location*
01.	Haematology	Electric Impedance, Spectrophotometry	ACT 5 Diff Celtac (back-up)	Whole Blood (EDTA)	WBC	CLSI- H20-A2 SOP- EDARP/CAR/HEM/0001	(0.2 to 26)X 10^9/L	EDARP Donholm
					Platelet		(0.2 to 5.5)X 10^{12}/L	
					RBC	CLSI- H52-A2 SOP- EDARP/CAR/HEM/0001	(49 to 613 X 10^9/L	
					Hemoglobin	CLSI- H15-A3 SOP- EDARP/CAR/HEM/0001	1.1 to 17.4 g/dL	
02	Immunology	Flow Cytometry	Facsclibur	Whole Blood	CD4 cells	H42-A2 SOP- EDARP/CAR/IMM/0001	52 to 1735 Cells /µL	EDARP Donholm
03.	Biochemistry	Spectrophotometry	Vitros 4600	Serum	ALT,	IFCC 1977.2 SOP- EDARP/CAR/BIO/0001	6 to 1000 U/L	EDARP Donholm
					Creatinine,	IDMS –Siekman L. 1985 SOP- EDARP/CAR/BIO/0001	4 to 1238 µmol/L	
					Cholestrol,	Abell-Kendall, Biol. Chem-1952 SOP- EDARP/CAR/BIO/0001	1.29 to 8.40mmol/L	
					Triglycerides	GPO-Spectrophometric method –Fossati et.al 1982 SOP- EDARP/CAR/BIO/0001	0.11 to 5.93mmol/L	
					Glucose,	Hexokinase/G6PDH Smith et.al 1982. SOP- EDARP/CAR/BIO/0001	1.10 to 34.69 mmol/L	
					Sodium	Flame atomic emission spectroscopy- NIST publication -1978 SOP- EDARP/CAR/BIO/0001	75.0 to 250.0 mmol/L	
					Chloride		50.0 to 175.0 mmol/L	
					Potassium		1.0 to 14.0 mmol/L	
					Magnesium	Flame atomic absorption – Kaplan et.al SOP- EDARP/CAR/BIO/0001	0.08 to 4.11mmol/L	
04	Microbiology TB microscopy	Microscopic examination of Auramine stained Smears	Fluorescent microscope	Sputum	Acid Fast bacillus (AFBS)	WHO guidelines on TB testing WHO/HTM/TB/2011.8 SOP EDARP/CAR/TB/0001	Qualitative	EDARP Donholm
05	Molecular Microbiology	Polymerase Chain Reaction	Gene Xpert	Sputum	Mycobacterium detection, Rifabicin drug Resistance / Sensitivity	Cepheid GeneXpert® IV – Rapid diagnosis of TB by PCR SOP EDARP/CAR/TB/0002	Qualitative	

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/ML/30 MEDICAL RESEARCH COUNCIL – THE GAMBIA UNIT LABORATORY ATLANTIC BOULEVARD, FAJARA P.O. BOX 293, BANJUL GAMBIA E-mail: ntawiah@mrc.gm Tel. No. +220 4495442-6 Ext: 2201	ISO 15189:2012	09-Jul-2018

SCHEDULE OF ACCREDITATION

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Biological Sample*	*Components / Analyte*	*Measurement Ranges*	*Test Location*
01	Hematology	Electrical impendence and colorimetric Reference Standard – ICHS Internal Procedure – ASSAY-CLA-115	Cell dyn 3700 Back up analyzer - Medonic M series	Whole Blood	HB,	0 - 24 g/dl	MRC
					WBC,	(0.0 - 99.9) x 10^9/L	
					RBC,	(0 - 8) x10^{12}/L	
					MCV,	50 - 200 fL	
					Platelets,	(0 – 2000)x10^9/L	
					Neutrophils	46.5 - 88.7 %	
					Lymphocytes	12.0 - 44.0 %	
					Monocytes	0 - 11.2 %	
					Eosinophils	0 - 9.5 %	
					Basophils	0 - 2.5 %	
					Recticulocyte	0 – 30 %	

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Biological Sample*	*Components / Analyte*	*Measurement Ranges*	*Test Location*
		Red blood cell Agglutination based on antigen/antibody interactions	Manual	Whole blood	Blood group	Qualitative	MRC
		Microscopic examination of stained (Leishman stain)peripheral blood smears	Microscope	Whole blood	Blood cell morphology and staining characteristics	Qualitative	MRC
02	Chemistry	Spectrophotometry and potentiometery using Ion Selective Electrode for electrolytes Reference Standard – IFCC Internal Procedure – ASSAY-CLA-305	VITROS 350	Serum	Sodium	75.0 - 250.0 mmoI/L,	MRC
					Potassium	1.0 - 12.0 mmoI/L	
					Chloride	50.0 - 175.0 mmoI/L	
					Urea	0.71 - 42.83 mmoI/L	
					Creatinine	4 – 1238 µmol/L	
					AST	3.0 – 750.0 U/L	
					ALT	3 – 1000 U/L	
					Alkaline phosphatase (ALP)	20 – 1500 U/L	
					Total bilirubin	1.7 - 461.7 µmol/L	
					GGT	5 - 1400U/L	
					Total protein	20.0 - 110.0 g/L	MRC
					Albumin	10.0 - 60.0 g/L	
					Calcium	0.25 - 3.49mmoI/L	
					Magnesium	0.08 - 4.11mmoI/L	
					Amylase	30 - 200U/L	
					Uric acid	29.7 - 1101.2µmoI/L	
					Creatinine kinase	20 - 1600U/L	
					LDH	100 - 2150U/L	
					Glucose	1.11 - 34.69mmoI/L	
03	Bacteriology	Wet Mount –using Neubauer counting chamber or direct wet preparations Bacteria isolation using appropriate culture media Kirby Baure method for sensitivity SOP -ASSAY-CLA-206 for Urogenital swabs SOP -ASSAY-CLA-205 for ear, throat and nose swabs SOP - ASSAY-CLA-204 for pus SOP- ASSAY-CLA-209 for urine SOP ASSAY-CLA-202 for sputum SOP - ASSAY-CLA-210 for CSF SOP- ASSAY-CLA-211 for effusions	Microscope and 37°C incubator	Urogenital swabs (HVS Cervical, Urethral), Swabs (Ear, eye, skin, wound, nose), Pus Urine Sputum CSF Effusions (Ascitic, pleural, synovial, pericardial fluids).	Various bacteria isolate	Qualitative	MRC
		Automated detection of C02 production from bacterial growth Reference standard –CLSI SOP - ASSAY-CLA-212	BACTEC 9050 (BD)	Blood	Blood borne pathogens		MRC
04	Mycobacteriology	Fluorochrome and Ziehl Nelson Staining of sputum smears SOP - SOP-TBL-011	Primo star Fluorescence Microscope (ZEISS) Compound microscope (OLYMPUS)	Sputum smear	Alcohol and acid fast bacilli (AAFB)	Qualitative	MRC
		Liquid culture using Mycobacteria Growth Indicator Tube (MGIT) SOP- SOP-TBL-008 Solid culture – Lowenstein Jensen Drug susceptibility testing using MGIT technique SOP-ASSAY-TBL-105	BACTEC MGIT 960 (BD) and ordinary incubator	Sputum	AAFB	Qualitative	
05	Serology	Enzyme-linked Immunosorbent Assay (ELISA) SOPs –	Multiskan GO Microplate Spectrophotometer;	Serum	HIV Antigen and Antibody	Qualitative	MRC

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Biological Sample*	*Components / Analyte*	*Measurement Ranges*	*Test Location*
		ASSAY-SER-100 ASSAY-SER-101 ASSAY-SER-102	Multiskan Ex Microplate Spectrophotometer; Geenius reader; water bath; microplate washer				
		Immune-chromatographic method	N/A	Serum	Hepatitis B surface antigen (HBsAg)	Qualitative	
		Agglutination of particle based on antigen/antibody integrations	Incandescent lamp; shaker	Serum	Antibody to - *Treponema pallidum*	Qualitative	

Cab Name and Address	*Normative Standard*	*Date Of Expiry*
KENAS/ML/31 PATHOLOGISTS LANCET KENYA - EASTLEIGH LABORATORY SITE 7315 P.O. BOX 117-00202 NAIROBI, KENYA E-mail: info@lancet.co.ke Tel. No.: +254 703 061000, +254 721 143766	ISO 15189:2012	09-Jul-2018

SCHEDULE OF ACCREDITATION

No.	*Medical field*	*Examination technique*	*Equipment*	*Biological sample*	*Components/Analyte*	*Measurement Ranges*	*Test Location*
01	Hematology	Electrical impedance, Flow Cytometry and Colorimetric Reference Standard – ICHS Internal Procedure: Sysmex Manual – QAMAN06	SYSMEX XS 1000 I	Whole Blood	WBC	(2.3 - 20.38) x 10^3/µL	Eastleigh 7315
					RBC	(3.02 - 6.65) x 10^6/µL	
					HB	6.6 - 22.3 g/dL	
					HCT	24.2 – 63.7 %	
					MCV	60.3-103.2 fL	
					MCH	16.5 - 36.1 pg	
					Platelets	(9.0 - 705.0) x 10^3/µL	
					Neutrophils	13.0 - 93.3%	
					Lymphocytes	4.6 - 70.3 %	
			HUMASED	Whole blood	ESR	1 - 100 mm/hr	
02	Chemistry	Spectrophotometry and Ion Selective Electrode for electrolytes Reference Standard – IFCC Internal Procedure: Biochemistry Manual – QAMAN001, Integra Manual - QAMAN047	INTEGRA 400	Serum	Sodium	119.2 - 151.0 mmol/L	Eastleigh 7315
					Potassium	2.97 - 6.14mmol/L	
					Chloride	83.1 - 116.4 mmol/L	
					Urea	2.0 - 27.9 mmol/L	
					Creatinine	26.0 - 1919.0 umol/L	
					ALP	75.0 - 234.0 µL	
					AST	12.0 - 138.0 µL	
					ALT	12.0 - 156.7 µL	
					GGT	25.0 - 398.0 µL	
					Bilirubin Total	1.9 - 125.0 µmol/L	
					Bilirubin Direct	0.70 - 125.0 µmol/L	
					Protein Total	53.0 - 95.6 g/L	
					Albumin	26.4 - 53.6 g/L	
					HDL Cholesterol	1.10 - 4.14 mmol/L	
					Total Cholesterol	3.79 - 7.20 mmol/L	
					Triglycerides	1.45 - 5.66 mmol/L	
					CRP	1.00 - 132.00 mg/L	
					Glucose	1.7 - 15.8 mmol/L	
					Myoglobin	30 - 700 ng/mL	
					Trop T	50 - 2000 ng/L	
					CKMB	1.0 – 40.0 ng/mL	
					ProbNP	60 – 9000 pg/mL	
03	Microbiology	Macroscopy and Microscopy Reference Standard – WHO Internal Procedure: Urine Manual – QAAFRIWI00, Stool Manual- QAAFRIWI002	Manual method	Urine and stool	Routine Urinalysis, Routine Stool Analysis	N/A	Eastleigh 7315
04	Serology and Rapids	Immune-chromatographic	Manual method and Kits	Serum, Whole blood, Urine and stool	βHCG in Urine, HEP C Rapid Test, Rapid Plasma Reagin	N/A	Eastleigh 7315

No.	*Medical field*	*Examination technique*	*Equipment*	*Biological sample*	*Components/Analyte*	*Measurement Ranges*	*Test Location*
		Reference Standard – WHO Test Package Inserts		Blood	(RPR), HIV Rapid Test, WIDAL-TO/TH, Rheumatoid Factor, ROTA/ADENO Virus, ENO Virus, H PYLORI Antibody, H PYLORI Antigen, Occult Blood in Stool, Malaria Blood Smears, Malaria ICT Rapid Test, Blood Group, WEIL FELIX Agglutination		

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/ML/32 PATHOLOGISTS LANCET KENYA PARKLANDS LABORATORY SITE 7307 P.O. BOX 117-00202 NAIROBI, KENYA E-mail: info@lancet.co.ke Tel. No.: +254 703 061000, +254 721 143766	ISO 15189:2012	09-Jul-2018

SCHEDULE OF ACCREDITATION

No.	*Medical field*	*Examination technique*	*Equipment*	*Biological sample*	*Components / Analyte*	*Measurement Range*	*Test Location*
01	Hematology	Electrical impendence, Flow cytometry and Colorimetric Reference Standard – ICHS Internal Procedure – Sysmex Series Manual - QAMAN064	SYSMEX XS 1000 I	Whole Blood	WBC	(1.0 - 10.4) x 10^3/µL	Parklands 7307
					RBC	(2.26 - 6.64) x 10^6/µL	
					HB	6.1 - 18.2 g/dL	
					HCT	18.0 – 49.0 %	
					MCV	66.5 - 106.2 fL	
					MCH	18.8 - 37.6 pg	
					Platelets	(12.0 - 596.0) x 10^3/µL	
					Neutrophils	35.3 - 78.5 %	
					Lymphocytes	7.40 - 54.50 %	
02	Chemistry	Spectrophotometry Reference Standard – IFCC Internal Procedure – Biochemistry Manual-QAMAN001	COBAS C111	Serum	Sodium	134.0 - 154.0 mmol/L	Parklands 7307
					Potassium	3.20 - 5.31 mmol/L	
					Chloride	78.1 - 114.1 mmol/L	
					Urea	1.82 - 13.03 mmol/L	
					Creatinine	35.6 - 140.9 µmol/L	
					ALP	44.0 - 374.0 µ/L	
					AST	12.0 - 53.4 µ/L	
					ALT	9.3 - 71.3 µ/L	
					GGT	6.8 - 155.0 u/L	
					Bilirubin Total	2.0 - 29.0 µmol/L	
					Bilirubin Direct	1.0 - 19.0 µmol/L	
					Protein Total	50.6 - 89.9 g/L	
					Albumin	25.7 - 55.0 g/L	
					HDL Cholesterol	0.76 - 1.92 mmol/L	
					Total Cholesterol	1.84 - 7.28 mmol/L	
					Triglyceride	0.43 - 4.82 mmol/L	
					Glucose	3.7 - 17.3 mmol/L	
					D- Dimer,	0.1 – 4.0 µg/mL	
					Trop T,	50-2000 ng/l	
					CKMB,	1.0-40.0 ng/ml	
03	Microbiology	Macroscopy and Microscopy Reference Standard – WHO Internal Procedures: Stool Manual – QAAFRIWI002, Urine Manual – QAAFRIWI001.	Manual method	Urine and stool	Routine Urinalysis, Routine Stool Analysis	N/A	Parklands 7307
04	Serology and Rapids	Manual Immuno-chromatographic Reference Standard –	Manual method and Kits	Serum, Whole blood,	βHCG in Urine, HEP C RAPID Test, Rapid Plasma Reagin (RPR), WIDAL-TO/TH,	N/A	Parklands 7307

No.	*Medical field*	*Examination technique*	*Equipment*	*Biological sample*	*Components / Analyte*	*Measurement Range*	*Test Location*
		WHO Test Package Inserts		Urine and stool	Rheumatoid Factor, HIV Rapid Test, H PYLORI Antibody, H PYLORI Antigen, Occult Blood in Stool, Malaria Smears, Malaria ICT Rapid Test, Blood Group		

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/ML/34 AIC KIJABE MISSION HOSPITAL LABORATORY GICHIENGO / MAI-MAHIU ROAD P.O. BOX 20-00220 KIJABE, KENYA E-mail: execdir.kh@kijabe, labmgr.kh@kijabe.net Tel. No.: +254-203246300	ISO 15189:2012	16-Dec-2018

SCHEDULE OF ACCREDITATION

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Specimen*	*Components/ Analytes*	*Measurement Range*	*Test Location*
01	Haematology	Coulter Technic (electrical impendence, colorimetric), flow cytometry, ICSH Standard Testing Procedure – AICKHL-HEM-001P	AUTOLOADER ABX Pentra XL80 COULTER ACT 2 Diff (Back-up)	Whole Blood	WBC	(2.4-21.9)x10^3 cells/µL	Kijabe main lab
					RBC	(3.28-5.91)x10^6 cells/µL	
					HB	8.8-17.8 g/dL	
					HCT	26.8-52.7%	
					Platelets	(24-528) x10^3 cells/µL	
					Granulocytes	24-89%	
					Lymphocytes	7-67%	
02	Immunology	Flow cytometry CLSI Standard Testing Procedure AICKHL-VIR-001	BD FACSCount	Whole Blood	Absolute CD4	1-2000 cells/µL	Kijabe main lab
03	Biochemistry (Electrolytes)	Ion selective electrode IFCC Standard Testing Procedure – AICKHL-BIO-002P	i-Smart 30 – electrolyte analyser	Serum	Potassium	2.0- 6.8 mmol/L	Kijabe main lab
					Sodium	120 -165 mmol/L	
					Chloride	78-119 mmol/L	
	Biochemistry Routine	Spectrophotometry IFCC Standard Testing Procedure - AICKHL-BIO-001P	Humastar 600 Humalyzer 3000	Serum	Albumin	2.45-6.60g/dL	Kijabe main lab
					Creatinine	1 -15 mg/dL	
					SGOT	30.5-426.0 U/L	
					SGPT	37.7-401.8 U/L	
					ALP	10-2000 U/L	
					Amylase	59-698 U/L	
					T-bilirubin	0.26-6.37mg/dL	
					D-bilirubin	0.1-2.9mg/dL	
					Calcium	5.35-12.50mg/dL	
					T-Cholesteral	5.0-1000.0mg/dL	
					Cholesterol –HDL	5.0-160.0mg/dL	
					Cholesterol –LDL	5.0-300.0mg/dL	
					Total Protein	2.58- 9.05g/dL	
					Triglycerides	10.0-1000.0mg/dL	
					Urea	5.0-400.0mg/dL	
					Uric acid	2-13 mg/dL	
04	Thyroid Function Tests	Enzyme Linked Immunosorbent Assay (ELISA) WHO Standard Testing Procedure – AICKHL-BIO-005P	BioMerieux Mini Vidas	Serum	TS	0.66-11.53 µIU/mL	Kijabe main lab
					T3	3.01-24.40 pmol/L	
					T4	8.3-38.7 pmol/L	

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/ML/37 MEDICAL RESEARCH COUNCIL – UGANDA VIRUS RESEARCH INSTITUTE (mrc-uvr!) LABORATORY 51 – 59 NAKIWOGO ROAD P.O. BOX 49 ENTEBBE, UGANDA E-mail: Peter.hughes@mrcuganda.org Tel. No. +256 417 704111, +256 709 047 3893	ISO 15189:2012	07-jUL-2019

SCHEDULE OF ACCREDITATION

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Specimen*	*Components / Analytes*	*Reference to Standardised Procedure*	*Measurement Range*	*Test Location*
01	Hematology	Automated full blood counts using electrical impedance and flow cytometry principles	Coulter ACT 5 Diff	EDTA Whole Blood	WBC	Reference Method CLSI H20-A2 Internal procedure CDLS 300	(0.03 to 9.1)x10^3/µL	MRC UVRI Lab Entebbe
					RBC		(0.03 to 18)x10^3/µL	
					HGB		0.5 to 30 g/dl	
					HCT		2 to 67%	
					PLT		(10 to 1900) x10^3/µL	
02	Parasitology	Microscopic examination of Giemsa stained blood smears	Microscope	Blood smear	Malaria parasites	Reference Method -WHO guidelines for malaria Internal Procedure - CDLS 313	Qualitative	MRC UVRI Lab Entebbe
03	Chemistry	Automated chemistry analysis Base on spectrophotometry	Cobas Integra 400plus	Serum	ALT	Ref Method –IFCC 1977.2-Methods for the Measurement of Catalytic Concentration of Enzymes. Internal procedure –CDL411 - ALT CDLS 412-AST CDLS 414-GGT CDLS 422 -ALP	4 to 840 U/L	MRC UVRI Lab Entebbe
					AST		7 to 710 U/L	
					GGT		9 to 1378 U/L	
					ALP		36 to 2631 U/L	
					Albumin	Reference Method –IFCC No. 1978.9 Internal procedure: CDLS 424	15 to 51 mmol/L	
					Bilirubin Total	Reference Method Jendrassik-Grôf principle 1983 Internal procedure: CDLS 410	1.8 to 378 µmol/L	
					Cholesterol HDL	Reference Method-Abell-Kendall-1966 Internal procedure: CDLS 419	0.15 to 2.61 mmol/L	
					Cholesterol ;LDL	Reference Method Abell-Kendall-1966 Internal procedure: CDLS 418	0.10 to 14.2 mmol/L	
					Cholesterol Total	Reference Method – Abell-Kendall-1966 Internal procedure: CDLS 416	0.9 to 16.1 mmol/L	
					Triglycerides	Reference method- IFCC for lipids by Cooper et al 1991 Internal procedure: CDLS 417	0.4 to 11.6 mmol/L	
					Creatinine	Reference Method –IFCC N0. 2008.9 Internal procedure: CDLS 409	40.0 to 2731 µmol/L	
					Glucose	Reference method CLSI – C50-A Internal procedure: CDLS 413	1.05 to 45 mmol/L	
					Hb1Ac	Reference Method –IFCC 1996; 9: 62-7 Internal procedure: CDLS 423	1.3 to 19.7%	
					Potassium	Reference Method –CLSI C29-A2 Internal procedure: CDLS 429	1.5 to 13 mmol/L	
					Sodium	Reference Method –CLSI C29-A2 Internal procedure: CDLS 429	90.0 to 210 mmol/L	
					Magnesium	IFCC Reference Method –for measurement of pH, gases and electrolytes in blood: by Maas AH; 1991 Internal procedure: Magnesium -CDLS 424 Phosphate CDLS 429 Chloride CDLS 425	0.25 to 3.9 mmol/L	
					Phosphates		0.16 to 6.76 mmol/L	
					Chloride		58 to 177 mmol/L	
					Calcium	Reference Method – CLSI - C31-A2 Internal procedure: CDLS 426	0.985 to 4.9 mmol/L	
					Urea	Reference Method –CLSI – C50-A Internal procedure: CDLS 408	1.2 to 68.0 mmol/L	
		Immuno-chromatography	N/A	Urine	Urine Pregnancy Test	Reference Method –WHO 4th International Standard 75/589 Internal procedure: CDLS 401	Qualitative	MRC UVRI Lab Entebbe

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Specimen*	*Components / Analytes*	*Reference to Standardised Procedure*	*Measurement Range*	*Test Location*
04	Serology	Flow cytometry	FACSCalibur	Whole blood	CD4 counts	Reference Method: CLSI H43-A2 Internal Procedure: SOP-CDLS-301	10 to 2287 cell/µL	MRC UVRI Lab Entebbe
					CD8 Counts		36 to 1512 cell/µL	
		Enzyme Linked Immunosorbent Assay	BIO-ELISA reader and washer	Serum	HIV1 /2 antibody antigen	Reference method – WHO international standard WHO/BS/05.2021 Internal procedure: CDLS 551	Qualitative	
		electrochemiluminescence (ECLIA)	Cobas E411	Serum	Hepatitis B Surface Antigen	Reference Method - 1st WHO Reference standard 1977 Internal Procedure: CDLS 550	Qualitative	
		electrochemiluminescence (ECLIA)	Cobas E411	Serum	Hepatitis B Surface Antibody	Reference Method - 1st WHO Reference standard 1977 Internal procedure: CDLS 545	Qualitative	
		electrochemiluminescence (ECLIA)	Cobas E411		Hepatitis B Total core antibody	Reference Method - 1st WHO Reference standard 1977 Internal Procedure: CDLS 546	Qualitative	
		electrochemiluminescence (ECLIA)	Cobas E411		Hepatitis C antibody	Reference Method- 4th WHO International Standard for Hepatitis C Virus NIBSC code: 06/102 Internal Procedure: CDLS 547	Qualitative	
		Particle Agglutination	Mechanical shaker and water bath		Syphilis Serology RPR	Reference Method WHO international standard - WHO/BS/07.2059: Internal Procedure: CDLS 521 -RPR CDLS 540- TPPA	Qualitative	
		Particle Agglutination	Mechanical shaker and water bath		Syphilis Serology TPPA		Qualitative	
05	Molecular Biology	Polymerase Chain Reaction	Ampliprep / Taqman RT PCR	Plasma	HIV- 1 Viral Load	Reference Method - WHO 1st international standard for HIV-1 RNA and nucleic acid-based techniques(NAT) NIBSC 971656 Internal Procedure: CDLS 707	20 to 70 x 10^6 copies per mL	MRC UVRI Lab Entebbe
		Polymerase Chain Reaction	Ampliprep / Taqman RT PCR	Plasma	Hepatitis C Viral Load	Reference Method – CLSI-MM03-Ed3 Internal Procedure: CDLS 713	15 to 60 x 10^6 copies per mL	
		Polymerase Chain Reaction	Cobas 4800 RT PCR	Endo-cervical swab, urethral swabs and urine.	Neisseria gonorrhoea and Chlamydia trachomatis	Reference Method –CLSI MM03-Ed3 Internal Procedure: CDLS 712	Qualitative	
06.	Microbiology	Chromatographic	Clinitek dipstrip autoreader	Urine	Nitrite Ketone Bilirubin Protein Blood WBC	Reference Method – CLSI GP16-A3 Internal Procedure: CDLS 631	Qualitative	MRC UVRI Lab Entebbe
		Microscopic examination of stained smears	Microscope	Smears	Bacterial, fungi and cellular elements	Reference Method – CLSI M15-A Internal Procedure: CDLS 600	Qualitative	
		Microscopic examination of stained smears and scoring.	Microscope	Vaginal swabs	Gram Positive Bacteria	Reference Method –CLSI GP16-A3 Internal Procedure: CDLS 635	Qualitative	

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/ML/38 NATIONAL PUBLIC HEALTH LABORATORY SERVICES – NATIONAL MICROBIOLOGY REFERENCE LABORATORY KENYATTA HOSPITAL COMPLEX P.O. BOX 20750-00200 NAIROBI, KENYA E-mail: carombogori@yahoo.com Tel. No. +254 7292873855	ISO 15189:2012	07-Jul-2019

SCHEDULE OF ACCREDITATION

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Specimen*	*Components / Analytes*	*Reference to Standardised Procedure*	*Measurement Range*	*Test Location*
01	Microbiology	Microscopy , stool culture	Incubator Microscope	Stool, Rectal	*Salmonella spp*	Manual of clinical microbiology, 11th Edition	Qualitative	NPHLS, KNH

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Specimen*	*Components / Analytes*	*Reference to Standardised Procedure*	*Measurement Range*	*Test Location*
				swab, (bacterial Isolates)	*Shigella spp* *Vibrio cholera* Pathogenic *E.coli* *E.coli 0157:H7*	2015 MOH/NMRL /M /09		
		Biochemical identification of Enteric pathogens (TSI, LIA, SIM, UREA, Oxidase, String test)				Manual of clinical microbiology, 11th Edition 2015 MOH/NMRL/ ID /18 MOH/NMRL/ ID /19		
		Serotyping of the enteric pathogens				Manual of clinical microbiology, 11th Edition 2015 MOH/NMRL/ ID/13		
		Antimicrobial susceptibility testing				CLSI guidelines for AST-M100-S26,2016 Manual of Antimicrobial Susceptibility –ASM, 2005 MOH/NMRL / M / 08		
		Microscopy, Urine culture	Incubator Microscope	Urine and bacterial isolates	*E.coli* *Proteus* *Klebsiella* *Enterococcus* *S. saprophyticus* *S. aureus*	Manual of clinical microbiology, 11th Edition 2015 MOH/NMRL /M /29		
		Biochemical identification of the Urine pathogens (TSI, LIA, SIM, UREA, Catalase, Oxidase, Bacitracin, Indole)				Manual of clinical microbiology, 11th Edition 2015 MOH/NMRL /ID /05		
		Antimicrobial susceptibility testing				CLSI guidelines for AST-M100-S26,2016 Manual of Antimicrobial Susceptibility –ASM, 2005 MOH/NMRL / M / 08		
		Microscopy, Sputum	Incubator Microscope Glass slides	Sputum Throat (bacterial isolates)	Grp. A Beta *streptococcus* *Streptococcus pneumoniae* *Klebsiella species* *Haemophilus influenzae* *S.aureus* *Pseudomonas aeruginosa*	Manual of clinical microbiology, 11th Edition 2015 MOH/NMRL/ID/02		
		Biochemical identification (SIM, TSI, UREA, Catalase, Oxidase, Bacitracin, PYR, Bile solubility, Optochin)				Manual of clinical microbiology, 11th Edition 2015 MOH/NMRL / ID /06 MOH/NMRL/ID/07		
		Serotyping of *Haemophilus influenzae*,				Manual of clinical microbiology, 11th Edition 2015 MOH/NMRL /M /16		
		Antimicrobial susceptibility testing				CLSI guidelines for AST-M100-S26,2016 Manual of Antimicrobial Susceptibility –ASM, 2005 MOH/NMRL / M / 08		
		Microscopy , Genital culture	Incubator Microscope	Urethral swabs High vaginal swabs (bacterial isolates	*Neisseria gonorrhoeae* *Yeast* Group B Beta *streptococcus*	Manual of clinical microbiology, 11th Edition 2015 MOH/NMRL / M / 23	Qualitative	NPHLS, KNH
		Biochemical identification of the Genital pathogens Catalase Oxidase				Manual of clinical microbiology, 11th Edition 2015 MOH/NMRL/ID/02 MOH/NMRL/ID/05		
		Antimicrobial susceptibility testing				CLSI guidelines for AST-M100-S26,2016 Manual of Antimicrobial Susceptibility –ASM, 2005 MOH/NMRL/ID/02 MOH/NMRL/ID/05		
		Microscopy, Pus culture and other body aspirates	Incubator Microscope	Wound swabs Eye swabs Ear swabs (bacterial isolates)	*S.aureus* *S.pyogene* other beta *streptococci*	Manual of clinical microbiology, 11th Edition 2015 MOH/NMRL / M / 26		
		Biochemical identification of (TSI, SIM, UREA,				Manual of clinical microbiology, 11th Edition 2015		

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Specimen*	*Components / Analytes*	*Reference to Standardised Procedure*	*Measurement Range*	*Test Location*
		Catalase, Oxidase)			*Pseudomonas aeruginosa*	MOH/NMRL/ID/16		
		Antimicrobial susceptibility testing				CLSI guidelines for AST-M100-S26,2016 Manual of Antimicrobial Susceptibility –ASM, 2005 MOH/NMRL / M / 08		
		Microscopy, Blood culture	Bactec	Blood (Bacterial Isolates)	*Salmonella spp.* *Brucella* *S.aureus* *S.pneumoniae* *Haemophilus influenzae* *Grp. B Beta streptococcus* *Neisseria meningitides*	Manual of clinical microbiology, 11th Edition 2015 MOH/NMRL / M / 24		
		Biochemical identification (TSI, Catalase, Oxidase, Bile solubility, Optochin, Bacitracin)				Manual of clinical microbiology, 11th Edition 2015 MOH/NMRL/ ID /03		
		Antimicrobial susceptibility testing				CLSI guidelines for AST-M100-S26,2016 Manual of Antimicrobial Susceptibility –ASM, 2005 MOH/NMRL / M / 08		
		Gram stain	Microscope Slides	CSF, Isolates, Culture swabs, Sputum	Gram positive/negative bacteria	Manual of clinical microbiology, 11th Edition 2015 NMRL/NMRL / ID/15	Qualitative	

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/ML/40 KISUMU COUNTY HOSPITAL LABORATORY KISUMU COUNTY HOSPITAL P.O. BOX 1818-40100 KISUMU, KENYA E-mail: otedoamos@yahoo.com Tel. No. +254 733411085, +245 722866052	ISO 15189:2012	13-Dec-2019

SCHEDULE OF ACCREDITATION

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Specimen*	*Components / Analytes*	*Reference to Standardised Procedure*	*Measurement Range*	*Test Location*
01	Haematology	Automated blood counts using the coulter principle of electric impedance	BCC-3600	Whole Blood	WBC	CLSI - H20-A2 KCHL-CHEM-BCC-3600-003	(0.01 to 0.3)*10^3 cells/uL	Kisumu CHL
					RBC	CLSI - H20-A2 KCHL-CHEM-BCC-3600-003	(0.001 to 8.0)*10^6 cells/uL	
					HB	CLSI - H15-A3 KCHL-CHEM-BCC-3600-003	(0.25 to 28.00) g/dL	
					HCT	CLSI -H15-A3 CLSI - H07-A3 KCHL-CHEM-BCC-3600-003	1 to 99.9%	
					MCH	CLSI -H15-A3 KCHL-CHEM-BCC-3600-003	10 to 50fL	
					MCHC	CLSI -H15-A3 KCHL-CHEM-BCC-3600-003	10 to 50g/dL	
					MCV	CLSI -H15-A3 KCHL-CHEM-BCC-3600-003	20 to 199fL	
					PLATELETS	CLSI - H20-A2 KCHL-CHEM-BCC-3600-003	(0.01 to 3000)*10^3 cells/uL	
02	Parasitology	Routine microscopy	Microscope	Whole blood	Malaria microscopy	CLSI - H52-A2 District Laboratory Practice in Tropical Countries By Monica Cheesbrough; CAMBRIDGE UNIVERSITY PRESS, 2009 QMS-PR-PARA-001	Parasite count	Kisumu CHL

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Specimen*	*Components / Analytes*	*Reference to Standardised Procedure*	*Measurement Range*	*Test Location*
03	Immunology	Automated using fluorescence principle (FACS)	FACS count	Whole blood	CD4	CLSI - H42-A2 KCHL-PSC-FACSCount-003	DOUBLE TUBE (CD4,CD3, FACS COUNT REAGENT) CD4:1-2000 CD3:1-3500 SINGLE BLUE(CD4/CD4% FACS COUNT REAGENT) CD4:50-5000 CD4:5-65%	Kisumu CHL
04	Immunology	Immuno-chromatography	N/A	Whole blood /serum/plasma	HIV	First Response HIV-1-2 method (QMS-PR-IMMUNO-004 and 005)	N/A	Kisumu CHL

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/ML/41 AMPATHPLUS CARE LABORATORY MOI TEACHING AND REFERAL HOSPITAL AMPATH BUILDING P.O. BOX 4606-30100 ELDORET, KENYA E-mail: skadima@ampathplus.or.ke Tel. No. +254 7292873855	ISO 15189:2012	13-Dec-2019

SCHEDULE OF ACCREDITATION

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Specimen*	*Components / Analytes*	*Reference to Standardised Procedure*	*Measurement Range*	*Test Location*
01	Immunology	Flow Cytometry - Fluorescence-activated cell sorting, (FACS)	FACS Calibur	Whole Blood	CD4	CLSI- H42-A2 QMS-Immuno-PR-01.	34 to 4938 cells/µL	AmpathPlus Care Lab Eldoret
					CD3		61 to 7721 cells/µL	
02	Molecular	Polymerase Chain Reaction	CAPCTM	Plasma / DBS	HIV RNA -Viral Load	CLSI- EP17-A2 QMS-Mol-PR-01	20 to 10^6 copies/mL	
				DBS	HIV DNA		Qualitative	
			ABBOTT	Plasma / DBS	HIV RNA -Viral Load	NCCLS EP6-A guideline. QMS-Mol-PR-02.	40 to 10^6 copies/mL	

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/ML/42 PCEA KIKUYU HOSPITAL LABORATORY KIKUYU HOSPITAL P.O. BOX 1818-40100 KIKUYU, KENYA E-mail: lab@pceakikuyuhospital.org Tel No. +254 020-2044766/7/8	ISO 15189:2012	13-Dec-2019

SCHEDULE OF ACCREDITATION

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Specimen*	*Components / Analytes*	*Reference to Standardised Procedure*	*Measurement Range*	*Test Location*
01	Biochemistry	Spectrophotometry	Humastar 600	Serum	Urea	IFCC;-JIFCC, Vol 14, No. 1, 2002 PKHL/169/15/V:0	1.0 to 67.0 mmol/L	PCEA kikuyu main lab
					Creatinine	IFCC;-JIFCC, Vol 14, No. 1, 2002 PKHL/169/15/V:0	8.84 to 2210.0 umol/L	
					Total Bilirubin	IFCC;-JIFCC, Vol 14, No. 1, 2002 PKHL/169/15/V:0	1.7 to 342.0. umol/L	
					Gamma GT	IFCC;-JIFCC, Vol 14, No. 1, 2002 PKHL/169/15/V:0	2.0 to 1,300.0. U/L	
					Direct Bilirubin	IFCC;-JIFCC, Vol 14, No. 1, 2002 PKHL/169/15/V:0	1.7 to 171.0.umol/L	

No.	Medical Field	Examination Technique	Equipment	Specimen	Components / Analytes	Reference to Standardised Procedure	Measurement Range	Test Location
					Aspartate Amino-Transaminase (AST)	IFCC;-JIFCC, Vol 14, No. 1, 2002 PKHL/169/15/V:0	3.0 to 700.0. U/L	
				Serum	Alanine Amino-Transferase	IFCC;-JIFCC, Vol 14, No. 1, 2002 PKHL/169/15/V:0	2.0 to 500.0. U/L.	
					Calcium	IFCC;-JIFCC, Vol 14, No. 1, 2002 PKHL/169/15/V:0	1.0 to 5.0. mmol/L	
					Uric Acid	IFCC;-JIFCC, Vol 14, No. 1, 2002 PKHL/169/15/V:0	120.0 to 1,500.0. umol/L.	
			Vitros 250	Serum	High Density Lipoproteins (dHDL)	CLSI –Abell-Kendall,1966. PKHL/172/15/V:0	0.13 to 2.84. mmol/L	
					Low Density Lipoproteins (LDL)	CLSI –Abell-Kendall,1966. PKHL/172/15/V:0	0.13 to 10.0. mmol/L	
					Total Cholesterol	CLSI –Abell-Kendall,1966. PKHL/172/15/V:0	1.29 to 8.40. mmol/L	
		Ion Selective Electrode (ISE)	I smart	Serum	Sodium	CLSI-C29-A2 PKHL/173/15/V:0	20.0 to 250.0. mmol/L	
02	Haematology	Electric Impedance	Huma-Count 5L	Whole blood	Total White blood cell Count	CLSI - H20-A2 PKHL/174/15/V:0	to 100.0)*10^3/uL	PCEA kikuyu main lab
					Total Red Blood Cell Count	CLSI - H20-A2 PKHL/174/15/V:0	(0.01 to 8.0)*10^6/uL	
					Platelet Count	CLSI - H20-A2 PKHL/174/15/V:0	(0.05 to 800.0)*10^3/uL	
					Haemoglobin Levels	CLSI -H15-A3 PKHL/174/15/V:0	0.6 to 25.0. g/dL	

Cab Name and Address	Normative Standard	Date of Expiry
KENAS/ML/43 KEMRI ALUPE - HIV LABORATORY ALUPE, ALONG BUSIA-MALABA ROAD P.O. BOX 3-50400 BUSIA, KENYA E-mail: Eid-alupe@googlegroups.com	ISO 15189:2012	16-Mar-2020

SCHEDULE OF ACCREDITATION

No.	Medical Field	Examination Technique	Equipment	Specimen	Components / Analytes	Reference to Standardised Procedure	Measurement Range	Test Location
01	Molecular Biology	PCR (Real Time RT for Viral Load quantification)	Abbott	Dried Blood Spot (DBS) / Plasma	HIV-1 RNA	Internal Method(s): QMS-PR-Mol-001 QMS-PR-Mol-001 QMS-PR-Mol-003 Reference: WHO 1st International Standard for HIV-1 RNA and Nucleic Acid Based techniques NASBC 971656	40 to 10^6 copies /mL	KEMRI ALUPE HIV Lab.
			CAP/CTM			Internal Method(s): QMS-Mol-PR-006 Reference: WHO 1st International Standard for HIV-1 RNA and Nucleic Acid Based techniques NASBC 971656	20 to 10,000 copies /mL	
		PCR (Real Time RT) for Early Infant Diagnosis	Abbott		HIV-1 DNA	Internal Method(s): QMS-PR-Mol-002 Reference: CDC / VQA Standard	Qualitative	
			CAP/CTM			Internal Method(s): QMS-PR-Mol-004 Reference: CDC / VQA Standard		
02	Immunology	Flow Cytometry	BD Facs Calibur	Whole blood	CD3	Internal Method(s): QMS-PR-IMMU-001 Reference: CLSI : H43A2	34 to 4938 cells / µL	
					CD4		61 to 7721 cells /µL	

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Specimen*	*Components / Analytes*	*Reference to Standardised Procedure*	*Measurement Range*	*Test Location*

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/ML/44 AFRICARE LIMITED LABORATORY GOLDEN PLAZA, WAIYAKI WAY P.O. BOX 66680-00800 NAIROBI, KENYA E-mail: lab.africare.org	ISO 15189:2012	16-Mar-2020

SCHEDULE OF ACCREDITATION

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Specimen*	*Components / Analytes*	*Reference to Standardised Procedure*	*Measurement Range*	*Test Location*
01	Biochemistry	Spectrophotometry and Isotope dilution mass spectroscopy	Mindray BS-400 (main equipment) Mindray BS 200 (back up)	Serum / plasma	AST SOP-ACL/TEC/PR/07	CLSI C49-A	4 to 800 u/L	Africare Ltd Main Lab. Westlands
					ALT SOP-ACL/TEC/PR/05		4 to 1000 u/L	
					GGT SOP-ACL/TEC/PR/16		4 to 650 u/L	
					albumin SOP-ACL/TEC/PR/03		3 to 60 g/L	
					$AlPO_4$ SOP-ACL/TEC/PR/04		5 to 800 u/L	
					T. Bilirubin SOP-ACL/TEC/PR/08		1.7 to 600 umol/L	
					Direct bilirubin SOP-ACL/TEC/PR/09		to 260 umol/L	
					Total protein, SOP-ACL/TEC/PR/22		2 to 120 umol/L	Africare Ltd Main Lab. Westlands
					Total cholesterol SOP-ACL/TEC/PR/11		0.1 to 20.0 mmol/L	
					triglycerides, SOP-ACL/TEC/PR/24		0.1 to 12.5 mmol/L	
					Creatinine SOP-ACL/TEC/PR/14		9 to 2420 umol/L	
					urea SOP-ACL/TEC/PR/25		1 to 40 mmol/L	
					Chloride SOP-ACL/TEC/PR/112		40 to 200 mmol/L	
					Potassium SOP-ACL/TEC/PR/21		3.0 to 8.9 mmol/L	
					Sodium SOP-ACL/TEC/PR/23		120 to 178mmol/L	
02	Microbiology	Isolation identification and sensitivity of microbial agents using culture technique	Vitek 2 compact, Bactec 9050	Whole blood	Blood bacteria SOP-ACL/TEC/PR/79	CLSI M47-A	Qualitative	
			Vitek	Urine sample	Urinary Bacteria SOP-ACL/TEC/PR/82	CLSI M02-A12		
			Incubator / Vitek	Swab/ Pus	Pathogenic bacteria SOP-ACL/TEC/PR/101			
03	Haematology	Electrical impedance and photometry	Mindray BC 5380 (main equipment), Mindray BC 5300 (back up).	EDTA whole blood.	WBC SOP-ACL/TEC/PR/28	CLSI -H20-A2	0.01 - 99.99 X 10^9/L	
					RBC SOP-ACL/TEC/PR/28	H52-A2	0.01 - 8.0 X 10^{12}/L	
					HB	CLSI -H15-A3	0.05 – 250 g/L	

No.	*Medical Field*	*Examination Technique*	*Equipment*	*Specimen*	*Components / Analytes*	*Reference to Standardised Procedure*	*Measurement Range*	*Test Location*
					SOP-ACL/TEC/PR/28			
					PLT SOP-ACL/TEC/PR/28	CLSI -H20-A2	0.01 – 1000 X 10^9/L	
6	Special Chemistry	Chemiluminescence.	ADVIA centaur XP (main equipment),ADVIA centaur CP(back up).	Serum, Heparin plasma.	TSH SOP-ACL/TEC/PR/47	CLSI C45-A	0.010 to 150.0 uIU/mL	
					FT3 SOP-ACL/TEC/PR/45		0.3 to 30.8 pmol/l	
					FT4 SOP-ACL/TEC/PR/46		1.3 to 155.0 pmol/L	
					PSA SOP-ACL/TEC/PR/39	ADVIA method	0.01 to 100.0 ng/ml	
					Luteinizing hormone SOP-ACL/TEC/PR/38	NIST LC/MS/MS Method for progesterone: Anal. Chem., 2006, 78, 6628-6633	0.07 to 200.0 mIU/mL	
					Follicle stimulating hormone SOP-ACL/TEC/PR/35		0.3 to 200.0 mIU/mL	
					Oestrogen SOP-ACL/TEC/PR/32		39.0 to 11,010.0 pmol/L	
					Progesterone SOP-ACL/TEC/PR/41		0.3 to 200.0 nmol/L	
					Beta HCG SOP-ACL/TEC/PR/37	IFCC standard No. 2009.5 Clinical Chemistry 2009; 55: 1484–91	2.0 to 1000.0 IU/L	
					Vitamin B12 SOP-ACL/TEC/PR/48	ADVIA Method	33.0 to 1476.0 pmol/L	
					CA 19.9 SOP-ACL/TEC/PR/30	CLSI C48-A	1.2 to 700.0 U/mL	
					CA 125 SOP-ACL/TEC/PR/28		2.0 to 600.0 U/ml	
					AFP SOP-ACL/TEC/PR/27		1.4 to 830.0 ug/L	
					CA 15.3 SOP-ACL/TEC/PR/29		0.5 to 200.0 U/mL	
					CEA SOP-ACL/TEC/PR/31		0.5 to 100.0 ug/L	

5. PROFICIENCY TESTING LABORATORIES

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/PT/01 HUMAN QUALITY ASSURANCE SERVICES (HuQAS) HUMAN HOUSE, NGARA ROAD P.O. BOX 807-00600 NAIROBI, KENYA E-mail: antony@huqas.org Tel. No.: +254 20 3542483	ISO/IEC 17043:2010	07-Jul-2018

SCHEDULE OF ACCREDITATION

No.	*Field*	*Protocol / Programme*	*Equipment / Artefact/Sample*	*Standard*	*Parameter*	*Measurement Capability*	*Location*
01	External Quality Assurance - Medical	Clinical Chemistry	Liquid human serum	WHO Manual for Organisation of EQA in Health Labs: WHO-DIL-LAB-99.	LFT, UEC, LIPID PROFILE, TUMOR MARKERS, CARDIAC MARKERS, IMMUNOASSAYS, TDM	N/A	Human House, Ngara

No.	Field	Protocol / Programme	Equipment / Artefact/Sample	Standard	Parameter	Measurement Capability	Location
		Point of Care	Human blood Aqueous Solution Liquid Serum	WHO Manual for Organisation of EQA in Health Labs: WHO-DIL-LAB-99.	BLOOD GLUCOSE, HB, BLOOD GAS, LIPID PROFILE		
		Haematology	Human Blood	WHO Manual for Organisation of EQA in Health Labs: WHO-DIL-LAB-99.	HB, RBC, PLT, MCV, WBC, MCHC, MCH, RDW, LYMPOCYTES, BASOPHILS, EOSINOPHILS, NEUTROPHILS, MONOCYTES, HCT		
					APTT, PT, INR, ACT, D-DIMER, FIBRINOGEN		
		Immunology	Blood, Liquid Human serum	WHO Manual for Organisation of EQA in Health Labs: WHO-DIL-LAB-99.	ABO GROUPING,ANTIGLOBULIN TESTING		
			Liquid Serum		TORCH, ANA, SYPHILIS,HEPATITIS, ASO, INFECTIOUS MONONUCLEOSIS, CRP, H-CRP, HPYLORI, LYME		
		Clinical Microscopy	Nasal secretion Stool HVS	WHO Manual for Organisation of EQA in Health Labs: WHO-DIL-LAB-99.	NASAL SMEAR,FEACAL SMEAR,KOH,PINWORM,VIGANAL PREPARATION		
		Virology / Serology	Liquid Serum	WHO Manual for Organisation of EQA in Health Labs: WHO-DIL-LAB-99. WHO/EH/04.09	HIV, HEPATITIS		
		Nucleic Acid Testing	Human Blood Liquid Serum	WHO Manual for Organisation of EQA in Health Labs: WHO-DIL-LAB-99.	VIRAL LOAD(HIV, HEPATITIS, PARVO VIRUS), HIV RESISTANCE STUDIES		
		Andrology	Semen	WHO Manual for Organisation of EQA in Health Labs: WHO-DIL-LAB-99.	SPERM COUNT, SPERM SCREEN, SPERM VIABILITY, SPERM MORPHOLOGY		
		Bacteriology	Bacterial Cultures	WHO Manual for Organisation of EQA in Health Labs: WHO-DIL-LAB-99.	GRAM STAIN, IDENTIFICATION, AMS		
		Flow cytometry	Human Blood	WHO Manual for Organisation of EQA in Health Labs: WHO-DIL-LAB-99.	CD4,CD8,CD4	Quantitative	
		Mycology	Culture Isolates Stool	WHO Manual for Organisation of EQA in Health Labs: WHO-DIL-LAB-99.	KOH,YEAST/MOULD CULTURE, CRYPTOCCOCUS ANTIGEN,DERMATOPYTE SCREEN	N/A	
		Parasitology	Human Blood	WHO Manual for Organisation of EQA in Health Labs: WHO-DIL-LAB-99.	MALARIA,TRYPANOSOMES,BORRELIA,WET MOUNT		

Cab Name and Address	Normative Standard	Date of Expiry
KENAS/PT/02 KEMRI PRODUCTION DEPARTMENT KEMRI P.O. BOX 54840-00200 NAIROBI, KENYA E-mail: director@kemri.org Tel. No.: +254 20 2713349	ISO/IEC 17043:2010	30-Sep-2017

SCHEDULE OF ACCREDITATION

Field	Protocol	Equipment /Artefact	Standard	Parameter	Measurement Capability
HIV	UNAIDS/96.5	ELISA Reader	ISO 17043:2010	HIV antibody testing	HIV antibody based Proficiency testing

6. TESTING LABORATORIES

Cab Name and Address	Normative Standard	Date of Expiry
KENAS/TL/01 ANALABS LIMITED	ISO/IEC 17025:2005	12-Nov-2019

COOPERS CENTRE KAPTAGAT ROAD , OFF WAIYAKI WAY P.O. BOX 162-00625 KANGEMI, NAIROBI, KENYA E-mail: admin@analabs.co.ke Tel No. +254 727531230/ 734 402 404/ 3517832		

SCHEDULE OF ACCREDITATION

No.	*Testing Field*	*Type of Test*	*Test Method*	*Test Object /Matrix*	*Test Parameter*	*Measurement Range*	*Test Location*
01	Chemistry	Chromatography	AN-CM-PR-25	Raw Materials	Oxyclozanide	98 to 101%	Chemistry Lab
				Drenches		2.85 to 6.30%	
			AN-CM-PR-26	Raw Materials	Levamisole	98 to 101%	
				Drenches		1.388 to 3.23%	
			AN-CM-PR-29	Raw Materials	Albendazole	98 to 102%	
		Chromatography / Spectrophotometry		Drenches		2.25 to 10.5%	
		Chromatography	AN-CM-PR-35	Raw Materials	Amitraz	98 to 101%	
				Formulation		11.75 to 13.25%	
			AN-CM-PR-36	Diclorophen	Diclorophen	98 to 101%	
		Chromatography / Spectrophotometry		Formulation		0.475 to 0.578%	
		Titrimetric	AN-FDH-PR-30	Animal and Vegetable oil and fats	Peroxide Valu	0 to 30 meqO_2/kg	Food and Dairy Hygiene Lab
		Gravimetric	AN-FDH-PR-32	Food, Feed and Dairy products	Moisture Content	0.01 to 100.00%	
		Colorimetric	AN-FDH-PR-31	Pasteurised Milk	Phosphate Activity	1 to 42	
			AN-FDH-PR-07	Raw and Pasteurised Milk	Butter Fat	0 to 8%	
		Titrimetric	AN-FDH-PR-05	Vegetable Oil, Butter, Cream and Ghee	Free Fatty Acid Content	≥ 0.028%	
			AN-FDH-PR-36	Fresh Milk	Hydrogen Peroxide	0.5 to 25.0mg per litre	
02	Microbiology	Bacteria Enumeration	AN-BAC-PR-01	Food, Milk and Dairy Products	TVC	≥ 1cfu/g or mL	
			AN-BAC-PR-05		Coliforms	≥ 1cfu/g or mL	
			AN-BAC-PR-49		Coliforms	≤ 3 MPN/g or mL	
			AN-BAC-PR-09		Yeast and Moulds	≥ 1cfu/g or mL	
			AN-BAC-PR-25	Food, Animal feeds and Milk and Dairy Products	*staphylococcus aureus*	≥ 1cfu/g or mL	
			AN-BAC-PR-19	Food, Animal feeds and Milk and Dairy Products	*Listeria monocytogenes and other listeria spp*	≥ 1cfu/25g or 25mL	
			AN-BAC-PR-28	Food	*Bacillus cereus and other bacillus spp*	≥ 1cfu/g or mL	
			AN-BAC-PR-29	Food	*Clostridium perfringens*	≥ 1cfu/g or mL	
02	Microbiology	Bacteria Enumeration	AN-BAC-PR-18	Food, Milk and Dairy Products, Environmental Swabs	*Salmonella spp*	≥ 1cfu/g or mL	
			AN-BAC-PR-06	Water	TVC, Coliforms, E.coli	≥ 1cfu/g or mL	

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/TL/02 KARLO-NARL TESTING LABORATORY KENYA AGRICULTURAL RESEARCH and LIVESTOCK ORGANISATION (KARLO) KABETE RESEARCH CENTRE, WAIYAKI WAY P.O. BOX 14733-00800 NAIROBI, KENYA E-mail: soilabs@yahoo.co.uk Tel. No. +254 20 4444140/4	ISO/IEC 17025:2005	12-Nov-2019

SCHEDULE OF ACCREDITATION

No.	*Testing Field*	*Type of Test*	*Test Method*	*Test Object /Matrix*	*Test Parameter*	*Measurement Range*	*Test Location*
01	Chemistry	Spectrophotometry	P-Olsen Method ISO 11263:1994	Soil	Phosphorus	≤ 0.02mg/kg	KARLO-NARL Lab.
			Colorimetric Method ISO 14325:1998		Total Organic Carbon	0.01 to 12.0%	
		Titration	Kjeldhal Method ISO 11262:1995		Total Nitrogen	≤ 0.02%	
		Potentiometric	ISO 10390		pH	2 to 10	

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/TL/06 NYERI WATER AND SEWERAGE COMPANY LABORATORY NYERI WATER AND SEWERAGE COMPANY LIMITED P.O. BOX 1520-10100 NYERI, KENYA E-mail: info@nyewasco.co.ke Tel. No. +254 61 2034548 / 2034623	ISO/IEC 17025:2005	21-Jan-2018

SCHEDULE OF ACCREDITATION

No.	*Testing Field*	*Type of Test*	*Test method*	*Test Object /Matrix*	*Test Parameter*	*Measurement Range*	*Test Location*
01	Microbiology	Enumerative	NWSCO/01/TM/17	Water and Waste Water	Feacal Coliform	2 to 1800MPN	Microbiology Laboratory
			NWSCO/01/TM/16		Total Coliform	2 to 1800MPU	
02	Chemistry	Physical	NWSCO/01/TM/01		pH	1 to 14	Chemistry Laboratory
			NWSCO/01/TM/05		Turbidity	<1000NTU	
			NWSCO/01/TM/02		TDS	< 100mg/L	
			NWSCO/01/TM/18		Colour	<100TCU	
			NWSCO/01/TM/10		Nitrate	0 to 12mg/L	
			NWSCO/01/TM/08		Sulphate	<10mg/L	
			NWSCO/01/TM/11		Nitrite	0 to 10mg/L	
			NWSCO/01/TM/19		Ammonia	<0.5mg/L	
			NWSCO/01/TM/09		Iron	0 to 1mg/L	
			NWSCO/01/TM/04		Fluoride	<10mg/L	
			NWSCO/01/TM/20		Manganese	0 to 1mg/L	
			NWSCO/01/TM/14		COD	<1500mg/L	
			NWSCO/01/TM/13		BOD	<350mg/L	
			NWSCO/01/TM/06		Calcium	<30mg/L	
			NWSCO/01/TM/07		Magnesium	<30mg/L	
			NWSCO/01/TM/03		Chloride	<100mg/L	
			NWSCO/01/TM/07		Total Hardness	<50mg/L	

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/TL/12 GMP SERVICES LIMITED LABORATORY GMP SERVICES LIMITED LUSAKA ROAD, OFF DUNGA ROAD ROUND ABOUT P.O. BOX 39769-00623 NAIROBI, KENYA E-mail: info@gmpaccl.com Tel. No. +254 734 411507	ISO/IEC 17025:2005	30-Sep-2017

SCHEDULE OF ACCREDITATION

No.	*Testing Field*	*Type of Test*	*Test Method*	*Test Object / Matrix*	*Test Parameter*	*Measurement Range*	*Test Location*
01	Microbiology	Enumerative	Internal Method: GMP/MICRO/TM-03B Reference Method(s): KS 05-220, ISO 4833	Food, Feed and Black Tea	Total Plate Count	>10cfu/g	Microbiology Laboratory
			Internal Method: GMP/MICRO/TM-04B Reference Method(s): KS 05-220, KS 05-2160, KS01-171	Food and Black Tea	Total Coliform Count	>10cfu/g	
			Internal Method: GMP/MICRO/TM-02B Reference Method(s): KS 05-220, ISO 6222	Food, Feed and Black Tea	Escherichia coli	>10cfu/g	
			Internal Method: GMP/MICRO/TM-07B Reference Method(s): KS 05-220	Food, Feed and Black Tea	Yeast and Moulds	>10cfu/g	
02	Chemistry	Physical	Internal Method: GMP/CHEM/TM-01 Reference Method(s): KS 05-171, KS 05-2160	Flour	Moisture Content	0.01 to 99.9%	Chemistry Laboratory
			Internal Method: GMP/CHEM/TM-02 Reference Method(s): KS –ISO 1573, AOAC, AACC		Total Ash	0.01 to 90.0%	
			Internal Method: GMP/CHEM/TM-18 Reference Method(s): ISO 6865, KS 05-2160		Crude Fibre	0.01 to 90.0%	
			Internal Method GMP/CHEM/TM-19 Reference Method(s): ISO 6865, KS 05-2160		Acid insoluble ash	0.02 to 95.0%	
			Internal Method: GMP/CHEM/TM-04 Reference Method(s): KS 459	Water	Copper	>0.01ppm	
			Internal Method: GMP/CHEM/TM-06 Reference Method(s): KS 459		Zinc	>0.01ppm	
			Internal Method: GMP/CHEM/TM-05 Reference Method(s): KS 459		Iron	>0.01ppm	
			Internal Method: GMP/CHEM/TM-10 Reference Method(s): KS 459		Chloride	5 to 50ppm	
			Internal Method: GMP/CHEM/TM-08 Reference Method(s): KS 459		pH	2 to 12	

No.	Testing Field	Type of Test	Test Method	Test Object / Matrix	Test Parameter	Measurement Range	Test Location
			Internal Method: GMP/CHEM/TM-20 Reference Method(s): KS 459		TDS	0.5 to 50ppm	
			Internal Method: GMP/CHEM/TM-07 Reference Method(s): KS 459		TSS	0.5 to 50ppm	
			Internal Method: GMP/CHEM/TM-11 Reference Method(s): KS 459		Total Hardness	5 to 50ppm	

Cab Name and Address	Normative Standard	Date of Expiry
KENAS/TL/18 POLUCON SERVICES LABORATORY POLUCON SERVICES KENYA LIMITED NYATI ROAD, OFF LINKS ROAD P.O. BOX 99344-80107 MOMBASA, KENYA E-mail: laboratory@polucon.com Tel. No. +254 (41) 440777/3/4	ISO/IEC 17025:2005	19-Sep-2018

SCHEDULE OF ACCREDITATION

No.	Testing Field	Type of Test	Test Method	Test Object /Matrix	Test Parameter	Measurement Range	Test Location
	Microbiology	Enumerative	ISO 4833	Food and Feed	Total Plate Count	<300cfu/ml	Microbiology Lab
			ISO 4831	Food and Feed	Total Coliforms	-	
				Water	Total Coliforms	-	
			ISO 6222	Water	Total Coliforms	<300cfu/ml	
	Chemistry	Quantitative (ELISA)	PQA/LIM/016	Food and Feed	Total Aflatoxin	2.49ppb-40ppb	Chemistry Lab.
		Gravimetric	ISO 6496	Animal Feed	Moisture and other volatile matter	>1%w/w	
			ISO 5498	Fresh Produce	Crude fibre	>1%w/w	
			ISO 5984	Animal Feed	Crude Ash	>1%w/w	
		Physical	ISO 6492	Animal Feed	Fat content	1- 70%w/w	
		Titrimetric	ISO 660(E)	Animal Feed, Vegetable fats and oils	Acid value and acidity	1 - 75mg/g	
		Gravimetric	ISO 1575	Tea	Total ash content	>1%w/w	
			ISO 1573	Tea	Moisture content	>1%w/w	
		Titrimetric	KS 05-459:Part 2	Water	Alkalinity	>0.1mg/l	
			KS 05-459:Part 2	Water	Total hardness	>0.1mg/l	
			KS 05-459:Part 5	Water	Chloride	>0.1mg/l	
		Gravimetric	AOAC Method 925.55	Salt	Loss on drying (moisture)	>0.1%w/w	
		Physical	KS EAS 2:2005 KS 459:2007 KS 2125:2007 KS 136:207	Grains and Cereals	Physical Examination	Varied	
		Physical	ISO 5983-1 ISO 5983-2	Animal feed	Crude protein and Total Nitrogen	>0.5%w/w	Chemistry Lab.
		Chromatography (Qualitative)	PQA/LIM/001	Tea	Pesticide Residue Screening	Detection of o,p'-DDE, o,p'-DDT, o,p'-DDD	

Cab Name and Address	Normative Standard	Date of Expiry
KENAS/TL/21 CROP NUTRITION LABORATORY SERVICES LIMITED COOPERS CENTRE KAPTAGAT ROAD, LORESHO NAIROBI, KENYA E-mail: qc@cropnuts.com Tel. No. +254 736 839933, +254 720 639933	ISO/IEC 17025:2005	19-Feb-2018

SCHEDULE OF ACCREDITATION

No.	Testing Field	Type Of Test	Test Method	Matrix	Test	Measurement Range	Test Location
01	Chemistry	Potentiometry	CN-TM-W01	Water, Effluent Hydroponics and Soil	pH	0-14	Chemistry lab. Mashiara Park, Nairobi
		ICP-OES	CN-TM-F02	Fertilizer, Gypsum and Agricultural liming material	Ca	≥0.05 ppm	
					P	≥0.01 ppm	
					K	≥0.12 ppm	
					Mg	≥0.02 ppm	
					Fe	≥0.01 ppm	
					B	≥0.01 ppm	
					S	≥0.05 ppm	
					Zn	≥0.01 ppm	

No.	*Testing Field*	*Type Of Test*	*Test Method*	*Matrix*	*Test*	*Measurement Range*	*Test Location*
					Mn	≥0.01 ppm	
					Cu	≥0.01 ppm	
					Ar	≥0.007 ppm	
					pb	≥0.009 ppm	
					Ni	≥0.003 ppm	
					Cr	≥0.004 ppm	
					Cd	≥0.002 ppm	
					Mo	≥0.01 ppm	
			CN-TM-W08	Water, Effluent Hydroponics	Al	≥0.07ppm	
					P	≥0.01 ppm	
					Ca	≥0.05 ppm	
					Mg	≥0.02 ppm	
					Fe	≥0.01 ppm	
					B	≥0.01 ppm	
					S	≥0.05 ppm	
					Si	≥0.02 ppm	
					Zn	≥0.01 ppm	
					Mn	≥0.01 ppm	
					Mo	≥0.01 ppm	
					Cu	≥0.01 ppm	
			CN-TM-W14	Water and Waste Water	As	≥0.007 ppm	
					Ba	≥0.01 ppm	
					Cd	≥0.002 ppm	
					Co	≥0.001 ppm	
					Cr	≥0.004 ppm	
					Ni	≥0.003 ppm	
					Pb	≥0.009 ppm	
					Se	≥0.02 ppm	
					Sr	≥0.01 ppm	
			CN-TM-S07	Soil	Al	≥0.8 ppm	
					P	≥0.2 ppm	
					Ca	≥0.2 ppm	
					Mg	≥0.2 ppm	
					Fe	≥0.6 ppm	
					B	≥0.02 ppm	
					S	≥0.5 ppm	
					Zn	≥0.2 ppm	Chemistry lab. Mashiara Park, Nairobi
	Chemistry				Mn	≥0.3 ppm	
					Cu	≥0.2 ppm	
		Discreet Analyser	CN-TM-W06 (EPA 353.1)	Water and Waste Water, Fertigation Solutions and Fertilizer	NH_4N	≥0.02 ppm	
			CN-TM-W07 (EPA 353.1)		NO_3N	≥0.02 ppm	
			CN-TM-W03 (EPA 325.1)		CL	≥0.1 ppm	
02	Plant Pathology – Virus detection	Elisa	CN-TM-PT01	*Gramineae*	*Maize Chlorotic Virus*	Qualitative	Pathology lab. Mashiara Park, Nairobi
				Plant – *Solaneceae and ucurbitaceae* Soil Water	*Ralstonia Solanacearum*		

KENAS/TL/24 KIBOS SUGAR AND ALLIED INDUSTRIES LABORATORY KIBOS SUGAR AND ALLIED INDUSTRIES LIMITED P.O. BOX 3115 – 40100 KISUMU, KENYA E-mail: headoffice@kibossugar.com Tel. No. +254 57 2028151/2/3/4/5; +254 725 652555	ISO/IEC 17025:2005	14-Aug-2019

SCHEDULE OF ACCREDITATION

No.	*Testing Field*	*Type of Test*	*Test Method*	*Test Object /Matrix*	*Test Parameter*	*Measurement Range*	*Test Location*
01	Chemical	Quality Control	KSL/01/LAB	Primary Juice	Brix	0 to 25^0 Brix	Quality Assurance laboratory
			KSL/02/LAB	Bagasse	Moisture	48 to 53 %	
			KSL/03/LAB	Clear Juice	PH	6.5 to 7.5	
			KSL/04/LAB	Boiler Water	Total Dissolved solids	100 to 150 ppm	

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/TL/25 UNGA CENTRAL LABORATORY UNGA LIMITED COMMERCIAL STREET, INDUSTRIAL AREA P.O. BOX 30386-00100 NAIROBI, KENYA E-mail: marym@unga.com Tel. No. +254 20 3933000	ISO/IEC 17025:2005	12-Nov-2019

SCHEDULE OF ACCREDITATION

No.	*Testing Field*	*Type of Test*	*Test Method*	*Test Object /Matrix*	*Test Parameter*	*Measurement Range*	*Test Location*
01	Chemistry	Gravimetric	Internal Method: UCL/TM/05 Reference Method: ISO 5984:2002	Maize products, Wheat products, Feed stuffs and other cereals	Ash	0.01 to 100 % by wt	Nairobi Chemistry Laboratory
		Titrimetric	Internal Method: UCL/TM/06 Reference Method: ISO 6492:1999		Oil	1 to 70%by wt	
		Titrimetric	Internal Method: UCL/TM/02 Reference Method: ISO 5498:1981		Fibre	0.01 to 50% by wt	
		Gravimetric	Internal Method: UCL/TM/01 Reference Method: ISO 6496-1999		Moisture	0.1 to 30% by wt	
		Titrimetric	Internal Method: UCL/TM/07 Reference Method: ISO 5983-1:2005		Protein	0.5 to 90% by wt	
		Titrimetric	Internal Method: UCL/TM/04 Reference Method: KS ISO6490-1985		Calcium	0.05 to 80% by wt	
		Gravimetric	Internal Method: UCL/TM/03		Phosphorous	0.01 to 50% by wt	

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/TL/26 INTERTEK TESTING SERVICES EA (PTY) LIMITED LABORATORY INTERTEK EA DAVID KAYANDA ROAD, KIZINGO P.O. BOX 611-80100 MOMBASA, KENYA E-mail: jane.mjambili@intertek.com Tel. No.: +254 41 2224546/ 2224693	ISO/IEC 17025:2005	17-Feb-2020

SCHEDULE OF ACCREDITATION

No.	*Testing Field*	*Type of Test*	*Test Method*	*Test Object /Matrix*	*Test Parameter*	*Measurement Range*	*Test Location*
01	Chemistry	Gravimetric	ASTM D 4052	Liquid Petroleum Fuel Oils	Density	0.6800 to 0.9700 kg/litre	Petroleum Lab
		Volatility	ASTM D 93		Flash Point (Pensky Martens)	19 to 400°C	
		Volatility	IP 170		Flash Point (Abel Closed Cup)	19 to 71°C	
		Volatility	ASTM D86		Distillation	36 to 400°C	
		Gravimetric	ASTM D1298	Petroleum Products	Density	0.6000 to 1.2500Kg/L	
		Volatility	ASTM D1319		Aromatics	5 to 99 %vol	
		Gravimetric	ASTM D3242		Acidity	0.000 to 0.100 mg/KOH/g	
		Spectrometry	ASTM D4294		Sulphur content	0.0017 to 4.6000% wt	
		Volatility	ASTM D2386		Freezing point	+20°C to -80°C	
		Titrimetric	ISO 660	Animal and Vegetable Fats and Oils	Free Fatty Acid	0.1 to 90%	Agriculture lab.
		Gravimetric	GAFTA-11	Flour	Ash Content	0.1 to 20%	
		Extraction	GAFTA-3	Flour	Oil Content	2 to 6g/100g	
		Gravimetric	KS 43-1	Cereals and Pulse	Moisture Content in Cereals and Pulses	8 to 16%	
		Gravimetric	ISO 662	Crude Palm Oil	Moisture Content	0.08 to 0.30%	
		Gravimetric	KS 229	Salt	Moisture Content	0.1 to 5.0%	
		Gravimetric	ISO 712	Wheat	Moisture Content	9 to 15%	
		Gravimetric	ISO 24557	Soya Beans	Moisture Content	9 to 11%	
		Gravimetric	ISO 6540	Yellow maize	Moisture Content	9 to 15%	
		Titrimetric	ISO 3960	Vegetable oil	Peroxide value	0 to 30 Meq/Kg	
		Titrimetric	ISO 3961	Crude Palm Oil	Iodine value	49 to 55g/100g	

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/TL/27 TWIGA CHEMICAL INDUSTRIES LIMITED OL-KALOU ROAD, OFF NANYUKI ROAD INDUSTRIAL AREA P.O. BOX 30172-00100 NAIROBI, KENYA E-mail: info@twiga-chem.com Tel. No. +254 020 3942100 / 555777	ISO/IEC 17025:2005	08-Jun-2017

SCHEDULE OF ACCREDITATION

Scope	*Equipment*	*Range of measurement*	*Analyte*
1. Amitraz	GC	97 – 101%w/w 0.1 -13.75 %w/v	Technical Material Amitraz formulation
2. Lambdacyhalothrin	GC	92 – 98 %w/w 1.69 – 5.25%w/v	Technical Material Lambdacyhalothrin formulations
3. Calcium	Titrimetric	>0.5 % by weight	Animal feeds , mineral supplements and related raw materials
4. Sodium Chloride	Titrimetric	>16% by weight	Animal feeds, mineral supplements and related raw materials

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/TL/28 KENYA PLANT HEALTH INSPECTORATE SERVICE (KEPHIS) MUGUGA SOUTH COMPLEX P.O. BOX 49592-00100 NAIROBI, KENYA E-mail: kephisinfo@kephis.org Tel. No. +254 20 20 3536171	ISO/IEC 17025:2005	17-Feb-2020

SCHEDULE OF ACCREDITATION

No.	*Testing Field*	*Type of Test*	*Test Method*	*Test Object /Matrix*	*Test Parameter*	*Measurement Range*	*Test Location*
01	Microbiology	Detection of Viruses	SOP No. TE/02 : Detection of sweet potato viruses using NCM ELISA adopted from CIP NCM ELISA kit manual NCM-Elisa Kit Instruction Manual	Sweet Potato	Sweet potato feathery mottle virus (SPFMV) Sweet potato mild mottle virus (SPMMV) Sweet potato Chlorotic Stunt Virus (SPCSV)	Qualitative	Virology Lab.
			SOP No. TE/01 : Detection of sweet potato viruses using grafting method on indicator plants				
		Bacteria Identification	SOP No. TE/03: detection of *ralstonia solanaceurum* by NCM-ELISA method	Irish Potato	Colour indication	Negative / Positive	Bacteriology Lab.
		Bacteria Enumeration	SOP No. TE/03: detection of *ralstonia solanaceurum* by PCR method		Cycle Threshold value	0 to 34	Molecular Biology Lab.

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/TL/29 KENYA REVENUE AUTHORITY INSPECTION AND TESTING CENTRE TIMES TOWER, HAILE SELASSIE AVENUE P.O. BOX 48240-00100 NAIROBI, KENYA E-mail: samuel.limo@kra.go.ke Tel. No. +254 20 2816199/ 310900 EXT 6199	ISO/IEC 17025:2005	07-Jul-2019

SCHEDULE OF ACCREDITATION

No.	*Testing Field*	*Type of Test*	*Test method*	*Test Object / Matrix*	*Test Parameter*	*Measurement Range*	*Test Location*
01	Chemistry	Distillation	TM/16/01 Based on KS 05-610:2001	Alcoholic beverages/ Denatured Spirits	Ethanol Content	10 to 100%	Food Laboratory
		Polarimetry	TM/16/05 Based on ICUMSA method GS2/3-1	Sugar	Polarization of Sugar	90 to 100°Z	Food Laboratory
		Titrimetric	TM/16/04 Based on AOCS method Cd 3-25	Fats and Oil	Saponification	180 to 255 mg KOH/g	Food Laboratory
		Titrimetric	TM/16/03 Based on AOCS method Ca 5a-40	Fats and Oil	Free Fatty Acids	0.01 to 100 % FFA	Food Laboratory
		Titrimetric	TM/16/02 Based on AOCS method Cd 1b-92	Fats and Oil	Iodine Value	2 to 150 g/100g	Food Laboratory
		Spectrophotometry	TM/16/06 Based on ASTM E350	Carbon Steel	Manganese Content	0.01 to 2 %	Inorganic Laboratory
		Spectrophotometry	TM/16/07 Based on ASTM E34	Aluminum and Aluminum-based alloy	Aluminum	0.3 to 100 mg/L	Inorganic Laboratory

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/TL/30 TEXAS AandM AGRILIFE RESEARCH BIOSCIENCES EAST and CENTRAL AFRICA (BECA) INTERNATIONAL LIVESTOCK RESEARCH INSTITUTE (ILRI) HUB NAIVASHA ROAD P.O. BOX 30709 NAIROBI, KENYA E-mail: Nellyvonnemakena@gmail.com Tel. No. +254 723 837 689	ISO/IEC 17025:2005	21-Jan-2018

SCHEDULE OF ACCREDITATION

No.	*Testing Field*	*Type of Test*	*Test method*	*Test Object / Matrix*	*Test Parameter*	*Measurement Range*	*Test Location*
01	Chemistry	Fluorimetry	Romer Fluoroquant Internal SOP No. 16008	Maize, Maize Flour and Meal	Total Aflatoxin	2-1000 ppb	BecA ILRI Hub

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/TL/31 PROLAB LIMITED 1ST FLOOR PANESAR BUILDING MOMBASA ROAD P.O. BOX 24556-00502 NAIROBI, KENYA E-mail: prolab@promaco.co.ke Tel. No. +254 20 3512997 ; +254 725 313160	ISO/IEC 17025:2005	07-Jul-2019

SCHEDULE OF ACCREDITATION

No.	*Testing Field*	*Type of Test*	*Test method*	*Test Object / Matrix*	*Test Parameter*	*Measurement Range*	*Test Location*
01	Microbiology	Enumeration	PL-TM-03	Dairy Products, Flour, Meat, Juices and Water Soil	Yeast and Moulds	<150cfu/ml	Microbiology Lab.
			PL-TM-04		Coliforms	<150cfu/ml	Food Laboratory
			PL-TM-02		TVC	<150cfu/ml	Food Laboratory
			PL-TM-05		Staphylococcus aureus	<200≤cfu/ml	Food Laboratory
			PL-OP-17		E,Coli	<150cfu/ml	Food Laboratory

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/TL/32 SOUTH NYANZA SUGAR COMPANY LABORATORY SOUTH NYANZA SUGAR COMPANY LIMITED AWENDO, OFF KISII-MIGORI ROAD P.O. BOX 107-40405 SARE AWENDO, KENYA E-mail: administration@sonysugar.co.ke Tel. No. +254 722-205345/6/7 ; +254 733-333348/49/50	ISO/IEC 17025:2005	07-Jul-2018

SCHEDULE OF ACCREDITATION

No.	*Testing Field*	*Type of Test*	*Test method*	*Test Object / Matrix*	*Test Parameter*	*Measurement Range*	*Test Location*
01	Chemistry	Quantitative	SNSC/LMS/QAM/P45	Sugar	Polarization	0 to 100^0Z	Quality Assurance Laboratory
					Colour	0 to 1500 ICUMSA UNITS	
			SNSC/AGRIC/RD/LMS/P24	Soil	pH	1 to 14	Research and Development Laboratory
			SNSC/AGRIC/RD/LMS/P25		Organic Carbon Content	0 to 100%	

Cab Name and Address	*Normative Standard*	*Date Of Expiry*
KENAS/TL/37 KENYA PIPELINE COMPANY LABORATORY KENYA PIPELINE COMPANY LIMITED KENPIPE PLAZA, SEKONDI ROAD OFF NANYUKI ROAD, INDUSTRIAL AREA P.O. BOX 73442-00200 NAIROBI, KENYA E-mail: cc@kpc.co.ke Tel. No. +254 20 2606500-4	ISO/IEC 17025:2005	07-Jul-2019

SCHEDULE OF ACCREDITATION

No.	*Testing Field*	*Type of Test*	*Test method*	*Test Object / Matrix*	*Test Parameter*	*Measurement Range*	*Test Location*
01	Chemistry	Physical Chemistry	Internal Method: QC/17025/TM/ASTM D 86 Reference Method: ASTM D86	Petroleum Jet A-1, Illuminating kerosene, Dual purpose kerosene.	Distillation	Maximum of 300°C	Nairobi Laboratory
			Internal Method: QC/17025/TM/ASTM D 1298 Reference Method: ASTM D1298		Density	0.775-0.840kg/m^3 @ 15°C	
			Internal Method: QC/17025/TM/ASTM 4052 Reference Method: ASTM D4052		Density	0.775-0.840kg/m^3 @ 15°C	
			Internal Method: QC/17025/TM/IP 170 Reference Method: IP 170		Flash point	9°C-70°C	

Cab Name and Address	*Normative Standard*	*Date of Expiry*
KENAS/TL/38 KENYA MEDICAL SUPPLIES AUTHORITY (KEMSA) KEMSA SUPPLY CHAIN CENTRE EMBAKASI ROAD, OFF NORTH AIRPORT ROAD P.O. BOX 47715-00100 NAIROBI, KENYA E-mail: info@kemsa.co.ke Tel. No. +254 20 3922000; +254 719 033434/5/45	ISO/IEC 17025:2005	16-Mar-2020

SCHEDULE OF ACCREDITATION

No.	*Testing Field*	*Type of Test*	*Test method*	*Test Object / Matrix*	*Test Parameter*	*Measurement Range*	*Test Location*
01	Chemistry	High Performance Liquid Chromatography (HPLC)	USP, BP, Eur, Ph Int. Monographs	Pharmaceuticals and related products	Assay	90 to 120% of label claim	KEMSA Warehouse, Embakasi Road
		UV Spectrophotometry	USP, BP, Eur, Ph Int. Monographs		Assay	90 to 120% of label claim	
		Physical	USP, BP, Eur, Ph Int. Monographs		pH	1 to 12	
		Physical	USP, BP, Eur, Ph Int. Monographs		Dissolution	NLT 75 % of label claim	
		Physical	USP, BP, Eur, Ph Int. Monographs		Content/ Weight Variation	85 to 115 % of label claim	

Dated the 21st April, 2017.

SAMMY K. MILGO,
Chief Executive Officer,
Kenya Accreditation Service.

GAZETTE NOTICE NO. 11859

THE LABOUR RELATIONS ACT

(*No.* 14 *of* 2007)

APPLICATION FOR REGISTRATION OF TRADE UNION

NOTICE is given pursuant to section 14, 15 and 17 of the Labour Relations Act, to all trade unions, federation of trade unions, employers organizations or federations, of the receipt of application for registration of the following—

KENYA UNION OF SUPERMARKETS WORKERS

The notice is given to the following registered trade unions, employers organizations or federations.

KENYA UNION OF COMMERCIAL FOOD AND ALLIED WORKERS

to submit in writing any such objection (s) against the applicants within twenty-one (21) days from the date of publication of this notice.

E. N. GICHEHA,
Registrar of Trade Unions.

MR/3483333

GAZETTE NOTICE NO. 11860

THE LABOUR RELATIONS ACT

(*No.* 14 *of* 2007)

AMENDMENT OF THE CONSTITUTION

NOTICE is given to all members of Kenya Union of Post Primary Education Teachers (KUPPET) pursuant to section 27 (4) of the Labour Relations Act, that a notice of change of the constitution of the union has been received—

Any person or member intending to raise any objection against the amendments of the constitution of the union is required to submit in writing any objection against the amendments of the constitution of the union within twenty one (21) days from the date hereof. The amendments are open for scrutiny from the undersigned office during working hours.

E. N. GICHEHA,
Registrar of Trade Unions.

MR/3483487

GAZETTE NOTICE NO. 11861

MBOI-KAMITI FARMERS COMPANY LIMITED

(Incorporated in Kenya)

Head Office: P.O. Box 300–00900, Kiambu

LOSS OF SHARE CERTIFICATE

Share Certificate No. 5013 in the name of George Njuguna Njau (ID/0896791).

WHEREAS George Njuguna Njau, is registered as proprietor of share certificate No. 5013 in Mboi-Kamiti Farmers Company Limited, and whereas sufficient evidence has been adduced by George Njuguna Njau to show that the share certificate issued thereof has been lost, notice is given that after the expiry of thirty (30) days from the date hereof the company will issue a new share certificate to George Njuguna Njau.

MWANGI KIGOTHO & COMPANY,
Advocates for George Njuguna Njau.

MR/3483390

GAZETTE NOTICE NO. 11862

SUNGREEN INTERNATIONAL LIMITED

(*Cap.* 38)

DISPOSAL OF UNCOLLECTED GOODS

NOTICE is given pursuant to the provision of Disposal of Uncollected Goods Act (Cap. 38) of the laws of Kenya, to Messrs. Sungreen International Limited, Tenant of Pioneer Koinange Street First Floor, Office Nos. 216, 219 and 220, respectively, to take delivery of the chattels, computers, printers, chairs, desks, photocopiers, cabinets and any other items in the said offices from Pioneer Koinange Street premises, of P.O. Box 20320–00200, Nairobi, within thirty (30) days from the date of publication of this notice upon payment of all outstanding debts and other incidentals costs including that of publishing of this notice, failing to which the said chattels shall be disposed of by way of sale without further reference and the proceeds of the sale shall be defrayed against all the outstanding debts, storage charges accrued thereon and other incidentals and the balance if any, shall, remain credit of the owner, but, should there be any shortfall, the owner shall be liable therefore.

Dated the 22nd November, 2017.

TIMELESS DOLPHIN AUCTIONEERS,
Auctioneers for Pioneer Holdings (Africa) Limited.

MR/3483403

GAZETTE NOTICE NO. 11863

THE CIVIL AVIATION ACT

(*No.* 21 *of* 2013)

THE KENYA CIVIL AVIATION AUTHORITY

DECISIONS OF THE KENYA CIVIL AVIATION AUTHORITY ON APPLICATIONS FOR AIR SERVICE LICENCES

PURSUANT to the provisions of the Civil Aviation Act and the Licensing of Air Services Regulations, 2009 (Regulation 28), notice is given that the Kenya Civil Aviation Authority has made decisions on applications for air service licences whose particulars were previously published in the Kenya Gazette Notices No. 4817 and 8529 of 2017.

The decisions are specified in the third column and the particulars of the applications are in the second column for each applicant named in the first column of the schedule below.

Name and Address of Applicant	*Type of Service applied for*	*Decisions*
Travel Service A.S K Letisti 1068/30 Praha 6 Czech Republic	Inclusive tour charters on the routes: *(a)* Prague-Hurghada-Zanzibar-Mombasa-Hurghada-Prague *(b)* Prague-Hurghada-Mombasa-Zanzibar-Hurghada-Prague *(c)* Prague-Hurghada-Mombasa-Hurghada-Prague *(d)* Prague-Marsa Alam-Zanzibar-Mombasa-Marsa Alam-Prague *(e)* Prague-Marsa Alam-Mombasa-Zanzibar-Marsa Alam-Prague *(f)* Prague-Marsa Alam-Mombasa-Marsa Alam-Prague Once per week without traffic rights between Hurghada/Marsa Alam and Mombasa and vice versa using aircraft types; B737, B738 and B739 based in Prague, Czech Republic.	Licence granted for two (2) years with effect from 22nd January, 2017.
Tui Airlines Nederland Beechavenue 43, 1119 RA Schiphol-Rijk The Netherlands	Inclusive tour charters on the route: Warsaw-Mombasa-Warsaw once per week using aircraft types; B787-8, B763 and B738 based in Warsaw, Poland.	Licence granted for one (1) year with effect from 19th October, 2017.
Blue Panorama Airlines SPA Viale Delle Arti, 123.00054 Fiumicino Rome Italy	Inclusive tour charters on the routes: *(a)* Fiumicino-Zanzibar-Mombasa-Fiumicino (once per week) *(b)* Malpensa-Zanzibar-Mombasa-Malpensa (twice per week) Without traffic rights between Zanzibar and Mombasa using aircraft type B763 based in Rome, Italy.	Licence granted for one (1) year with effect from 19th October, 2017.
Five Forty Aviation Limited P.O. Box 10293-00100 Nairobi	*(a)* International scheduled air services for passengers on the route: JKIA to/from Juba/Dar es Salaam/ Entebbe/Zanzibar/Johannesburg *(b)* International scheduled air services for cargo and mail on the route: JKIA to/from Juba/Dar es Salaam/Entebbe/Zanzibar/Johannesburg Using aircraft types; CRJ100, CRJ200, DHC8-100, DHC8-300, A319 and MD82 based at JKIA.	Licence granted for three (3) years with effect from 16th October, 2017.
Airspray Kenya Limited P.O. Box 15555-00509 Nairobi	Aerial work services within Kenya/East and Central Africa using aircraft type C188 based at Wilson Airport.	Licence granted for three (3) years with effect from 14th July, 2017.

Name and Address of Applicant	*Type of Service applied for*	*Decisions*
East African Air Charters Limited P.O. Box 42730-00100 Nairobi	*(a)* Non-scheduled air services for passengers and freight within/out of/into Kenya to/from points in Africa. *(b)* Aerial work services within Kenya/East Africa. Using aircraft types; C208B, C206, C406 C210, C172 and C550 based at Wilson airport.	Licence granted for three (3) years with effect from 16th September, 2017.
Luca Safari Limited P.O. Box 236-90129 Mtito Andei	Non-scheduled air services for passengers within Kenya using aircraft type C206 based at Campi Ya Kanzi and Wilson Airport.	Licence granted for three (3) years with effect from 18th May, 2017.
Exclusive Air Services Limited P.O. Box 25512-00603 Nairobi	*(a)* Non-scheduled air services for of/into Kenya to/from points in Africa. *(b)* Non-scheduled air services for medical evacuation within/out of/into Kenya to/from points in Africa. *(c)* Aerial work services within Kenya and East Africa Using helicopter type EC130 B4 based at Wilson Airport.	Licence granted for one (1) year with effect from 14th December, 2017.
Imatong Airlines Limited P.O. Box 35384-00200 Nairobi	*(a)* Non-scheduled air services for assengers and cargo within/out of/into Kenya to/from points in Africa. *(b)* Domestic scheduled air services on the routes: (i) Nairobi-Mombasa-Nairobi (ii) Nairobi-Kisumu-Nairobi (iii) Nairobi-Eldoret-Nairobi (iv) Nairobi-Maindi-Lamu-Malindi- Nairobi Using aircraft types; EMB120, EMB145, CRJ100, B737, FK27, B1900 and C206 based at JKIA and Wilson Airport.	Licence granted for one (1) year with effect from 14th December, 2017.
Aircraft Business Management Limited P.O. Box 28763-00200 Nairobi	Non-scheduled air services for passengers and cargo within/out of/into Kenya to/from points in Africa and the rest of the world using aircraft types; FK50, C208, CRJ200, BE350, BE20 and helicopter type AS350B2 based at Wilson Airport.	Licence granted for one (1) year with effect from 14th December, 2017.
AIM Air P.O. Box 21171-00505 Nairobi.	Subsidized non-scheduled air services within/out of/into Kenya to/from points in Africa. Operations limited to medical evacuation, relief supplies, church and missionary work. Using aircraft types; C208 and C206 based at Wilson Airport.	Licence granted for three (3) years with effect from 16th August, 2017.
Proactive Agencies Limited P.O. Box 9135-00300 Nairobi	Flying instructions within Kenya using aircraft types; C150, C152, C172 and BE55 based Wilson Airport.	Licence granted for three (3) years with effect from 14th July, 2017.
GeoAir Limited P.O. Box 61071-00200 Nairobi	*(a)* Non-scheduled air services for passengers and freight within/out of/into Kenya to/from points in East Africa *(b)* Aerial work services within Kenya and East Africa Using aircraft types; C208B, C182 and Helicopter type Bell 206 based at Wilson airport.	Licence granted for three (3) years with effect from 10th July, 2017.
Jubba Airways Limited P.O. Box 10718-00100 Nairobi	International scheduled air services for passengers on the route: JKIA to/from Djibouti/Jeddah/Dubai subject to designation by Ministry of Transport, Infrastructure, Housing and Urban Development. Using aircraft types; A321 and FK50 based at JKIA.	Licence granted for three (3) years with effect from 14th January, 2018.
Ventura Aviation Limited P.O.Box 11582-00400 Nairobi	*(a)* Non-scheduled air services for passengers and cargo within/out of/into Kenya to/from points in Africa. *(b)* Non-scheduled air services for medical evacuation within/out/of/ into Kenya to/from points in Africa. *(c)* Aerial work services within Kenya and East Africa. Using aircraft types; EMB120, C208B and helicopter type AS350B3 based at Wilson Airport, JKIA, Moi International Airport and Eldoret Airport.	Licence granted for three (3) years with effect from 19th October, 2017.
Kasas Limited P.O. Box 1218-00502 Nairobi	*(a)* Non-scheduled air services for passengers and cargo within/out of/into Kenya to/from points in Africa/Europe and Middle East. *(b)* Aerial work services within Kenya Using aircraft types; DO 228-100, DO228-200, DO228-202, DO228-212, FA10 based at Wilson airport.	Licence granted for three (3) years with effect from 16th October, 2017.
Nairobi Flight Training Limited P.O. Box 16050-00100 Nairobi	*(a)* Non-scheduled air services for passengers and cargo within/out of/into Kenya to/from points in East Africa. *(b)* Flying instructions within Kenya. Using aircraft types C172, PA28 and C206 based at Wilson airport and Nanyuki airstrip.	Licence granted for three (3) years with effect from 28th November, 2017.
Air Traffic Limited P.O. Box 989-00606 Nairobi	Variation of current air service licence to include international scheduled air services for passengers on the route: JKIA-Mogadishu-JKIA using aircraft types; EMB120, DO 228-200 and B1900D based at JKIA and Wilson airport.	Licence granted for one (1) with effect from 19th October, 2017.
Twinstar Aviation Limited P.O. Box 15819-00509 Nairobi	Variation of current air service licence to include operation of aerial work service within Kenya and rest of Africa using aircraft type C208 based at Wilson airport.	Variation of licence granted for the period of validity of current licence.
SAC (K) Limited P.O. Box 59200-00200 Nairobi	Variation of current air service licences as follows: (i) Under international scheduled all cargo air services to include the routes: *(a)* JKIA to/from Mogadishu/Hargeisa/ Entebbe/Goma/Moroni/AddisAbaba/ Dar es Salaam/Zanzibar/Kilimanjaro/ Mwanza/Kigali/Juba/Bujumbura. *(b)* JKIA to/from Johannesburg/Gatwick/ Stansted/ Lagos/ Libreville subject to designation by Ministry of Transport, Infrastructure, Housing and Urban Development.	Variation of licences granted for the period of validity of current licences.

Name and Address of Applicant	*Type of Service applied for*	*Decisions*
	(ii) Include international scheduled air services for passengers on the route: JKIA to/ from Mogadishu/Hargeisa/ Entebbe/ Goma/Moroni/AddisAbaba/Dar es Salaam/ Zanzibar/Kilimanjaro/ Mwanza/Kigali/Juba/Bujumbura/Johannesburg subject to designation by Ministry of Transport, Infrastructure, Housing and Urban Development. (iii) Include domestic scheduled air services on the routes: JKIA/Wilson to/from Lodwar/Isiolo/Mandera/Wajir/Ukunda/Lamu/Mombasa/Lokichoggio/Garissa/Kisumu/Eldoret. Using aircraft types; B727, A300, B737, B747F, B777F, FK50 and C208B based at JKIA and Wilson Airport.	
Sandpiper Aviation Limited P.O. Box 1223-00502 Nairobi	Variation of current air service licence to include helicopter types; Bell 407 and Eurocopter AS 350 based at Wilson Airport.	Variation of licence granted for the period of validity of current licence.
Westwind Aviation Limited P.O. Box 49428-00100 Nairobi	Variation of current air service licence to include Middle East and Asia as additional geographical area of operations and also introduce JKIA as an additional base using aircraft types; DHC8, B727 and B737.	Variation of licence granted for the period of validity of current licence.
Fly Over The Jam Limited P.O. Box 25135-00603 Nairobi	Non-scheduled air services for passengers within Kenya using Helicopter type; AS350 based at Wilson airport.	Licence granted for one (1) year with effect from 19th October, 2017.
Poriny Air Service Limited P.O. Box 25624-00603 Nairobi	Non-scheduled air services for passengers and cargo within/out of /into Kenya to/from points in Africa using aircraft types; DHC8 and DO228 based at Wilson airport.	Licence granted for one (1) year with effect from 19th October, 2017.
Flitestar Academy Limited P.O. Box 15819-00509 Nairobi	*(a)* Non-scheduled air services for passengers and cargo within/out of/into Kenya to/from the rest of Africa. *(b)* Flying instructions within Kenya Using aircraft type C172 based at Wilson airport.	Licence granted for one (1) year with effect from 19th October, 2017.
Coco Aviation Limited P.O. Box 67278-00200 Nairobi	Non-scheduled air services for passengers and freight within/out of/into Kenya to/from points in Africa/Middle East/Europe/Asia. Using aircraft types; FK27-MK500, L410, C208, B733, DHC8 and EMB 120 based at JKIA, Moi International Airport, Wilson Airport and Lokichoggio airport.	Licence granted for one (1) year with effect from 19th October, 2017.

Dated the 24th November, 2017

GILBERT M. KIBE,
Director-General.

PTG/003729/17-18

GAZETTE NOTICE NO. 11864

THE PHYSICAL PLANNING ACT
(*Cap.* 286)

COMPLETION OF PART DEVELOPMENT PLANS

PDP No. E21/2010/03–

Existing Sites for:

(a) Probation and After Care Service Regional Office

(b) County Co-operative Development Office

NOTICE is given that the above-mentioned part development plans were completed on 18th July, 2017.

The part development plans relate to land situated within Embu Municipality, Manyatta Sub-County of Embu County.

Copies of the part development plans have been deposited for public inspection at the Office of the Director of Survey and Physical Planning, Embu County, County Commissioner's Office, Embu and Majengo Chief's Office.

The copies so deposited are available for inspection free of charge by all persons interested at the Office of the Director of Survey and Physical Planning, Embu County, County Commissioner's Office, Embu and Majengo Chief's Office, between the hours of 8.00 a.m. to 5.00 p.m., Monday to Friday.

Any interested person who wishes to make any representation in connection with or objection to the above-named part development plans may send such representations or objections in writing to be received by the Director of Physical Planning Officer, P.O. Box 36–60100, Embu, within sixty (60) days from the date of publication of this notice and such representation or objection shall state the grounds on which it is made.

Dated the 28th September, 2017.

DANIEL M'MBAI,
for Director of Physical Planning.

MR/3483211

GAZETTE NOTICE NO. 11865

THE PHYSICAL PLANNING ACT
(*Cap.* 286)

COMPLETION OF PART DEVELOPMENT PLANS

PDP No. CKR/352/17/02 and CKR/352/17/03 (Wanguru)–Existing Sites for Commercial Plot

NOTICE is given that the above-mentioned part development plans were completed on 3rd October, 2017.

The part development plans relate to land situated within Kirinyaga County Government, Mwea East Sub-County.

Copies of the part development plans have been deposited for public inspection at the Office of the County Physical Planning Officer, Kirinyaga, the County Commissioner's Office, Kirinyaga Central and the Deputy County Commissioner's Office, Mwea East.

The copies so deposited are available for inspection free of charge by all persons interested at the Office of the County Physical Planning Officer, Kirinyaga, the County Commissioner's Office, Kirinyaga Central and the Deputy County Commissioner's Office, Mwea East, between the hours of 8.00 a.m. to 5.00 p.m., Monday to Friday.

Any interested person who wishes to make any representation in connection with or objection to the above-named part development plans may send such representations or objections in writing to be received by the County Physical Planning Officer, P.O. Box 483, Kerugoya, within sixty (60) days from the date of publication of this notice and such representation or objection shall state the grounds on which it is made.

Dated the 15th November, 2017.

W. L. LOKA,
for Director of Physical Planning.

MR/3483368

GAZETTE NOTICE NO. 11866

THE PHYSICAL PLANNING ACT

(*Cap.* 286)

COMPLETION OF PART DEVELOPMENT PLANS

PDP No. N251/2017/01–Proposed Formalization of Existing Site for:

(a) Muhoroni Livestock Multiplication Centre for Lake Basin Development Authority

(b) Muhoroni Police Station

NOTICE is given that the above-mentioned part development plans were completed on 14th September, 2017.

The part development plans relate to land situated in Muhoroni Township within Kisumu County.

Copies of the part development plans have been deposited for public inspection at the offices of the County Physical Planning Officer, Ardhi House, Kisumu, Deputy County Commissioner, Muhoroni and Office of the Chief Officer, Lands, Housing, Physical Planning and Urban Development, Kisumu County.

The copies so deposited are available for inspection free of charge by all persons interested at the offices of the County Physical Planning Officer, Ardhi House, Kisumu, Deputy County Commissioner, Muhoroni and Office of the Chief Officer, Lands, Housing, Physical Planning and Urban Development, Kisumu County, between the hours of 8.00 a.m. to 5.00 p.m., Monday to Friday.

Any interested person who wishes to make any representation in connection with or objection to the above-named part development plans may send such representations or objections in writing to be received by the County Physical Planning Officer, P.O. Box 1874, Kisumu, within sixty (60) days from the date of publication of this notice and such representation or objection shall state the grounds on which it is made.

Dated the 10th November, 2017.

SOLOMON KIJEA MWONGO,
for Director of Physical Planning.

MR/3483243

GAZETTE NOTICE NO. 11867

THE ENVIRONMENTAL MANAGEMENT AND

CO-ORDINATION ACT

(*No.* 8 *of* 1999)

THE NATIONAL ENVIRONMENT MANAGEMENT AUTHORITY

NOTICE TO THE PUBLIC TO SUBMIT COMMENTS ON AN ENVIRONMENTAL IMPACT ASSESSMENT STUDY REPORT FOR THE PROPOSED CEMENT PLANT ON PLOT L.R. NO. 12660-NORTH WEST OF NJORO TOWN IN NAKURU COUNTY

INVITATION OF PUBLIC COMMENTS

PURSUANT to regulation 21 of the Environmental Management and Co-ordination (Impact Assessment and Audit) Regulations, 2003, the National Environment Management Authority (NEMA) has received an Environmental Impact Assessment Study Report for the above proposed project.

The proponent, National Cement Company Limited, is proposing to establish a cement plant at North West of Njoro Town in Nakuru County. The proposed project will include the following phased components; raw material extraction, raw material preparation, solid fuel preparation, raw material heating, cement grinding and storage, bagging and dispatch.

The following are the anticipated impacts and proposed mitigation measures:

Impacts	*Proposed Mitigation Measures*
Noise and excessive vibration	• Construction machinery, vehicles and equipment to be maintained regularly. • Provision of adequate and appropriate PPEs to the workers. • Avoid hooting especially when passing through silent zones areas such as schools, churches, residential areas, offices and hospitals. • Comply with provisions of the Noise and Excessive Vibrations Pollution Control Regulations, 2009 for permissible noise and vibration levels.
Soil and water pollution	• All heavy trucks and any other motorized machinery must be maintained well to avoid fugitive spills. • Equipment and washing activities during construction to be done in designated areas with impervious surface with interceptors for oily wastes.
Air pollution	• Use dust screens to cover the buildings under construction to trap dust. • Provide appropriate personal protective equipment for employees exposed to dusts and gaseous emissions. • Fence construction site. • Cover friable material loads with tarpaulins during transportation. • Observe speed limits of vehicles transporting materials. • Strict Adherence to Air Quality Regulations, 2014.
Increased solid waste generation	• Appropriate budgets for purchase of raw materials to reduce wastage through exposure to weather elements. • Solid wastes to be put in a designated area for appropriate disposal. • Segregation of waste at source to determine the recyclables. • Contract a licensed waste handler to collect waste at regular intervals. • Provide skips for wet and dry waste to hold before it is collected. • All wastes to be transported by licensed waste handlers by NEMA and to be disposed in licensed disposal sites. • Strict adherence to Waste Management Regulations, 2006.
Increased traffic volumes	• Signage will be put in place to give warning and direct the traffic appropriately. • Adhere to Kenya Traffic laws.
Increased effluent waste Generation	• Ensure that sewage pipes are not blocked or damaged so that the effluent can be delivered to the sewer system to avoid land and water contamination. • Adherence to Water Quality Regulations, 2006.
Increased water demand	• Use of water saving devices (e.g. low volume high pressure cisterns, time delay taps, automatic shut-off taps). • Put in place measures for quick detection and repair of pipes and tanks leaks.
Occupational safety and health	• Compliance to all international, national or local health and safety standards that may exist during all phases. • Issuance of Personal Protective Equipment (PPE) and enforcing their use during construction and demolition. • Regular inspection, testing and

Impacts	*Proposed Mitigation Measures*
	maintenance of equipment and machinery. • Develop and implement site emergency response plans. • Training workers on health and safety precautions. • Provide fully stocked first aid kits. • Use of water sprays to arrest dust. • Containments of hazardous materials. • Fencing of the construction site to restrict onlookers/entry and curb accidents. • Installation of firefighting appliances. • Provision of proper solid waste collection and disposal amenities. • Provision of proper sewerage connections to prevent disease outbreaks.

The full report of the proposed project is available for inspection during working hours at:

(a) Director-General, NEMA, Popo Road, off Mombasa Road, P.O. Box 67839–00200, Nairobi.

(b) Principal Secretary, Ministry of Environment and Natural Resources, N.H.I.F. Building, 12th Floor, Ragati Road, Upper Hill, Community, P.O. Box 30126–00100, Nairobi.

(c) County Director of Environment, Nakuru County.

The National Environment Management Authority invites members of the public to submit oral or written comments within thirty (30) days from the date of publication of this notice to the Director-General, NEMA, to assist the Authority in the decision making process for this project.

GEOFFREY WAHUNGU,
for Director-General,
MR/3483105 *National Environment Management Authority.*

GAZETTE NOTICE NO. 11868

THE ENVIRONMENTAL MANAGEMENT AND

CO-ORDINATION ACT

(*No.* 8 *of* 1999)

THE NATIONAL ENVIRONMENT MANAGEMENT AUTHORITY

NOTICE TO THE PUBLIC TO SUBMIT COMMENTS ON AN ENVIRONMENTAL IMPACT ASSESSMENT STUDY REPORT FOR THE PROPOSED CEMENT PLANT ON PLOT NO. 29124 AT MARIAKANI IN KILIFI COUNTY

INVITATION OF PUBLIC COMMENTS

PURSUANT to regulation 21 of the Environmental Management and Co-ordination (Impact Assessment and Audit) Regulations, 2003, the National Environment Management Authority (NEMA) has received an Environmental Impact Assessment Study Report for the above proposed project.

The proponent, National Cement Company Limited is proposing to establish a cement plant on Plot L.R. No. 29124 along Mombasa–Nairobi highway, Shangia Location in Mariakani, Kilifi County. In additional to setting up the plant, the proponent intends to construct an administration block, four residential blocks, house canteen and dispensary within the same project site.

The following are the anticipated impacts and proposed mitigation measures:

Impacts	*Proposed Mitigation Measures*
Drainage system	• Ensure effective waste water management as guided by law. • Avoid as much pollution on the drainage system in the area.
Waste management (solid and liquid)	• Provide solid waste collection facilities and segregation during site preparation. • Suitable method of disposal for each kind of waste will apply. • Operational measures should be designed and put in place to guide the process of waste reduction on-site. • Waste reduction mechanisms should be employing on-site to reduce the volume of any solid wastes generated. • The collection and safe storage of solid wastes on-site should be encouraged to facilitate transportation off-site. • The facilitation of safe transport of wastes off-site to authorized solid waste disposal sites should be encouraged. This would discourage accidental waste disposal during transport. • The provision of adequate access to toilet and bathroom facilities that meet both numerical standards (to prevent workers from using the neighbours) and treatment standards. • The separation of sewage and grey water streams to reduce sewage effluent volumes. • The employment of on-site treatment of wastewater. • Adherence to Water Quality Regulations of 2006. • Strict Adherence to Waste Management Regulations, 2006.
Surface run-off	• Ensure that no waste water is directed into surface run-off drains. • Put in place roof catchments so as to harvest rain water. • The use of permeable surfaces for parking, walkway and roadway areas to facilitate ground infiltration. • The use of ground-based storm water disposal options where the geology of the area will facilitate its use. • The control of storm water accessing the site from offsite locations. • The incorporation of all drainage mitigations, along with a back-up surface drainage proposal, within an overall drainage plan for the development, with specific attention being placed on the terminal portion of the surface drainage, which may present a flooding risk within the site and it's neighborhood. • The employment of drainage mitigation measures to assist in the reduction of the volume and velocity of run-off from the site. • The covering and berming of stockpiles of materials during rainfall periods to prevent the washing away of these materials.

Impacts	*Proposed Mitigation Measures*
	• The recycling of sediment-loaded wash-water from batching plants to prevent the discharge of these waters into the environment.
Security	• 24 hours security measures to be provided including incorporation of technology. • Police emergency numbers to be placed at strategic points.
Increased resource (water and electricity) demand	• Management of water usage. Avoid unnecessary wastage. • Recycling/reuse of water at the establishment time where possible. • Install water-conserving taps that turn off automatically when water is not being used. • Install energy saving electrical appliances to reduce energy consumption. • Carry out Energy Audit so as to know areas that need improvement.
Air, dust and noise pollution	• Regular maintenance of operating machines and equipment. • Use of appropriate protective equipment (PPE) such as ear protectors dust masks by workers. • Carry out regular sound level (noise) and dust survey. • The use of the lowest noise-emitting equipment appropriate for the given task should be opted for, since this will result in less noise generated on-site. • Time limits should be imposed to limit the periods during which construction noises can be generated. The following times are proposed:-Mondays to Fridays 0800hrs to 18hrs. Saturdays 0800hrs to 1300hrs. • Physical noise barriers should be considered for the property. • Check the performance of the major equipment periodically, in order to troubleshooting ant fix the problem by lubricating, repairing and etc. • Reduce the noise exposure level of the employees especially machine operators or altering their activity zones between safe and unsafe acoustical zones. • Installation of pollution control devices most preferably filter bags for dust pollution control. • Ensure trucks ferrying raw materials especially clinker to the site are well covered to prevent dust spread. • Preventing fugitive dust from exiting the construction site through the use of containment barriers at the site's periphery. This mitigation would work in tandem with noise mitigation measures to prevent sound releases into the external environment. • Controlling fugitive dust generation from sources external to the construction site, such as at Concrete Batching plants and from trucks transporting raw materials to the site – using the containment methods. • Adherence to Air Quality Regulations of 2014. • Adherence to Noise And Excessive Vibration Pollution (Control) Regulations, 2009.
Increase in traffic	• Provision of adequate parking within the compound. • Comply with traffic regulations such as speed limits at the site. • Provide bill boards at the site/entrance to notify other motorists in the area about the project. • Apply from KeNHA for installation of speed bumps 100 meters away from both sides of the main entrance to the facility.
Fuel leakage	• Ensure fuel storage tank is bounded. • Designated staff at storage area to be trained on how to prevent, contain and clean up spills. • Ensure provision of spill kits.
Resource efficiency	• Monitor electricity and water use. • Put in place energy and water saving procedures and targets. • Install energy saving motors; water saving devices.
Public health and occupational health and safety	• Provision of appropriate protective clothing and equipment (overalls, head-covers/caps, gloves, ear muffs, nose muffs) and training to workers. • Provide suitable equipment during site preparation to avoid muscular strains. • Ensure that drinking water is safe for workers. • Ensure workers work in shifts whereby duration of each shift has a maximum of 8 hours. • Provide well equipped first aid box on site. • Ensure First Aid training to employees and two or three First Aiders be identified within the workers and their mobile numbers placed at strategic points. • Ensure compliance with OSHA 2007. • Segregate motor traffic from pedestrian traffic in the design. • Ensure strict compliance with the Occupational Safety and Health Act (OSHA) 2007.

The full report of the proposed project is available for inspection during working hours at:

(a) Director-General, NEMA, Popo Road, off Mombasa Road, P.O. Box 67839–00200, Nairobi.

(b) Principal Secretary, Ministry of Environment and Natural Resources, N.H.I.F. Building, 12th Floor, Ragati Road, Upper Hill, Community, P.O. Box 30126–00100, Nairobi.

(c) County Director of Environment, Kilifi County.

The National Environment Management Authority invites members of the public to submit oral or written comments within thirty (30) days from the date of publication of this notice to the Director-General, NEMA, to assist the Authority in the decision making process for this project.

GEOFFREY WAHUNGU,
for Director-General,
National Environment Management Authority.

MR/3483057

GAZETTE NOTICE NO. 11869

ICEA LION LIFE ASSURANCE COMPANY LIMITED

Head Office: P.O. Box 46143–00100, Nairobi

LOSS OF POLICY

Policy No. 100000/404 *in the name of Nokia Siemens Network (K) Limited.*

NOTICE having been given on the loss of the above policy, a duplicate policy will be issued in substitution unless an objection is filed with the undersigned within thirty (30) days from the date of this notice.

Dated the 7th November, 2017.

FELIX CHOMBA,

MR/3483077 *Deposit Administration and Actuarial Department.*

GAZETTE NOTICE NO. 11870

ICEA LION LIFE ASSURANCE COMPANY LIMITED

Head Office: P.O. Box 46143–00100, Nairobi

LOSS OF POLICY

Policy No. 027/AEN/049279 *in the name of Derby Njoki Hassan.*

NOTICE having been given on the loss of the above policy, a duplicate policy will be issued and where applicable due benefits will be paid out unless an objection is filed with the undersigned within thirty (30) days from the date of this notice.

Dated the 2nd November, 2017.

MUIRI WAICHINGA,

MR/3483076 *Manager, Ordinary Life Operations.*

GAZETTE NOTICE NO. 11871

ICEA LION LIFE ASSURANCE COMPANY LIMITED

Head Office: P.O. Box 46143–00100, Nairobi

LOSS OF POLICY

Policy No. 026/AEN/024455 *in the name of Kennedy Mwangi Wariire.*

NOTICE having been given on the loss of the above policy, a duplicate policy will be issued and where applicable due benefits will be paid out unless an objection is filed with the undersigned within thirty (30) days from the date of this notice.

Dated the 2nd November, 2017.

MUIRI WAICHINGA,

MR/3483076 *Manager, Ordinary Life Operations.*

GAZETTE NOTICE NO. 11872

ICEA LION LIFE ASSURANCE COMPANY LIMITED

Head Office: P.O. Box 46143–00100, Nairobi

LOSS OF POLICY

Policy No. 022/AEN/020976 *in the name of Janet Chemutai Kitony.*

NOTICE having been given on the loss of the above policy, a duplicate policy will be issued and where applicable due benefits will be paid out unless an objection is filed with the undersigned within thirty (30) days from the date of this notice.

Dated the 24th October, 2017.

MUIRI WAICHINGA,

MR/3483076 *Manager, Ordinary Life Operations.*

GAZETTE NOTICE NO. 11873

APA ASSURANCE LIMITED

LOSS OF POLICY

Policy No. 043897 *in the name of Janet Maro, of P.O. Box 82001–80100, Mombasa.*

NOTICE is given that evidence of loss or destruction of the above policy document has been submitted to the company and any person in possession of the policy documents or claiming to have interest therein should communicate within thirty (30) days by registered post with the company, failing any such communication certified copies of the policy which shall be the sole evidence of the contract will be issued.

Dated the 7th November, 2017.

HARRIET ALEKE,

MR/3483034 *Team Leader, Individual Life.*

GAZETTE NOTICE NO. 11874

LIBERTY LIFE ASSURANCE KENYA LIMITED

Head Office: P.O. Box 30364–00100, Nairobi

LOSS OF POLICY

Policy No. 6979586 *in the name and on the life of Diana Mukami Kamau.*

APPLICATION having been made to this company on the loss of the above-numbered policy, notice is given that unless objection is lodged to Liberty Life Assurance Limited within thirty (30) days from the date of this notice, a duplicate policy will be issued and shall be used as the only valid document by the company for all future transactions.

Dated the 8th November, 2017.

CHARLES THIGA,

MR/3483169 *Head of Customer Service, Liberty Life.*

GAZETTE NOTICE NO. 11875

LIBERTY LIFE ASSURANCE KENYA LIMITED

Head Office: P.O. Box 30364–00100, Nairobi

LOSS OF POLICY

Policy No. 6979219 *in the name and on the life of Dishon Opulu Sitandi.*

APPLICATION having been made to this company on the loss of the above-numbered policy, notice is given that unless objection is lodged to Liberty Life Assurance Limited within thirty (30) days from the date of this notice, a duplicate policy will be issued and shall be used as the only valid document by the company for all future transactions.

Dated the 8th November, 2017.

CHARLES THIGA,

MR/3483169 *Head of Customer Service, Liberty Life.*

GAZETTE NOTICE NO. 11876

LIBERTY LIFE ASSURANCE KENYA LIMITED

Head Office: P.O. Box 30364–00100, Nairobi

LOSS OF POLICY

Policy No. 6957492 *in the name and on the life of Pauline Sarah Oruya.*

APPLICATION having been made to this company on the loss of the above-numbered policy, notice is given that unless objection is lodged to Liberty Life Assurance Limited within thirty (30) days from the date of this notice, a duplicate policy will be issued and shall be used as the only valid document by the company for all future transactions.

Dated the 8th November, 2017.

CHARLES THIGA,

MR/3483169 *Head of Customer Service, Liberty Life.*

GAZETTE NOTICE NO. 11877

LIBERTY LIFE ASSURANCE KENYA LIMITED

Head Office: P.O. Box 30364–00100, Nairobi

LOSS OF POLICY

Policy No. 7001848 *in the name and on the life of Faith Nkirote Mutea.*

APPLICATION having been made to this company on the loss of the above-numbered policy, notice is given that unless objection is lodged to Liberty Life Assurance Limited within thirty (30) days from the date of this notice, a duplicate policy will be issued and shall be used as the only valid document by the company for all future transactions.

Dated the 8th November, 2017.

CHARLES THIGA,

MR/3483169 *Head of Customer Service, Liberty Life.*

GAZETTE NOTICE NO. 11878

LIBERTY LIFE ASSURANCE KENYA LIMITED

Head Office: P.O. Box 30364–00100, Nairobi

LOSS OF POLICY

Policy No. 8131838 *in the name and on the life of Anthony Ngang'a Mwaniki.*

APPLICATION having been made to this company on the loss of the above-numbered policy, notice is given that unless objection is lodged to Liberty Life Assurance Limited within thirty (30) days from the date of this notice, a duplicate policy will be issued and shall be used as the only valid document by the company for all future transactions.

Dated the 8th November, 2017.

CHARLES THIGA,
Head of Customer Service, Liberty Life.

MR/3483169

GAZETTE NOTICE NO. 11879

LIBERTY LIFE ASSURANCE KENYA LIMITED

Head Office: P.O. Box 30364–00100, Nairobi

LOSS OF POLICY

Policy No. 8135426 *in the name and on the life of Faith Harrison Njeri.*

APPLICATION having been made to this company on the loss of the above-numbered policy, notice is given that unless objection is lodged to Liberty Life Assurance Limited within thirty (30) days from the date of this notice, a duplicate policy will be issued and shall be used as the only valid document by the company for all future transactions.

Dated the 8th November, 2017.

CHARLES THIGA,
Head of Customer Service, Liberty Life.

MR/3483169

GAZETTE NOTICE NO. 11880

LIBERTY LIFE ASSURANCE KENYA LIMITED

Head Office: P.O. Box 30364–00100, Nairobi

LOSS OF POLICY

Policy No. 8136488 *in the name and on the life of John Odhiambo Okuku.*

APPLICATION having been made to this company on the loss of the above-numbered policy, notice is given that unless objection is lodged to Liberty Life Assurance Limited within thirty (30) days from the date of this notice, a duplicate policy will be issued and shall be used as the only valid document by the company for all future transactions.

Dated the 8th November, 2017.

CHARLES THIGA,
Head of Customer Service, Liberty Life.

MR/3483169

GAZETTE NOTICE NO. 11881

LIBERTY LIFE ASSURANCE KENYA LIMITED

Head Office: P.O. Box 30364–00100, Nairobi

LOSS OF POLICY

Policy No. 8147288 *in the name and on the life of Joyce Mbula Manthi.*

APPLICATION having been made to this company on the loss of the above-numbered policy, notice is given that unless objection is lodged to Liberty Life Assurance Limited within thirty (30) days from the date of this notice, a duplicate policy will be issued and shall be used as the only valid document by the company for all future transactions.

Dated the 8th November, 2017.

CHARLES THIGA,
Head of Customer Service, Liberty Life.

MR/3483169

GAZETTE NOTICE NO. 11882

LIBERTY LIFE ASSURANCE KENYA LIMITED

Head Office: P.O. Box 30364–00100, Nairobi

LOSS OF POLICY

Policy No. 8146886 *in the name and on the life of John Baptist Kuria Macharia.*

APPLICATION having been made to this company on the loss of the above-numbered policy, notice is given that unless objection is lodged to Liberty Life Assurance Limited within thirty (30) days from the date of this notice, a duplicate policy will be issued and shall be used as the only valid document by the company for all future transactions.

Dated the 8th November, 2017.

CHARLES THIGA,
Head of Customer Service, Liberty Life.

MR/3483169

GAZETTE NOTICE NO. 11883

LIBERTY LIFE ASSURANCE KENYA LIMITED

Head Office: P.O. Box 30364–00100, Nairobi

LOSS OF POLICY

Policy No. 8195479 *in the name and on the life of Erick Mwangi Karanja.*

APPLICATION having been made to this company on the loss of the above-numbered policy, notice is given that unless objection is lodged to Liberty Life Assurance Limited within thirty (30) days from the date of this notice, a duplicate policy will be issued and shall be used as the only valid document by the company for all future transactions.

Dated the 8th November, 2017.

CHARLES THIGA,
Head of Customer Service, Liberty Life.

MR/3483169

GAZETTE NOTICE NO. 11884

LIBERTY LIFE ASSURANCE KENYA LIMITED

Head Office: P.O. Box 30364–00100, Nairobi

LOSS OF POLICIES

Policy Nos. 6985888/6989318 *in the name and on the life of Juliana Ruth Wanyonyi.*

APPLICATION having been made to this company on the loss of the above-numbered policies, notice is given that unless objection is lodged to Liberty Life Assurance Limited within thirty (30) days from the date of this notice, duplicate policies will be issued and shall be used as the only valid documents by the company for all future transactions.

Dated the 8th November, 2017.

CHARLES THIGA,
Head of Customer Service, Liberty Life.

MR/3483169

GAZETTE NOTICE NO. 11885

THE JUBILEE INSURANCE COMPANY OF KENYA LIMITED

Head Office: P.O. Box 30376–00100, Nairobi

LOSS OF POLICY

Policy No. IL201500689095 *in the name of Suleiman Maundu Ramadhan.*

REQUEST has been made to this company for the issue of duplicate of the above-numbered policy, the original having been reported as lost or misplaced. Notice is given that unless objection is lodged to the contrary at the office of the company within thirty (30) days from the date of this notice, duplicate policy document will be issued, which will be the sole evidence of the contract.

Dated the 20th November, 2017.

LYNETTE ROP,
Life Department.

MR/3483327

GAZETTE NOTICE NO. 11886

THE JUBILEE INSURANCE COMPANY OF KENYA LIMITED

Head Office: P.O. Box 30376–00100, Nairobi

LOSS OF POLICY

Policy No. IL201400391673 *in the name of John Nganga Kamau.*

REQUEST has been made to this company for the issue of duplicate of the above-numbered policy, the original having been reported as lost or misplaced. Notice is given that unless objection is lodged to the contrary at the office of the company within thirty (30) days from the date of this notice, duplicate policy document will be issued, which will be the sole evidence of the contract.

Dated the 20th November, 2017.

LYNETTE ROP,
Life Department.

MR/3483327

GAZETTE NOTICE NO. 11887

THE JUBILEE INSURANCE COMPANY OF KENYA LIMITED

Head Office: P.O. Box 30376–00100, Nairobi

LOSS OF POLICY

Policy No. 185273/0 *in the name of Joseph Njuguna Chege.*

REQUEST has been made to this company for the issue of duplicate of the above-numbered policy, the original having been reported as lost or misplaced. Notice is given that unless objection is lodged to the contrary at the office of the company within thirty (30) days from the date of this notice, duplicate policy document will be issued, which will be the sole evidence of the contract.

Dated the 20th November, 2017.

LYNETTE ROP,
Life Department.

MR/3483327

GAZETTE NOTICE NO. 11888

THE JUBILEE INSURANCE COMPANY OF KENYA LIMITED

Head Office: P.O. Box 30376–00100, Nairobi

LOSS OF POLICY

Policy No. IL201500689121 *in the name of Suleiman Maundu Ramadhan.*

REQUEST has been made to this company for the issue of duplicate of the above-numbered policy, the original having been reported as lost or misplaced. Notice is given that unless objection is lodged to the contrary at the office of the company within thirty (30) days from the date of this notice, duplicate policy document will be issued, which will be the sole evidence of the contract.

Dated the 20th November, 2017.

LYNETTE ROP,
Life Department.

MR/3483327

GAZETTE NOTICE NO. 11889

THE JUBILEE INSURANCE COMPANY OF KENYA LIMITED

Head Office: P.O. Box 30376–00100, Nairobi

LOSS OF POLICY

Policy No. 188713/0 *in the name of Antony Odhiambo.*

REQUEST has been made to this company for the issue of duplicate of the above-numbered policy, the original having been reported as lost or misplaced. Notice is given that unless objection is lodged to the contrary at the office of the company within thirty (30) days from the date of this notice, duplicate policy document will be issued, which will be the sole evidence of the contract.

Dated the 20th November, 2017.

LYNETTE ROP,
Life Department.

MR/3483327

GAZETTE NOTICE NO. 11890

THE JUBILEE INSURANCE COMPANY OF KENYA LIMITED

Head Office: P.O. Box 30376–00100, Nairobi

LOSS OF POLICY

Policy No. 201531/8 *in the name of Martha Mumbi Muthee.*

REQUEST has been made to this company for the issue of duplicate of the above-numbered policy, the original having been reported as lost or misplaced. Notice is given that unless objection is lodged to the contrary at the office of the company within thirty (30) days from the date of this notice, duplicate policy document will be issued, which will be the sole evidence of the contract.

Dated the 20th November, 2017.

LYNETTE ROP,
Life Department.

MR/3483327

GAZETTE NOTICE NO. 11891

BRITAM LIFE ASSURANCE COMPANY (K) LIMITED

Head Office: P.O. Box 30375–00100, Nairobi

LOSS OF POLICY

Policy No. 161-18899 *in the name and on the life of Loice Chepkemoi Kimingoi.*

REPORT having been made to this company on the loss of the above numbered policy, notice is given that unless objection is lodged to Britam Life Assurance Company (K) Limited within thirty (30) days from the date of this notice, a duplicate policy will be issued and shall be used as the only valid document by the company for all future transactions.

Dated the 16th November, 2017.

SIMEON BWIRE,
Underwriting Manager, Life.

MR/3483360

GAZETTE NOTICE NO. 11892

BRITAM LIFE ASSURANCE COMPANY (K) LIMITED

Head Office: P.O. Box 30375–00100, Nairobi

LOSS OF POLICY

Policy No. 161-3309 *in the name and on the life of Catherine Jerusha Wangechi Muthaka.*

REPORT having been made to this company on the loss of the above numbered policy, notice is given that unless objection is lodged to Britam Life Assurance Company (K) Limited within thirty (30) days from the date of this notice, a duplicate policy will be issued and shall be used as the only valid document by the company for all future transactions.

Dated the 16th November, 2017.

SIMEON BWIRE,
Underwriting Manager, Life.

MR/3483360

GAZETTE NOTICE NO. 11893

BRITAM LIFE ASSURANCE COMPANY (K) LIMITED

Head Office: P.O. Box 30375–00100, Nairobi

LOSS OF POLICY

Policy No. 121-13263 *in the name and on the life of Loise Nduta Ndungu.*

REPORT having been made to this company on the loss of the above numbered policy, notice is given that unless objection is lodged to Britam Life Assurance Company (K) Limited within thirty (30) days from the date of this notice, a duplicate policy will be issued and shall be used as the only valid document by the company for all future transactions.

Dated the 16th November, 2017.

SIMEON BWIRE,
Underwriting Manager, Life.

MR/3483360

GAZETTE NOTICE NO. 11894

BRITAM LIFE ASSURANCE COMPANY (K) LIMITED

Head Office: P.O. Box 30375–00100, Nairobi

LOSS OF POLICY

Policy No. 139-6316 *in the name and on the life of Mathew Lole Loltome.*

REPORT having been made to this company on the loss of the above numbered policy, notice is given that unless objection is lodged to Britam Life Assurance Company (K) Limited within thirty (30) days from the date of this notice, a duplicate policy will be issued and shall be used as the only valid document by the company for all future transactions.

Dated the 16th November, 2017.

SIMEON BWIRE,
Underwriting Manager, Life.

MR/3483360

GAZETTE NOTICE NO. 11895

BRITAM LIFE ASSURANCE COMPANY (K) LIMITED

Head Office: P.O. Box 30375–00100, Nairobi

LOSS OF POLICY

Policy No. 163-4304 *in the name and on the life of Augustine Joseph Gakure.*

REPORT having been made to this company on the loss of the above numbered policy, notice is given that unless objection is lodged to Britam Life Assurance Company (K) Limited within thirty (30) days from the date of this notice, a duplicate policy will be issued and shall be used as the only valid document by the company for all future transactions.

Dated the 16th November, 2017.

SIMEON BWIRE,
Underwriting Manager, Life.

MR/3483360

GAZETTE NOTICE NO. 11896

BRITAM LIFE ASSURANCE COMPANY (K) LIMITED

Head Office: P.O. Box 30375–00100, Nairobi

LOSS OF POLICY

Policy No. 139-6167 *in the name and on the life of Anne Wanjiru Mwangi.*

REPORT having been made to this company on the loss of the above numbered policy, notice is given that unless objection is lodged to Britam Life Assurance Company (K) Limited within thirty (30) days from the date of this notice, a duplicate policy will be issued and shall be used as the only valid document by the company for all future transactions.

Dated the 16th November, 2017.

SIMEON BWIRE,
Underwriting Manager, Life.

MR/3483360

GAZETTE NOTICE NO. 11897

BRITAM LIFE ASSURANCE COMPANY (K) LIMITED

Head Office: P.O. Box 30375–00100, Nairobi

LOSS OF POLICY

Policy No. 122-16733 *in the name and on the life of Ruth Naliaka Nalianya.*

REPORT having been made to this company on the loss of the above numbered policy, notice is given that unless objection is lodged to Britam Life Assurance Company (K) Limited within thirty (30) days from the date of this notice, a duplicate policy will be issued and shall be used as the only valid document by the company for all future transactions.

Dated the 16th November, 2017.

SIMEON BWIRE,
Underwriting Manager, Life.

MR/3483360

GAZETTE NOTICE NO. 11898

BRITAM LIFE ASSURANCE COMPANY (K) LIMITED

Head Office: P.O. Box 30375–00100, Nairobi

LOSS OF POLICY

Policy No. 122-54347 *in the name and on the life of Gitonga Rahab Makena.*

REPORT having been made to this company on the loss of the above numbered policy, notice is given that unless objection is lodged to Britam Life Assurance Company (K) Limited within thirty (30) days from the date of this notice, a duplicate policy will be issued and shall be used as the only valid document by the company for all future transactions.

Dated the 16th November, 2017.

SIMEON BWIRE,
Underwriting Manager, Life.

MR/3483360

GAZETTE NOTICE NO. 11899

BRITAM LIFE ASSURANCE COMPANY (K) LIMITED

Head Office: P.O. Box 30375–00100, Nairobi

LOSS OF POLICY

Policy No. 122-47466 *in the name and on the life of George Kelvin Gicharu.*

REPORT having been made to this company on the loss of the above numbered policy, notice is given that unless objection is lodged to Britam Life Assurance Company (K) Limited within thirty (30) days from the date of this notice, a duplicate policy will be issued and shall be used as the only valid document by the company for all future transactions.

Dated the 16th November, 2017.

SIMEON BWIRE,
Underwriting Manager, Life.

MR/3483360

GAZETTE NOTICE NO. 11900

BRITAM LIFE ASSURANCE COMPANY (K) LIMITED

Head Office: P.O. Box 30375–00100, Nairobi

LOSS OF POLICY

Policy No. 461-977 *in the name and on the life of Michael Hinzano Ngonyo.*

REPORT having been made to this company on the loss of the above numbered policy, notice is given that unless objection is lodged to Britam Life Assurance Company (K) Limited within thirty (30) days from the date of this notice, a duplicate policy will be issued and shall be used as the only valid document by the company for all future transactions.

Dated the 16th November, 2017.

SIMEON BWIRE,
Underwriting Manager, Life.

MR/3483360

GAZETTE NOTICE NO. 11901

BRITAM LIFE ASSURANCE COMPANY (K) LIMITED

Head Office: P.O. Box 30375–00100, Nairobi

LOSS OF POLICY

Policy No. 122-52474 *in the name and on the life of Musa Ismail Okondo.*

REPORT having been made to this company on the loss of the above numbered policy, notice is given that unless objection is lodged to Britam Life Assurance Company (K) Limited within thirty (30) days from the date of this notice, a duplicate policy will be issued and shall be used as the only valid document by the company for all future transactions.

Dated the 21st November, 2017.

SIMEON BWIRE,
Underwriting Manager, Life.

MR/3483335

GAZETTE NOTICE NO. 11902

BRITAM LIFE ASSURANCE COMPANY (K) LIMITED

Head Office: P.O. Box 30375–00100, Nairobi

LOSS OF POLICY

Policy No. 121-12043 *in the name and on the life of Philomena Katheu Matata.*

REPORT having been made to this company on the loss of the above numbered policy, notice is given that unless objection is lodged to Britam Life Assurance Company (K) Limited within thirty (30) days from the date of this notice, a duplicate policy will be issued and shall be used as the only valid document by the company for all future transactions.

Dated the 21st November, 2017.

SIMEON BWIRE,
Underwriting Manager, Life.

MR/3483335

GAZETTE NOTICE NO. 11903

BRITAM LIFE ASSURANCE COMPANY (K) LIMITED

Head Office: P.O. Box 30375–00100, Nairobi

LOSS OF POLICY

Policy No. 161-18334 *in the name and on the life of Lucy Wambui Chiuri.*

REPORT having been made to this company on the loss of the above numbered policy, notice is given that unless objection is lodged to Britam Life Assurance Company (K) Limited within thirty (30) days from the date of this notice, a duplicate policy will be issued and shall be used as the only valid document by the company for all future transactions.

Dated the 21st November, 2017.

SIMEON BWIRE,
Underwriting Manager, Life.

MR/3483335

GAZETTE NOTICE NO. 11904

BRITAM LIFE ASSURANCE COMPANY (K) LIMITED

Head Office: P.O. Box 30375–00100, Nairobi

LOSS OF POLICY

Policy No. 161-8445 *in the name and on the life of Catherine Njoki Gichuhi.*

REPORT having been made to this company on the loss of the above numbered policy, notice is given that unless objection is lodged to Britam Life Assurance Company (K) Limited within thirty (30) days from the date of this notice, a duplicate policy will be issued and shall be used as the only valid document by the company for all future transactions.

Dated the 21st November, 2017.

SIMEON BWIRE,
Underwriting Manager, Life.

MR/3483335

GAZETTE NOTICE NO. 11905

BRITAM LIFE ASSURANCE COMPANY (K) LIMITED

Head Office: P.O. Box 30375–00100, Nairobi

LOSS OF POLICY

Policy No. 139-6413 *in the name and on the life of Adan Chukulisa.*

REPORT having been made to this company on the loss of the above numbered policy, notice is given that unless objection is lodged to Britam Life Assurance Company (K) Limited within thirty (30) days from the date of this notice, a duplicate policy will be issued and shall be used as the only valid document by the company for all future transactions.

Dated the 21st November, 2017.

SIMEON BWIRE,
Underwriting Manager, Life.

MR/3483335

GAZETTE NOTICE NO. 11906

BRITAM LIFE ASSURANCE COMPANY (K) LIMITED

Head Office: P.O. Box 30375–00100, Nairobi

LOSS OF POLICY

Policy No. 122-39361 *in the name and on the life of Peter Kipkemei.*

REPORT having been made to this company on the loss of the above numbered policy, notice is given that unless objection is lodged to Britam Life Assurance Company (K) Limited within thirty (30) days from the date of this notice, a duplicate policy will be issued and shall be used as the only valid document by the company for all future transactions.

Dated the 21st November, 2017.

SIMEON BWIRE,
Underwriting Manager, Life.

MR/3483335

GAZETTE NOTICE NO. 11907

BRITAM LIFE ASSURANCE COMPANY (K) LIMITED

Head Office: P.O. Box 30375–00100, Nairobi

LOSS OF POLICY

Policy No. 162-98 *in the name and on the life of Peter Kaaka.*

REPORT having been made to this company on the loss of the above numbered policy, notice is given that unless objection is lodged to Britam Life Assurance Company (K) Limited within thirty (30) days from the date of this notice, a duplicate policy will be issued and shall be used as the only valid document by the company for all future transactions.

Dated the 21st November, 2017.

SIMEON BWIRE,
Underwriting Manager, Life.

MR/3483335

GAZETTE NOTICE NO. 11908

BRITAM LIFE ASSURANCE COMPANY (K) LIMITED

Head Office: P.O. Box 30375–00100, Nairobi

LOSS OF POLICY

Policy No. 120-811 *in the name and on the life of Jones Satima Olechurai.*

REPORT having been made to this company on the loss of the above numbered policy, notice is given that unless objection is lodged to Britam Life Assurance Company (K) Limited within thirty (30) days from the date of this notice, a duplicate policy will be issued and shall be used as the only valid document by the company for all future transactions.

Dated the 21st November, 2017.

SIMEON BWIRE,
Underwriting Manager, Life.

MR/3483335

GAZETTE NOTICE NO. 118909

BRITAM LIFE ASSURANCE COMPANY (K) LIMITED

Head Office: P.O. Box 30375–00100, Nairobi

LOSS OF POLICIES

Policy Nos. 149-2926 and 121-10294 *in the name and on the life of Caroline Murugi Nyaga.*

REPORT having been made to this company on the loss of the above numbered policies, notice is given that unless objection is lodged to Britam Life Assurance Company (K) Limited within thirty (30) days from the date of this notice, duplicate policies will be issued and shall be used as the only valid document by the company for all future transactions.

Dated the 16th November, 2017.

SIMEON BWIRE,
Underwriting Manager, Life.

MR/3483335

GAZETTE NOTICE NO. 11910

CORPORATE INSURANCE COMPANY LIMITED

(Incorporated in Kenya)

Head Office: P.O. Box 34172, Nairobi

LOSS OF POLICY

*Policy No. CL/*12/4291 *in the name and on the life of Anne Njoki Gatai.*

APPLICATION has been made to this company for the issue of a duplicate of the above-mentioned policy, the original having been reported lost or misplaced. Notice is given that unless objection is lodged to the contrary at the office of the company within thirty (30) days from the date of this notice, a duplicate policy will be issued, which will be the sole evidence of the contract.

Dated the 20th November, 2017.

MARY WANJIRU,
Life Department.

MR/3483394

GAZETTE NOTICE NO. 11911

ICEA LION LIFE ASSURANCE COMPANY LIMITED

Head Office: P.O. Box 46143–00100, Nairobi

LOSS OF POLICY

Policy No. 100000/150 *in the name of International Centre of Insect Physiology and Ecology.*

NOTICE having been given on the loss of the above policy, a duplicate will be issued in substitution unless an objection is filed with the undersigned within thirty (30) days from the date of this notice.

Dated the 21st November, 2017.

FELIX CHOMBA,
Manager, Deposit Administration and Actuarial.

MR/3483301

GAZETTE NOTICE NO. 11912

MADISON INSURANCE COMPANY KENYA LIMITED

Head Office: P.O. Box 47382–00100, Nairobi

LOSS OF POLICY

Policy No. BYK88313403 *in the name of Onyanyo John Nyaendo, of P.O. Box 16743–00100, Nairobi.*

NOTICE is given that evidence of loss or destruction of the above policy documents has been submitted to the company and any person in possession of the policy documents or claiming to have interest therein should communicate within thirty days (30) by registered post with the company, failing any such communication certified copies of the policy which shall be the sole evidence of the contract will be issued.

Dated the 1st November, 2017.

JOSEPHAT MUTHWII,
Underwriting Manager, Life.

MR/3483237

GAZETTE NOTICE NO. 11913

MADISON INSURANCE COMPANY KENYA LIMITED

Head Office: P.O. Box 47382–00100, Nairobi

LOSS OF POLICY

Policy No. BYK8802953 *in the name of Nyakwaye Henry Morara, of P.O. Box 3548–30100, Eldoret.*

NOTICE is given that evidence of loss or destruction of the above policy documents has been submitted to the company and any person in possession of the policy documents or claiming to have interest therein should communicate within thirty days (30) by registered post with the company, failing any such communication certified copies of the policy which shall be the sole evidence of the contract will be issued.

Dated the 1st November, 2017.

JOSEPHAT MUTHWII,
Underwriting Manager, Life.

MR/3483237

GAZETTE NOTICE NO. 11914

MADISON INSURANCE COMPANY KENYA LIMITED

Head Office: P.O. Box 47382–00100, Nairobi

LOSS OF POLICY

Policy No. HP1005777 *in the name of Inziani Bollender, of P.O. Box 316, Nairobi.*

NOTICE is given that evidence of loss or destruction of the above policy documents has been submitted to the company and any person in possession of the policy documents or claiming to have interest therein should communicate within thirty days (30) by registered post with the company, failing any such communication certified copies of the policy which shall be the sole evidence of the contract will be issued.

Dated the 1st November, 2017.

JOSEPHAT MUTHWII,
Underwriting Manager, Life.

MR/3483237

GAZETTE NOTICE NO. 11915

MADISON INSURANCE COMPANY KENYA LIMITED

Head Office: P.O. Box 47382–00100, Nairobi

LOSS OF POLICY

Policy No. SMI408578 *in the name of Mwithalie Salesio Maingi, of P.O. Box 78, Maua.*

NOTICE is given that evidence of loss or destruction of the above policy documents has been submitted to the company and any person in possession of the policy documents or claiming to have interest therein should communicate within thirty days (30) by registered post with the company, failing any such communication certified copies of the policy which shall be the sole evidence of the contract will be issued.

Dated the 1st November, 2017.

JOSEPHAT MUTHWII,
Underwriting Manager, Life.

MR/3483237

GAZETTE NOTICE NO. 11916

PIONEER ASSURANCE COMPANY LIMITED

Head Office: P.O. Box 20333–00200, Nairobi

LOSS OF POLICY

Policy No. 290003307 *in the name and on the life of Beatrice Auma Odhuno.*

REPORT has been made to this company on the loss of the above numbered policy. Notice is given that unless objection is lodged to Pioneer Assurance Company Limited within thirty (30) days from the date of this notice, a duplicate policy will be issued and shall be used as the only valid document by the company for all future transactions.

Dated the 15th November, 2017.

TIMOTHY MUTUA,
Life Manager.

MR/3483176

GAZETTE NOTICE NO. 11917

CHANGE OF NAME

NOTICE is given that by a deed poll dated 1st November, 2017, duly executed and registered in the Registry of Documents at Nairobi as Presentation No. 1429, in Volume DI, Folio 302/5327, File No. MMXVII, by our client, Alma Blessed Wanja Maina, of P.O. Box 5630–00200, Nairobi in the Republic of Kenya, formerly known as Alice Wanja Maina formally and absolutely renounced and abandoned the use of her former name Alice Wanja Maina and in lieu thereof assumed and adopted the name Alma Blessed Wanja Maina, for all purposes and authorizes and requests all persons at all times to designate, describe and address her by her assumed name Alma Blessed Wanja Maina only.

WAMBUGU & MURIUKI,
Advocates for Alma Blessed Wanja Maina, formerly known as Alice Wanja Maina.

MR/348353

GAZETTE NOTICE NO. 11918

CHANGE OF NAME

NOTICE is given that by a deed poll dated 28th February, 2017, duly executed and registered in the Registry of Documents at Nairobi as Presentation No. 45, in Volume DI, Folio 82/1397, File No. MMXVII, by our client, Mahinda David Vito, of P.O. Box 4492–00100, Nairobi in the Republic of Kenya, formerly known as David Mahinda Njenga formally and absolutely renounced and abandoned the use of his former name David Mahinda Njenga and in lieu thereof assumed and adopted the name Mahinda David Vito, for all purposes and authorizes and requests all persons at all times to designate, describe and address him by his assumed name Mahinda David Vito only.

KOSGEY & MASESE,
MR/3483238 *Advocates for Mahinda David Vito, formerly known as David Mahinda Njenga.*

GAZETTE NOTICE NO. 11919

CHANGE OF NAME

NOTICE is given that by a deed poll dated 19th September, 2017, duly executed and registered in the Registry of Documents at Nairobi as Presentation No. 2105, in Volume DI, Folio 305/5499, File No. MMXVII, by our client, Joel Johns Kamanja, of P.O. Box 75267–00200, Nairobi in the Republic of Kenya, formerly known as Eric Ndegwa Kamanja formally and absolutely renounced and abandoned the use of his former name Eric Ndegwa Kamanja and in lieu thereof assumed and adopted the name Joel Johns Kamanja, for all purposes and authorizes and requests all persons at all times to designate, describe and address him by his assumed name Joel Johns Kamanja only.

Dated the 29th November, 2017.

LILAN & KOECH ASSOCIATES,
MR/3574049 *Advocates for Joel Johns Kamanja, formerly known as Eric Ndegwa Kamanja.*

GAZETTE NOTICE NO. 11920

CHANGE OF NAME

NOTICE is given that by a deed poll dated 10th October, 2017, duly executed and registered in the Registry of Documents at Nairobi as Presentation No. 1872, in Volume DI, Folio 302/5324, File No. MMXVII, by our client, Abdi Dahir Ibrahim, of P.O. Box 1096–00610, Garissa in the Republic of Kenya, formerly known as Abdi Ibrahim Diisow formally and absolutely renounced and abandoned the use of his former name Abdi Ibrahim Diisow and in lieu thereof assumed and adopted the name Abdi Dahir Ibrahim, for all purposes and authorizes and requests all persons at all times to designate, describe and address him by his assumed name Abdi Dahir Ibrahim only.

OKAO & COMPANY,
MR/3483334 *Advocates for Abdi Dahir Ibrahim, formerly known as Abdi Ibrahim Diisow.*

GAZETTE NOTICE NO. 11921

CHANGE OF NAME

NOTICE is given that by a deed poll dated 21st September, 2017, duly executed and registered in the Registry of Documents at Nairobi as Presentation No. 477, in Volume DI, Folio 265/4563, File No. MMXVII, by our client, Dominic W Biketi, of P.O. Box 14781–00800, Nairobi in the Republic of Kenya, formerly known as Dominic Bonke Biketi formally and absolutely renounced and abandoned the use of his former name Dominic Bonke Biketi and in lieu thereof assumed and adopted the name Dominic W Biketi, for all purposes and authorizes and requests all persons at all times to designate, describe and address him by his assumed name Dominic W Biketi only.

WAINAINA & KARIMI,
MR/3483309 *Advocates for Dominic W Biketi, formerly known as Dominic Bonke Biketi.*

GAZETTE NOTICE NO. 11922

CHANGE OF NAME

NOTICE is given that by a deed poll dated 23rd October, 2017, duly executed and registered in the Registry of Documents at Nairobi as Presentation No. 993, in Volume DI, Folio 301/5320, File No. MMXVII, by our client, Bertha Karungari Wachira, of P.O. Box 41765–00100, Nairobi in the Republic of Kenya, formerly known as Karungari Wachira Wambugu formally and absolutely renounced and abandoned the use of his former name Karungari Wachira Wambugu and in lieu thereof assumed and adopted the name Bertha Karungari Wachira, for all purposes and authorizes and requests all persons at all times to designate, describe and address him by his assumed name Bertha Karungari Wachira only.

Dated the 22nd November, 2017.

WACIRA WAMBUGU & COMPANY,
MR/3483336 *Advocates for Bertha Karungari Wachira, formerly known as Karungari Wachira Wambugu.*

GAZETTE NOTICE NO. 118923

CHANGE OF NAME

NOTICE is given that by a deed poll dated 12th October, 2005, duly executed and registered in the Registry of Documents at Nairobi as Presentation No. 135, in Volume DI, Folio 433/302, File No. DXXXIII, by me, Ignatius Mbui Ngari, of P.O. Box 73, Siakago in the Republic of Kenya, formerly known as Kiura Muthumbi formally and absolutely renounced and abandoned the use of my former name Kiura Muthumbi and in lieu thereof assumed and adopted the name Ignatius Mbui Ngari, for all purposes and authorizes and requests all persons at all times to designate, describe and address me by my assumed name Ignatius Mbui Ngari only.

Dated the 15th November, 2017.

IGNATIUS MBUI NGARI,
MR/3483302 *formerly known as Kiura Muthumbi.*

GAZETTE NOTICE NO. 11924

CHANGE OF NAME

NOTICE is given that by a deed poll dated 13th December, 2016, duly executed and registered in the Registry of Documents at Nairobi as Presentation No. 1366, in Volume DI, Folio 122/2178, File No. MMXVII, by our client, Wycliffe Chongwony Cheptot, of P.O. Box 29884–00100, Nairobi in the Republic of Kenya, formerly known as Wycliffe Cheptot Nyongesa formally and absolutely renounced and abandoned the use of his former name Wycliffe Cheptot Nyongesa and in lieu thereof assumed and adopted the name Wycliffe Chongwony Cheptot, for all purposes and authorizes and requests all persons at all times to designate, describe and address him by his assumed name Wycliffe Chongwony Cheptot only.

Dated the 27th November, 2017.

McKAY,
MR/3574006 *Advocates for Wycliffe Chongwony Cheptot, formerly known as Wycliffe Cheptot Nyongesa.*

GAZETTE NOTICE NO. 11925

CHANGE OF NAME

NOTICE is given that by a deed poll dated 29th October, 2015, duly executed and registered in the Registry of Documents at Nairobi as Presentation No. 1334, in Volume DI, Folio 37/393, File No. MMXVI, by our client, Dorcas Ndunge John, of P.O. Box 56038–00200, Nairobi in the Republic of Kenya, formerly known as Dorothy Ndunge John formally and absolutely renounced and abandoned the use of her former name Dorothy Ndunge John and in lieu thereof assumed and adopted the name Dorcas Ndunge John, for all purposes and authorizes and requests all persons at all times to designate, describe and address her by her assumed name Dorcas Ndunge John only.

Dated the 27th November, 2017.

R. A. ONCHURU & COMPANY,
MR/3574013 *Advocates for Dorcas Ndunge John, formerly known as Dorothy Ndunge John.*

NOW ON SALE

THE NATIONAL POVERTY ERADICATION PLAN (1999-2015)

Price: KSh. 500

2010/2011
ANNEX OF ESTIMATES OF REVENUE AND EXPENDITURE OF STATE CORPORATIONS OF GOVERNMENT OF KENYA FOR THE YEAR ENDING 30TH JUNE, 2011

Price: KSh. 250

PUBLIC SECTOR WORKPLACE POLICY ON HIV/AIDS

April, 2005

Price: KSh. 300

E-GOVERNMENT STRATEGY
The Strategic Framework
Administrative Structure, Training Requirements and Standardization Framework

March, 2004

Price: KSh. 300

ECONOMIC RECOVERY STRATEGY FOR WEALTH AND EMPLOYMENT CREATION (2003—2007)

Price: KSh. 500

RECRUITMENT AND TRAINING POLICY FOR PUBLIC SERVICE

May, 2005

Price: KSh. 250

SESSIONAL PAPER NO. 2 OF 2005
On Development of Micro and Small Enterprises for Wealth and Employment Creation for Poverty Reduction

Price: KSh. 300

SESSIONAL PAPER NO. 9 OF 2005 ON FOREST POLICY

Price: KSh. 300

STRATEGY FOR REVITALIZING AGRICULTURE (2004–2014)

March, 2004

Price: KSh. 200

REPORT OF THE JUDICIAL COMMISSION OF INQUIRY INTO THE GOLDENBERG AFFAIR

October, 2005

Price: KSh. 800

NATIONAL DEVELOPMENT PLAN 2002-2008

Effective Management for Sustainable Economic Growth and Poverty Reduction

Price: KSh. 750

THE KENYA COMMUNICATIONS ACT (No. 2 OF 1998)
Transfer of Assets—Telposta Pension Scheme

Transfer and Vesting of Assets and Liabilities—The Communications Commission of Kenya and the Postal Corporation of Kenya

Transfer of Employees of the Kenya Posts and Telecommunications Corporation

(*Kenya Gazette Supplement No*. 59).

Price: KSh. 550

THE KENYA COMMUNICATIONS ACT (No. 2 OF 1998)

Transfer and Vesting of Assets and Liabilities—Telkom Kenya Limited

(*Kenya Gazette Supplement No.* 59*A and* 59*B*)

Volume I (59A)

Price: KSh. 1,300

Volume I (59B)

Price: KSh. 900

TREASURY MEMORANDUM OF THE IMPLEMENTATION STATUS ON THE SEVENTH REPORT OF THE PUBLIC INVESTMENTS COMMITTEE

Volume II

1999

Price: KSh. 200

THE REPORT OF THE CONTROLLER AND AUDITOR GENERAL TOGETHER WITH THE APPROPRIATION ACCOUNTS AND OTHER PUBLIC ACCOUNTS AND THE ACCOUNTS OF THE FUNDS FOR THE YEAR 1996/97

Price: KSh. 5,000—*per set of* 5 *Volumes*

SESSIONAL PAPER NO. 1 OF 1999 ON NATIONAL POLICY ON WATER RESOURCES MANAGEMENT AND DEVELOPMENT

Ministry of Water Resources

Price: KSh. 200

REPORT OF THE PUBLIC ACCOUNTS COMMITTEE ON THE GOVERNMENT OF KENYA ACCOUNTS FOR THE YEAR 1995/96
Volume II

Price: KSh. 500

NOW ON SALE

THE NATIONAL POVERTY ERADICATION PLAN (1999-2015)

Price: KSh. 500

2010/2011
ANNEX OF ESTIMATES OF REVENUE AND EXPENDITURE OF STATE CORPORATIONS OF GOVERNMENT OF KENYA FOR THE YEAR ENDING 30TH JUNE, 2011

Price: KSh. 250

PUBLIC SECTOR WORKPLACE POLICY ON HIV/AIDS

April, 2005

Price: KSh. 300

E-GOVERNMENT STRATEGY
The Strategic Framework
Administrative Structure, Training Requirements and Standardization Framework

March, 2004

Price: KSh. 300

ECONOMIC RECOVERY STRATEGY FOR WEALTH AND EMPLOYMENT CREATION (2003—2007)

Price: KSh. 500

RECRUITMENT AND TRAINING POLICY FOR PUBLIC SERVICE

May, 2005

Price: KSh. 250

SESSIONAL PAPER NO. 2 OF 2005
On Development of Micro and Small Enterprises for Wealth and Employment Creation for Poverty Reduction

Price: KSh. 300

SESSIONAL PAPER NO. 9 OF 2005 ON FOREST POLICY

Price: KSh. 300

STRATEGY FOR REVITALIZING AGRICULTURE (2004–2014)

March, 2004

Price: KSh. 200

REPORT OF THE JUDICIAL COMMISSION OF INQUIRY INTO THE GOLDENBERG AFFAIR

October, 2005

Price: KSh. 800

NOW ON SALE

ECONOMIC SURVEY, 2015

Price: KSh. 1,500

THE FINANCE BILL, 2015

Price: KSh. 180

2011/2012
ESTIMATES OF RECURRENT EXPENDITURE
OF THE
GOVERNMENT OF KENYA
FOR THE YEAR ENDING
30TH JUNE, 2011

VOL. I

Price: KSh. 1,400

VOL. II

Price: KSh. 1,200

VOL. III

Price: KSh. 1,100

2011/2012
ESTIMATES OF DEVELOPMENT EXPENDITURE
OF THE
GOVERNMENT OF KENYA
FOR YEAR ENDING
30TH JUNE, 2011

VOL. I

Price: KSh. 1,100

VOL. II

Price: KSh. 1,100

THE NATIONAL ASSEMBLY CONSTITUENCIES AND COUNTY ASSEMBLY WARDS ORDER, 2012

Kenya Gazette Supplement No. 13

(Legal Notice No. 14 of 2012)

Price: KSh. 880

STATISTICAL ABSTRACT, 2011

Price: KSh. 1,000

THE CONSTITUTION OF KENYA

Price: KSh. 250

For further Information contact: The Government Printer, P.O. Box 30128-00100, Nairobi, Tel. 317840/41/57/86/87.

IMPORTANT NOTICE TO SUBSCRIBERS TO THE KENYA GAZETTE

THE following notes are for the guidance of persons submitting "copy" for inclusion in the *Kenya Gazette, Supplement*, etc.:

(1) *The Kenya Gazette* contains Notices of a general nature which do not affect legislation. They are, therefore, submitted to the Government Printer directly.

(2) *Legislative Supplement* contains Rules and Regulations which are issued by the Central Government. Because of this, they must be submitted to the Government Printer through the office of the Attorney-General.

(3) *Bill Supplement* contains Bills which are for introduction in the National Assembly.

(4) *Act Supplement* contains Acts passed by the National Assembly.

All "copy" submitted for publication should be prepared on one side of an A4 sheet no matter how small the Notice is, each page being numbered and should be typewritten with double spacing. Copy should be clear, legible and contain no alterations.

Particular attention should be paid to the following points:

(i) Signature must be supported by rubber-stamping or typing the name of the signatory in capital letters.

(ii) Must be correct and filled in where necessary.

(iii) Care should be taken to ensure that all headings to Notices and references to legislation are up to date and conform with the Revised Edition. of the Laws of Kenya.

EXTRACT FROM THE CODE OF REGULATIONS, SECTION D—

Kenya Gazette

"D 34. (1) Communications for the *Kenya Gazette* should reach the Government Printer not later than 9 a.m. on Friday of the week before publication is desired. The Government Printer will not publish communications received after that hour until the next subsequent issue of the Gazette.

(2) Ministries will be required to pay for the *Kenya Gazette* and to meet the cost of advertising in it.

It is emphasized that these notes are for guidance only, but it is requested that persons submitting copy for publication first satisfy themselves that such copy is complete in every respect.

SUBSCRIPTION AND ADVERTISEMENT CHARGES

With effect from 1st July, 2012, subscription and advertisement fee for the *Kenya Gazette* are as follows:

SUBSCRIPTION CHARGES:

	KSh.	*cts.*
Annual Subscription (excluding postage in Kenya)	13,920	00
Annual Subscription (including postage in Kenya)	16,935	00
Annual Subscription (overseas)	32,015	00
Half-year Subscription (excluding postage in Kenya)	6,960	00
Half-year Subscription (including postage in Kenya)	8,470	00
Half-year Subscription (overseas)	16,010	00
Single copy without supplements	60	00

GAZETTED SUPPLEMENT CHARGES—PER COPY:

	KSh. cts		*Postage in E.A* *KSh. cts.*	
Up to 2 pages	15	00	60	00
Up to 4 pages	25	00	60	00
Up to 8 pages	40	00	60	00
Up to 12 pages	60	00	60	00
Up to 16 pages	80	00	60	00
Up to 20 pages	95	00	155	00
Up to 24 pages	110	00	115	00
Up to 32 pages	145	00	115	00
Up to 36 pages	165	00	depending on weight	
Up to 40 pages	180	00	depending on weight	
Each additional 4 pages or part thereof	20	00	depending on weight	

ADVERTISEMENT CHARGES:

	KSh.	*cts.*
Full page	27,840	00
Full single column	13,920	00
Three-quarter column	10,440	00
Half column	6,960	00
Quarter column or less	3,480	00

Subscribers and advertisers are advised to remit payments by bankers cheques, or deposit using our account at National Bank of Kenya, A/C No. 01001000903100, drawn in favour of "Government Printers".

Revenue stamps cannot be accepted. Subscriptions and advertisement charges are paid in advance.

S. N. MIGWI,
Government Printer.

PRINTED AND PUBLISHED BY THE GOVERNMENT PRINTER, NAIROBI